


RECEIVED

MAY 08 2019

Office of Enforcement, Compliance  
and Environmental Justice



Andeavor  
1801 California Street, Suite 1200  
Denver, CO 80202

andeavor.com

May 7, 2019

Director, Air Toxics & Technical Enforcement Program  
Office of Enforcement, Compliance and Environmental Justice  
U.S. EPA, Region 8  
1595 Wynkoop Street, 8ENF-AT  
Denver, CO 80202-1129

FedEx #775153888840

**Re: NSPS Subpart OOOOa Annual Report  
Pelican Lake Compressor Station  
Uintah County, Utah**

Dear Sir or Madam:

Andeavor is submitting the enclosed Annual Report, as required by 40 CFR §60.5420a(b), on behalf of Andeavor Field Services, LLC, for the following facility located in Uintah County, Utah, that is affected under New Source Performance Standards (NSPS) Subpart OOOOa:

- Pelican Lake Compressor Station (startup of Subpart OOOOa-affected facility: February 10, 2017)

Per 40 CFR §60.5420(b), submittal of the subsequent annual reports to EPA are required no later than same date each year as the initial annual report which, for Pelican Lake, was submitted May 10, 2018. The attached report fulfills this obligation for the reporting period February 10, 2018, through February 9, 2019.

Also enclosed is the required Certification of Truth, Accuracy, and Completeness (CTAC).

If you have any questions regarding this report, please contact me at

(b) (6)

(b) (6)

Sincerely,

(b) (6)

Thomas H. Gibbons  
HES Professional

Enclosures: CTAC, Annual Report

Federal Operating Permit Program (40 CFR Part 71)  
**CERTIFICATION OF TRUTH, ACCURACY, AND COMPLETENESS (CTAC)**

This form must be completed, signed by the "Responsible Official" designated for the facility or emission unit, and sent with each submission of documents (i.e., application forms, updates to applications, reports, or any information required by a part 71 permit).

**A. Responsible Official**

Name: (Last) Jackson (First) Jonathan (MI) C

Title Senior Director, Mid-Continent Gathering & Processing

Street or P.O. Box 1801 California St., Suite 1200

City Denver State CO ZIP 80202 - \_\_\_\_\_

Telephone ( 303 ) 454 - 6647 Ext. \_\_\_\_\_ Facsimile ( \_\_\_\_\_ ) \_\_\_\_\_ - \_\_\_\_\_

**B. Certification of Truth, Accuracy and Completeness** (to be signed by the responsible official)

I certify under penalty of law, based on information and belief formed after reasonable inquiry, the statements and information contained in these documents are true, accurate and complete.

Name (signed) \_\_\_\_\_ **(b) (6)** \_\_\_\_\_

Name (typed) Jonathan C. Jackson Date: 5 / 6 / 19

## Andeavor NSPS Subpart OOOOa Annual Report Site Information

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities  
for which Construction, Modification or Reconstruction Commenced After  
September 18, 2015 - 60.5420a(b) Annual Report

For each affected facility, an owner or operator must include the information  
specified in paragraphs (b)(1)(i) through (iv) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required.

SITE INFORMATION										
Facility Record No. * (Field value will automatically generate if a value is not entered.)	Company Name * (§60.5420a(b)(1)(i))	Facility Site Name * (§60.5420a(b)(1)(i))	US Well ID or US Well ID Associated with the Affected Facility, if applicable. * (§60.5420a(b)(1)(i))	Address of Affected Facility * (§60.5420a(b)(1)(i))	Address 2	City *	County *	State Abbreviation *	Zip Code *	Responsible Agency Facility ID (State Facility Identifier)
	e.g.: ABC Company	e.g.: XYZ Compressor Station	e.g.: 12-345-67890-12	e.g.: 123 Main Street	e.g.: Suite 100	e.g.: Brooklyn	e.g.: Kings County	e.g.: NY	e.g.: 11221	
1	Andeavor	Pelican Lake Compressor Station	not applicable	1680 West Hwy 40	Suite 203	Vernal	Uintah	UT	84078	not applicable

## Andeavor NSPS Subpart OOOOa Annual Report Site Information

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities  
for which Construction, Modification or Reconstruction Commenced After  
September 18, 2015 - 60.5420a(b) Annual Report

For each affected facility, an owner or operator must include the information  
specified in paragraphs (b)(1)(i) through (iv) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required.

SITE INFORMATION		ALTERNATIVE ADDRESS INFORMATION (IF NO PHYSICAL ADDRESS AVAILABLE FOR SITE *)			REPORTING INFORMATION		
Facility Record No. * (Field value will automatically generate if a value is not entered.)	Company Name * (§60.5420a(b)(1)(i))	Facility Site Name * (§60.5420a(b)(1)(i))	Description of Site Location (§60.5420a(b)(1)(i))	Latitude of the Site (decimal degrees to 5 decimals using the North American Datum of 1983) (§60.5420a(b)(1)(i))	Longitude of the Site (decimal degrees to 5 decimals using the North American Datum of 1983) (§60.5420a(b)(1)(i))	Beginning Date of Reporting Period.* (§60.5420a(b)(1)(iii))	Ending Date of Reporting Period.* (§60.5420a(b)(1)(iii))
	e.g.: ABC Company	e.g.: XYZ Compressor Station	e.g.: 7 miles NE of the intersection of Hwy 123 and Hwy 456	e.g.: 34.12345	e.g.: -101.12345	e.g.: 01/01/2016	e.g.: 06/30/2016
1	Andeavor	Pelican Lake Compressor Station	Sec. 9, T8S, R20E	(b) (9)		2/10/2018	2/9/2019

## Andeavor NSPS Subpart OOOOa Annual Report Site Information

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities  
for which Construction, Modification or Reconstruction Commenced After  
September 18, 2015 - 60.5420a(b) Annual Report

For each affected facility, an owner or operator must include the information  
specified in paragraphs (b)(1)(i) through (iv) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required.

SITE INFORMATION			PE Certification	ADDITIONAL INFORMATION	
Facility Record No. * (Field value will automatically generate if a value is not entered.)	Company Name * {60.5420a(b)(1)(i)}	Facility Site Name * {60.5420a(b)(1)(i)}	Please provide the file name that contains the certification signed by a qualified professional engineer for each closed vent system routing to a control device or process. * {60.5420a(b)(12)} Please provide only one file per record.	Please enter any additional information.	Enter associated file name reference.
	e.g.: ABC Company	e.g.: XYZ Compressor Station	e.g.: Certification.pdf or XYZCompressorStation.pdf		e.g.: addInfo.zip or XYZCompressorStation.pdf
1	Andeavor	Pelican Lake Compressor Station	N/A (submitted with initial annual report, dated May 10, 2018)	none	none

## Andeavor NSPS Subpart OOOOa Annual Report Reciprocating Compressor

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For each reciprocating compressor affected facility, an owner or operator must include the information specified in paragraphs (b)(4)(i) and (ii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required.

7809.529996

Facility Record No. * {Select from dropdown list - may need to scroll up }	Compressor ID * {§60.5420a(b)(1)(ii)}	Are emissions from the rod packing unit being routed to a process through a closed vent system under negative pressure? * {§60.5420a(b)(4)(i)}	If emissions are not routed to a process through a closed vent system under negative pressure, what are the cumulative number of hours or months of operation since initial startup or the previous rod packing replacement (whichever is later)? * {§60.5420a(b)(4)(i)}	Units of Time Measurement * {§60.5420a(b)(4)(i)}	Deviations where the reciprocating compressor was not operated in compliance with requirements* {§60.5420(b)(4)(ii) and §60.5420a(c)(3)(iii)}
	e.g.: Comp-12b	e.g.: no	e.g.: 2	e.g.: months	e.g.: Rod packing replacement exceeded 36 months. Replacement occurred after 37 months.
1	C-200	no	16210.5	hours	no deviations

## Andeavor NSPS Subpart OOOOa Annual Report Storage Vessels

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For each storage vessel affected facility, an owner or operator must include the information specified in paragraphs (b)(6)(i) through (vii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required by §60.5395a

**Storage Vessels Constructed, Modified, Reconstructed or Returned to Service During Reporting Period that Comply with §60.5395a(a)(2) with a Control Device Tested Under § 60.5413a(d)**

Facility Record No. * (Select from dropdown list - may need to scroll up)	Storage Vessel ID * (§60.5420a(b)(1)(iv) and §60.5420a(b)(6)(ii))	Was the storage vessel constructed, modified or reconstructed during the reporting period? * (§60.5420a(b)(6)(i))	Latitude of Storage Vessel (Decimal Degrees to 5 Decimals Using the North American Datum of 1983) * (§60.5420a(b)(6)(i))	Longitude of Storage Vessel (Decimal Degrees to 5 Decimals Using the North American Datum of 1983) * (§60.5420a(b)(6)(ii))	If new affected facility or if returned to service during the reporting period, provide documentation of the VOC emission rate determination according to §60.5365a(e) * (§60.5420a(b)(6)(iii))	Records of deviations where the storage vessel was not operated in compliance with requirements * (§60.5420a(b)(6)(iv) and §60.5420a(c)(5)(iii))
e.g.: Tank 125	e.g.: modified	e.g.: 34.12345	e.g.: -101.12345	e.g.: VOC emission rate is 6.5 tpy. See file rate_determination.pdf for more information.	e.g.: On October 12, 2018, the pilot flame was not functioning on the combustion unit controlling the storage vessel.	
1	TK_0900	No	N/A	N/A	N/A	<p>§60.5420a(c)(5)(iii) requires records of deviations in cases where the storage vessel was not operated in compliance with the requirements specified in §§60.5395a, 60.5411a, 60.5412a, and 60.5413a, as applicable.</p> <p>§60.5412a(d)(4) requires the control device to be operated at all times when gases, vapors, and fumes are vented from the storage vessel affected facility through the closed vent system to the control device. During the period, the combustor pilot was off 7.7 hours.</p> <p>§60.5420a(c)(5)(v)(F)(1) requires records of continuous compliance requirements in §60.5413a(e), including records that the pilot flame is present at all times of operation. During the period, pilot monitoring was missing for 367 hours.</p> <p>§60.5412a(d)(1)(ii) requires monthly Method 22 visible emissions tests to be separated by at least 15 days between each test. The October 2018 test was conducted only 12 days after the September 2018 test.</p> <p>§60.5395a(d)(2) requires continuous compliance with standards as required by §60.5415a(e)(3), and §60.5415a(e)(3)(i)(A) requires compliance with §60.5416a(c) for each cover and closed vent system. The monthly AVO inspections required by §60.5416a(c)(1) and (c)(2) must be separated by at least 14 calendar days. The October 2018 inspection was conducted only 12 days after the September 2018 inspection.</p>

## Andeavor NSPS Subpart OOOOa Annual Report Storage Vessels

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For each storage vessel affected facility, an owner or operator must include the information specified in paragraphs (b)(6)(i) through (vii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required by §60.5395a

**Storage Vessels Constructed, Modified, Reconstructed or Returned to Service During Reporting Period that Comply with §60.5395a(a)(2) with a Control Device Tested Under § 60.5413a(d)**

Facility Record No. * (Select from dropdown list - may need to scroll up)	Storage Vessel ID * (§60.5420a(b)(1)(i) and §60.5420a(b)(6)(i))	Was the storage vessel constructed, modified or reconstructed during the reporting period? * (§60.5420a(b)(6)(i))	Have you met the requirements specified in §60.5410a(h)(2) and (3)?* (§60.5420a(b)(6)(iv))	Removed from service during the reporting period? * (§60.5420a(b)(6)(v))	If removed from service, the date removed from service. * (§60.5420a(b)(6)(v))	Returned to service during the reporting period? * (§60.5420a(b)(6)(vi))	If returned to service, the date returned to service. * (§60.5420a(b)(6)(vi))	Make of Purchased Device * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(v)(A))	Model of Purchased Device * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(v)(A))	Serial Number of Purchased Device * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(v)(A))
e.g.: Tank 125	e.g.: modified	e.g.: Yes	e.g.: Yes	e.g.: Yes	e.g.: 11/15/16	e.g.: Yes	e.g.: 11/15/16	e.g.: Incinerator Guy	e.g.: 400 Combustor	e.g.: 123830392
1	TR-0900	No	Not applicable for this reporting period (information was provided in the initial annual report)	No	not applicable	No	not applicable	N/A	N/A	N/A

## Andeavor NSPS Subpart OOOa Annual Report Storage Vessels

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For each storage vessel affected facility, an owner or operator must include the information specified in paragraphs (b)(6)(i) through (vii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required by 60.5395a

Storage Vessels Constructed, Modified, Reconstructed or Returned to Service During Reporting Period that Comply with 60.5395a(a)(2) with a Control Device Tested Under 60.5413a(d)

Facility Record No. * (Select from dropdown list - may need to scroll up.)	Storage Vessel ID * (60.5420a(b)(1)(i) and 60.5420a(b)(6)(i))	Was the storage vessel constructed, modified or reconstructed during the reporting period? * (60.5420a(b)(6)(i))	Date of Purchase * (60.5420a(b)(6)(vi) and 60.5420a(c)(5)(v)(8))	Copy of Purchase Order * (60.5420a(b)(6)(vi) and 60.5420a(c)(5)(v)(C))	Latitude of Control Device (Decimal Degrees to 5 Decimals Using the North American Datum of 1983) * (60.5420a(b)(6)(vii) and 60.5420a(c)(5)(v)(D))	Longitude of Control Device (Decimal Degrees to 5 Decimals Using the North American Datum of 1983) * (60.5420a(b)(6)(vii) and 60.5420a(c)(5)(v)(D))	Inlet Gas Flow Rate * (60.5420a(b)(6)(vi) and 60.5420a(c)(5)(v)(E))	Please provide the file name that contains the Records of Pilot Flame Present at All Times of Operation * (60.5420a(b)(6)(vii) and 60.5420a(c)(5)(v)(F)(1)) Please provide only one file per record.	Please provide the file name that contains the Records of No Visible Emissions Periods Greater Than 1 Minute During Any 15-Minute Period * (60.5420a(b)(6)(vii) and 60.5420a(c)(5)(v)(F)(2)) Please provide only one file per record.
e.g.: Tank 125	e.g.: modified		e.g.: 12/10/16	e.g.: purchase_order.pdf or XYZCompressorStation.pdf	e.g.: 34.12340	e.g.: -101.12340	e.g.: 3000 scfh	e.g.: pilotflame.pdf or XYZCompressorStation.pdf	e.g.: noemissions.pdf or XYZCompressorStation.pdf
1	TK-0900	No	N/A	N/A	N/A	N/A	N/A	Pelican Lake_Tank Combustor Pilot Data_2019.pdf	Pelican Lake_Tank Combustor Method 22_2019.pdf

## Andeavor NSPS Subpart OOOOa Annual Report Storage Vessels

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For each storage vessel affected facility, an owner or operator must include the information specified in paragraphs (b)(6)(i) through (vii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required by §60.5395a

Storage Vessels Constructed, Modified, Reconstructed or Returned to Service During Reporting Period that Comply with §60.5395a(a)(2) with a Control Device Tested Under § 60.5413a(d)

Facility Record No. * (Select from dropdown list - may need to scroll up)	Storage Vessel ID * (§60.5420a(b)(1)(ii) and §60.5420a(b)(6)(i))	Was the storage vessel constructed, modified or reconstructed during the reporting period? * (§60.5420a(b)(6)(i))	Please provide the file name that contains the Records of Maintenance and Repair Log * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(vi)(F)(3)) Please provide only one file per record.	Please provide the file name that contains the Records of Visible Emissions Test Following Return to Operation From Maintenance/Repair Activity * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(vi)(F)(4)) Please provide only one file per record.	Please provide the file name that contains the Records of Manufacturer's Written Operating Instructions, Procedures and Maintenance Schedule * (§60.5420a(b)(6)(vii) and §60.5420a(c)(5)(vi)(F)(5)) Please provide only one file per record.
e.g.: Tank 125	e.g.: modified		e.g.: maintslog.pdf or XYZCompressorStation.pdf	e.g.: emistest.pdf or XYZCompressorStation.pdf	e.g.: manuInstrct.pdf or XYZCompressorStation.pdf
1	TR-0900	No	not applicable (no observations of smoke that necessitated maintenance or repair)	not applicable (no observations of smoke that necessitated maintenance or repair)	not applicable (submitted with initial annual report, dated May 10, 2018; ECD User Manual 1200-101 Rev. 5.pdf)

## Andeavor NSPS Subpart OOOOa Annual Report Fugitive Emissions Components

40 CFR Part 60 - Standards of Performance for Crude Oil and Natural Gas Facilities for which Construction, Modification or Reconstruction Commenced After September 18, 2015 - 60.5420a(b) Annual Report

For the collection of fugitive emissions components at each well site and the collection of fugitive emissions components at each compressor station within the company-defined area, an owner or operator must include the records of each monitoring survey including the information specified in paragraphs (b)(7)(i) through (xii) of this section in all annual reports:

The asterisk (\*) next to each field indicates that the corresponding field is required.

Facility Record No. * (Select from dropdown list - may need to scroll up)	Identification of Each Affected Facility * (§60.5420a(b)(1))	Date of Survey * (§60.5420a(b)(7)(ii))	Survey Begin Time * (§60.5420a(b)(7)(iii))	Survey End Time * (§60.5420a(b)(7)(iii))	Name of Surveyor * (§60.5420a(b)(7)(iii))	Ambient Temperature During Survey * (§60.5420a(b)(7)(iv))	Sky Conditions During Survey * (§60.5420a(b)(7)(iv))	Maximum Wind Speed During Survey * (§60.5420a(b)(7)(iv))	Monitoring Instrument Used * (§60.5420a(b)(7)(v))
XML Tag:	Facid	SurveyDate	SurveyStartTime	SurveyEndTime	SurveyorName	AmbientTemp	SkyCondition	MaxWindSpeed	MonitoringInstrument
	e.g.: Well Site ABC	e.g.: 8/13/17	e.g.: 10:00 am	e.g.: 1:00 pm	e.g.: John Smith	e.g.: 90°F	e.g.: Sunny, no clouds	e.g.: 2 mph	e.g.: Company ABC optical gas imaging camera
1	Pelican Lake Compressor Station	3/20/2018	7:30 AM	10:30 AM	(b) (6)	28°F	Partly Cloudy	5 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	5/30/2018	8:00 AM	10:30 AM	(b) (6)	55°F	Scattered Clouds	2 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	9/6/2018	2:30 PM	5:00 PM	(b) (6)	83°F	Sunny	6 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	9/6/2018	2:30 PM	5:00 PM	(b) (6)	83°F	Sunny	6 mph	OGI (FLIR GasFindIR HSX, S/N AS0373)
1	Pelican Lake Compressor Station	12/19/2018	1:00 PM	3:00 PM	(b) (6)	50°F	Scattered Clouds	10 mph	FLIR GasFindIR HSX (S/N AS0373)

**Andeavor NSPS Subpart OOOOa Annual Report  
Fugitive Emissions Components**

Facility Record No. * (Select from dropdown list - may need to scroll up)	Identification of Each Affected Facility * (§60.5420a(b)(1))	Deviations From Monitoring Plan (If none, state none.) * (§60.5420a(b)(7)(vi))	Type of Component for which Fugitive Emissions Detected * (§60.5420a(b)(7)(vii))	Number of Each Component Type for which Fugitive Emissions Detected * (§60.5420a(b)(7)(vii))	Type of Component <b>Not Repaired</b> as Required in §60.5397a(h) * (§60.5420a(b)(7)(viii))	Number of Each Component Type <b>Not Repaired</b> as Required in § 60.5397a(h) * (§60.5420a(b)(7)(viii))	Type of <b>Difficult-to-Monitor</b> Components Monitored * (§60.5420a(b)(7)(ix))	Number of Each <b>Difficult-to-Monitor</b> Component Type Monitored * (§60.5420a(b)(7)(ix))
XML Tag:	Facid	PlanDeviation	FugitiveType	FugitiveNum	NotRepairedType	NotRepairedNum	DifficultType	DifficultNum
	e.g.: Well Site ABC	e.g.: None	e.g.: Valve	e.g.: 3	e.g.: Valve	e.g.: 1	e.g.: Valve	e.g.: 1
1	Pelican Lake Compressor Station	none	Valve	1	Valve	1	none	not applicable
1	Pelican Lake Compressor Station	none	Connector	3	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Connector	2	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Valve	1	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Valve	1	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Pressure Relief Device	1	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Pressure Relief Device	1	Pressure Relief Device	1	none	not applicable
1	Pelican Lake Compressor Station	none	Valve	1	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	Other	7	none	none	none	not applicable
1	Pelican Lake Compressor Station	none	none	none	none	none	none	not applicable

## Andeavor NSPS Subpart OOOa Annual Report Fugitive Emissions Components

Facility Record No. * (Select from dropdown list - may need to scroll up)	Identification of Each Affected Facility * (§60.5420a(b)(1))	Type of Unsafe to Monitor Component Monitored * (§60.5420a(b)(7)(ix))	Number of Each Unsafe to Monitor Component Monitored * (§60.5420a(b)(7)(ix))	Date of Successful Repair of Fugitive Emissions Component * (§60.5420a(b)(7)(xi))	Type of Component Placed on Delay of Repair * (§60.5420a(b)(7)(xi))	Number of Each Component Type Placed on Delay of Repair * (§60.5420a(b)(7)(xi))	Explanation for Delay of Repair * (§60.5420a(b)(7)(xi))	Type of Instrument Used to Resurvey Repaired Components Not Repaired During Original Survey * (§60.5420a(b)(7)(xii))
XML Tag:	Facid	UnsafeType	UnsafeNum	RepairDate	RepairType	RepairNum	RepairExplanation	ResurveyInstrumentType
	e.g.: Well Site ABC	e.g.: Valve	e.g.: 1	e.g.: 11/10/16	e.g.: Valve	e.g.: 1	e.g.: Unsafe to repair until next shutdown	e.g.: Company ABC optical gas imaging camera
1	Pelican Lake Compressor Station	none	not applicable	9/4/2018	Valve	1	Repair requires shut down	OGi
1	Pelican Lake Compressor Station	none	not applicable	6/20/2018	none	none	not applicable	OGi
1	Pelican Lake Compressor Station	none	not applicable	6/26/2018	none	none	not applicable	OGi
1	Pelican Lake Compressor Station	none	not applicable	6/20/2018	none	none	not applicable	OGi
1	Pelican Lake Compressor Station	none	not applicable	5/30/2018	none	none	not applicable	not applicable
1	Pelican Lake Compressor Station	none	not applicable	6/26/2018	none	none	not applicable	OGi
1	Pelican Lake Compressor Station	none	not applicable	9/4/2018	Pressure Relief Device	1	Technically infeasible (parts unavailable, long backorder time)	OGi
1	Pelican Lake Compressor Station	none	not applicable	9/6/2018	none	none	not applicable	not applicable
1	Pelican Lake Compressor Station	none	not applicable	9/6/2018	none	none	not applicable	not applicable
1	Pelican Lake Compressor Station	none	not applicable	not applicable	none	none	not applicable	not applicable

## Andeavor NSPS Subpart OOOOa Annual Report Fugitive Emissions Components

Facility Record No. * [Select from dropdown list - may need to scroll up]	Identification of Each Affected Facility * (\$60.5420a(b)(1))	OGI	Compressor Station Affected Facility Only	
		Training and Experience of Surveyor * (\$60.5420a(b)(7)(iii))	Was a monitoring survey waived under § 60.5397a(g)(5)? * (\$60.5420a(b)(7))	If a monitoring survey was waived, the calendar months that make up the quarterly monitoring period for which the monitoring survey was waived. * (\$60.5420a(b)(7))
XML Tag:	Facid	Surveyor Experience	SurveyWaivedFlag	SurveyWaivedMonths
	e.g.: Well Site ABC	e.g.: Trained thermographer; completed 40-hour course at XYZ Training Center. Has 10 years of experience with OGI surveys.	e.g.: Yes	e.g.: January, February, and March
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys. (b) (6)	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable
1	Pelican Lake Compressor Station	Certified thermographer; Certification years of experience with OGI surveys.	no	not applicable


## **STORAGE VESSELS**

**Records of No Visible Emissions Periods Greater Than 1 Minute  
During Any 15-Minute Period**

*Pelican Lake\_Tank Combustor Method 22\_2019.pdf*

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <i>Calendar Quarter</i> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation: Filled operator
Company Rep. (b) (6)	Date: 2-4-19
Sky Conditions: cloudy	Wind Direction: NNE
Precipitation: no	Wind Speed: 1 mph
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Combustor:** shall be operated with **no visible emissions**, except for periods **not to exceed a total of 2 minutes during any hour**. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must **conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity**. [40 CFR §§63.772(i)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	10:35 Am		
To complete this form, record the following:			
• Initial clock time	10:35 Am		
• Total time of the observation (from Stopwatch 1)	60 minutes	60 minutes	
• Total time of emissions (from Stopwatch 2)			
• Final clock time	11:45 Am	60 minutes	
	1		
<b>End Observation:</b>	11:35 Am		

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <i>Calendar Quarter</i> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: Mike Henline
Location: Pelican Lake	Affiliation: <del>operator</del> operator
Company Rep.: Mike Henline	Date: 1-3-19
Sky Conditions: Clear	Wind Direction: NE
Precipitation: 0	Wind Speed: 2 MPH
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Combustor:** shall be operated with **no visible emissions**, except for periods **not to exceed a total of 2 minutes during any hour**. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must **conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity**. [40 CFR §§63.772(i)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	3:28 PM		
To complete this form, record the following:			
• Initial clock time	3:28 PM		
• Total time of the observation (from Stopwatch 1)		60 minutes	
• Total time of emissions (from Stopwatch 2)			
• Final clock time	4:28 PM		
<b>End Observation:</b>	4:28 PM		

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <u>Calendar Quarter</u> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andavor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation: Andavor
Company Rep.: (b) (6)	Date: 12-17-18
Sky Conditions: Partly Cloudy	Wind Direction: NE
Precipitation: 0	Wind Speed: 2 mph
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.



**Combustor:** shall be operated with **no visible emissions**, except for periods **not to exceed a total of 2 minutes during any hour**. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must **conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity**. [40 CFR §§63.772(i)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	3:10 PM		
To complete this form, record the following:			
• Initial clock time	3:10 PM		
• Total time of the observation (from Stopwatch 1)	60 minutes	60 minutes	
• Total time of emissions (from Stopwatch 2)			
• Final clock time	4:10 PM		
<b>End Observation:</b>	4:10 PM		

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <u>Calendar Quarter</u> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation:
Company Rep.: (b) (6)	Date: 11-5-16
Sky Conditions: sunny	Wind Direction: SE
Precipitation: 0	Wind Speed: 3 MPH
Industry: Oil and Gas	Process Unit: Dehydrator Combustor


**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.

**Combustor:** shall be operated with no visible emissions, except for periods not to exceed a total of 2 minutes during any hour. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity. [40 CFR §§63.772(l)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	12:00 pm		
To complete this form, record the following:			
• Initial clock time	12:00 pm		
• Total time of the observation (from Stopwatch 1)	60 minutes	60 minutes	
• Total time of emissions (from Stopwatch 2)			
• Final clock time	1:00 pm		
<b>End Observation:</b>	1:00 pm		

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <u>Calendar Quarter</u> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation:
Company Rep.: (b) (6)	Date: - 10-2-18
Sky Conditions: mostly cloudy	Wind Direction: south
Precipitation: no	Wind Speed: 9 mph
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Combustor:** shall be operated with no visible emissions, except for periods not to exceed a total of 2 minutes during any hour. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity. [40 CFR §§63.772(i)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	3:20 pm		
To complete this form, record the following:			
• Initial clock time	3:20 pm		
• Total time of the observation (from Stopwatch 1)		60 minutes	
• Total time of emissions (from Stopwatch 2)		0	
• Final clock time	4:20 pm		
	4:20 pm		
<b>End Observation:</b>			

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <u>Calendar Quarter</u> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeanor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation: (b) (6)
Company Rep.: (b) (6)	Date: 9-20-15
Sky Conditions: Sunny	Wind Direction: WSW
Precipitation: 0	Wind Speed: 12 MPH
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Combustor:** shall be operated with no visible emissions, except for periods not to exceed a total of 2 minutes during any hour. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity. [40 CFR §§63.772(i)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	2:30 Am		
To complete this form, record the following:			
• Initial clock time	2:30 Am		
• Total time of the observation (from Stopwatch 1)		10 minutes	
• Total time of emissions (from Stopwatch 2)		0 minutes	
• Final clock time	3:30 Am		
<b>End Observation:</b>			

EPA METHOD 22 OBSERVATION FORM for MACT HH Dehydrator Combustor ( <u>Calendar Quarter</u> Observations) Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Lake	Affiliation:
Company Rep.: (b) (6)	Date: <del>August</del> August-7-18
Sky Conditions: Sunny	Wind Direction: SE
Precipitation: 0	Wind Speed: 2 MPH
Industry: Oil and Gas	Process Unit: Dehydrator Combustor

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Combustor:** shall be operated with no visible emissions, except for periods not to exceed a total of 2 minutes during any hour. If total time smoking exceeds 2 minutes in 1-hour period, ensure equipment is repaired and returned to proper operation as soon as practicable, and you must conduct another 1-hour Method 22 upon return to operation from maintenance or repair activity. [40 CFR §§63.772(l)(4)(iv)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	2:00pm		
To complete this form, record the following:	2:00 pm		
• Initial clock time	2:00 pm		
• Total time of the observation (from Stopwatch 1)	3:00 PM	60 minutes	
• Total time of emissions (from Stopwatch 2)	0	0	0
• Final clock time	3:00pm	60 minutes	0
<b>End Observation:</b>	3:00pm		

EPA METHOD 22 OBSERVATION FORM for NSPS 0000a Storage Vessels Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican compressor	Affiliation:
Company Rep.: (b) (6)	Date: 7-5-13
Sky Conditions: Partly cloudy	Wind Direction: WSW
Precipitation: 0	Wind Speed: WSW 8MP
Industry: Oil and Gas	Process Unit:

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




Flares/Combustors shall be operated with **no visible emissions**, except for periods not to exceed a total of 1 minute during any 15 consecutive minutes. If total time smoking exceeds 1 minute, ensure equipment is returned to proper operation as soon as practicable. You must: 1) check air vent for obstruction and clear it as soon as practicable, and 2) check for liquid reaching combustor. [40 CFR §60.5417a(h)(1)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	3:00 pm		
To complete this form, record the following:	15 Minutes	15 Minutes	
• Initial clock time	3:00 pm		
• Total time of the observation (from Stopwatch 1)	15 minutes		
• Total time of emissions (from Stopwatch 2)	15 minutes		
• Final clock time	3:15 pm		
<b>End Observation:</b>			

EPA METHOD 22 OBSERVATION FORM for NSPS 0000a Storage Vessels Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Compressor	Affiliation:
Company Rep.: (b) (6)	Date: 6-4-18
Sky Conditions: Sunny	Wind Direction: SSW 2 r
Precipitation:	Wind Speed: 2 MPH
Industry: Oil and Gas	Process Unit:

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




Flares/Combustors shall be operated with no visible emissions, except for periods not to exceed a total of 1 minute during any 15 consecutive minutes. If total time smoking exceeds 1 minute, ensure equipment is returned to proper operation as soon as practicable. You must: 1) check air vent for obstruction and clear it as soon as practicable, and 2) check for liquid reaching combustor. [40 CFR §60.5417a(h)(1)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
Begin Observation:	1:50 PM		
To complete this form, record the following:	1:50 PM		
• Initial clock time	1:50 PM	15 minutes	
• Total time of the observation (from Stopwatch 1)	15 minutes		
• Total time of emissions (from Stopwatch 2)	15 minutes		
• Final clock time	2:05 PM	15 minutes	
End Observation:	2:05 PM		

EPA METHOD 22 OBSERVATION FORM for NSPS 0000a Storage Vessels Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican Compressor station	Affiliation: Company Rep
Company Rep.: (b) (6)	Date: 5-1-18
Sky Conditions: Partly Cloudy	Wind Direction: SE
Precipitation: no	Wind Speed: 3 MPH
Industry: Oil and Gas	Process Unit: DeHeg

**Sketch Process Unit:** indicate observer position relative to source; indicate potential emission points and/or actual emission points.




**Flares/Combustors** shall be operated with no visible emissions, except for periods not to exceed a total of 1 minute during any 15 consecutive minutes. If total time smoking exceeds 1 minute, ensure equipment is returned to proper operation as soon as practicable. You must: 1) check air vent for obstruction and clear it as soon as practicable, and 2) check for liquid reaching combustor. [40 CFR §60.5417a(h)(1)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	2:30 pm		
To complete this form, record the following:	2:30 pm	2:30 pm 2:45 pm	15 minutes
• Initial clock time	2:30 pm		
• Total time of the observation (from Stopwatch 1)	15 minutes		
• Total time of emissions (from Stopwatch 2)			
• Final clock time	2:45 pm	2:45 pm 15 minutes	15 minutes
<b>End Observation:</b>			

EPA METHOD 22 OBSERVATION FORM for NSPS 0000a Storage Vessels Fugitive or Smoke Emission Inspection – Outdoor Location	
Company: Andeanor Logistics	Observer: (b) (6)
Location: Pelican compressor	Affiliation:
Company Rep.: (b) (6)	Date: 4-2-18
Sky Conditions: cloudy	Wind Direction: WSW
Precipitation: no	Wind Speed: 30
Industry: Oil and Gas	Process Unit: Pelican lake

Sketch Process Unit: indicate observer position relative to source; indicate potential emission points and/or actual emission points.




Flares/Combustors shall be operated with **no visible emissions**, except for periods not to exceed a total of 1 minute during any 15 consecutive minutes. If total time smoking exceeds 1 minute, ensure equipment is returned to proper operation as soon as practicable. You must: 1) check air vent for obstruction and clear it as soon as practicable, and 2) check for liquid reaching combustor. [40 CFR §60.5417a(h)(1)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	2:55 pm/MT		
To complete this form, record the following:			
• Initial clock time			
• Total time of the observation (from Stopwatch 1)	15 minutes	15 minutes	
• Total time of emissions (from Stopwatch 2)	15 minutes		
• Final clock time	3:10 pm/MT		
<b>End Observation:</b>	3:10 pm/MT		

**EPA METHOD 22 OBSERVATION FORM**  
**Fugitive or Smoke Emission Inspection – Outdoor Location**

Company: Andeavor Logistics	Observer: (b) (6)
Location: Pelican	(b) (6) n: <span style="border: 1px solid red; padding: 2px;">Correct date 3/5/2018</span>
Company Rep.: (b) (6)	Date: 3-5-17
Sky Conditions: Clear	Wind Direction: Q
Precipitation: Q	Wind Speed: Q
Industry: Oil and Gas	Process Unit: Pelican



If continuous observations last more than 20 consecutive minutes, you must take a break of 5 to 10 minutes, and a **second observer is required**.  
**Flares** shall be operated with no visible emissions, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours [40 CFR §63.11(b)(4)]

OBSERVATIONS:	Clock Time	Observation Period Duration (minutes:seconds)	Accumulated Emission Time (minutes:seconds)
<b>Begin Observation:</b>	8:30 Am		
To complete this form, record the following:			
• Initial clock time <del>8:30A</del> 8:30 Am	8:30 Am	30 min	30 min
• Total time of the observation (from Stopwatch 1)			
• Total time of emissions (from Stopwatch 2)	Q	30 min	
• Final clock time	8:30 Am	30 min	
<b>End Observation:</b>			

## **STORAGE VESSELS**

**Records of Pilot Flame Present at All Times of Operation**

*Pelican Lake\_Tank Combustor Pilot Data\_2019.pdf*

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Month	Total Monthly Bypass Time (hrs)
February 2018	0.156761
March	0.034032
April	0.009013
May	0.267682
June	0
July	2.768126
August	0.063647
September	0.238767
October	0.149169
November	0.607921
December	2.492206
January	0.709717
February 2019	0.255368
TOTAL	7.742299

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					167 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off; 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/10/2018 1:00	0	1	0	
EFM0142	2/10/2018 2:00	0	1	0	
EFM0142	2/10/2018 3:00	0	1	0	
EFM0142	2/10/2018 4:00	0	1	0	
EFM0142	2/10/2018 5:00	0	1	0	
EFM0142	2/10/2018 6:00	0	1	0	
EFM0142	2/10/2018 7:00	0	1	0	
EFM0142	2/10/2018 8:00	0	1	0	
EFM0142	2/10/2018 9:00	0	1	0	
EFM0142	2/10/2018 10:00	0	1	0	
EFM0142	2/10/2018 11:00	0	1	0	
EFM0142	2/10/2018 12:00	0	1	0	
EFM0142	2/10/2018 13:00	0	1	0	
EFM0142	2/10/2018 14:00	0	1	0	
EFM0142	2/10/2018 15:00	0	1	0	
EFM0142	2/10/2018 16:00	0	1	0	
EFM0142	2/10/2018 17:00	0	1	0	
EFM0142	2/10/2018 18:00	0	1	0	
EFM0142	2/10/2018 19:00	0	1	0	
EFM0142	2/10/2018 20:00	0	1	0	
EFM0142	2/10/2018 21:00	0	1	0	
EFM0142	2/10/2018 22:00	0	1	0	
EFM0142	2/10/2018 23:00	0	1	0	
EFM0142	2/11/2018 0:00	0	1	0	
EFM0142	2/11/2018 1:00	0	1	0	
EFM0142	2/11/2018 2:00	0	1	0	
EFM0142	2/11/2018 3:00	0	1	0	
EFM0142	2/11/2018 4:00	0	1	0	
EFM0142	2/11/2018 5:00	0	1	0	
EFM0142	2/11/2018 6:00	0	1	0	
EFM0142	2/11/2018 7:00	0	1	0	
EFM0142	2/11/2018 8:00	0	1	0	
EFM0142	2/11/2018 9:00	0	1	0	
EFM0142	2/11/2018 10:00	0	1	0	
EFM0142	2/11/2018 11:00	0	1	0	
EFM0142	2/11/2018 12:00	0	1	0	
EFM0142	2/11/2018 13:00	0	1	0	
EFM0142	2/11/2018 14:00	0	1	0	
EFM0142	2/11/2018 15:00	0	1	0	
EFM0142	2/11/2018 16:00	0	1	0	
EFM0142	2/11/2018 17:00	0	1	0	
EFM0142	2/11/2018 18:00	0	1	0	
EFM0142	2/11/2018 19:00	0	1	0	
EFM0142	2/11/2018 20:00	0	1	0	
EFM0142	2/11/2018 21:00	0	1	0	
EFM0142	2/11/2018 22:00	0	1	0	
EFM0142	2/11/2018 23:00	0	1	0	
EFM0142	2/12/2018 0:00	0	1	0	
EFM0142	2/12/2018 1:00	0	1	0	
EFM0142	2/12/2018 2:00	0	1	0	
EFM0142	2/12/2018 3:00	0	1	0	
EFM0142	2/12/2018 4:00	0	1	0	
EFM0142	2/12/2018 5:00	0	1	0	
EFM0142	2/12/2018 6:00	0	1	0	
EFM0142	2/12/2018 7:00	0	1	0	
EFM0142	2/12/2018 8:00	0	1	0	
EFM0142	2/12/2018 9:00	0	1	0	
EFM0142	2/12/2018 10:00	0	1	0	
EFM0142	2/12/2018 11:00	0	1	0	
EFM0142	2/12/2018 12:00	0	1	0	
EFM0142	2/12/2018 13:00	0	1	0	
EFM0142	2/12/2018 14:00	0	1	0	
EFM0142	2/12/2018 15:00	0	1	0	
EFM0142	2/12/2018 16:00	0	1	0	
EFM0142	2/12/2018 17:00	0	1	0	
EFM0142	2/12/2018 18:00	0	1	0	
EFM0142	2/12/2018 19:00	0	1	0	
EFM0142	2/12/2018 20:00	0	1	0	
EFM0142	2/12/2018 21:00	0	1	0	
EFM0142	2/12/2018 22:00	0	1	0	
EFM0142	2/12/2018 23:00	0	1	0	
EFM0142	2/13/2018 0:00	0	1	0	
EFM0142	2/13/2018 1:00	0	1	0	
EFM0142	2/13/2018 2:00	0	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					307 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EPM0142	2/13/2018 3:00	0	1	0	
EPM0142	2/13/2018 4:00	0	1	0	
EPM0142	2/13/2018 5:00	0	1	0	
EPM0142	2/13/2018 6:00	0	1	0	
EPM0142	2/13/2018 7:00	0	1	0	
EPM0142	2/13/2018 8:00	0	1	0	
EPM0142	2/13/2018 9:00	0	1	0	
EPM0142	2/13/2018 10:00	0	1	0	
EPM0142	2/13/2018 11:00	0	1	0	
EPM0142	2/13/2018 12:00	0	1	0	
EPM0142	2/13/2018 13:00	0	1	0	
EPM0142	2/13/2018 14:00	0	1	0	
EPM0142	2/13/2018 15:00	0	1	0	
EPM0142	2/13/2018 16:00	0	1	0	
EPM0142	2/13/2018 17:00	0	1	0	
EPM0142	2/13/2018 18:00	0	1	0	
EPM0142	2/13/2018 19:00	0	1	0	
EPM0142	2/13/2018 20:00	0	1	0	
EPM0142	2/13/2018 21:00	0	1	0	
EPM0142	2/13/2018 22:00	0	1	0	
EPM0142	2/13/2018 23:00	0	1	0	
EPM0142	2/14/2018 0:00	0	1	0	
EPM0142	2/14/2018 1:00	0	1	0	
EPM0142	2/14/2018 2:00	0	1	0	
EPM0142	2/14/2018 3:00	0	1	0	
EPM0142	2/14/2018 4:00	0	1	0	
EPM0142	2/14/2018 5:00	0	1	0	
EPM0142	2/14/2018 6:00	0	1	0	
EPM0142	2/14/2018 7:00	0	1	0	
EPM0142	2/14/2018 8:00	0	1	0	
	2/14/2018 9:00				Missing data
	2/14/2018 10:00				Missing data
	2/14/2018 11:00				Missing data
	2/14/2018 12:00				Missing data
	2/14/2018 13:00				Missing data
	2/14/2018 14:00				Missing data
	2/14/2018 15:00				Missing data
	2/14/2018 16:00				Missing data
EPM0142	2/14/2018 17:00	1	1	0	
EPM0142	2/14/2018 18:00	1	1	0	
EPM0142	2/14/2018 19:00	1	1	0	
EPM0142	2/14/2018 20:00	1	1	0	
EPM0142	2/14/2018 21:00	1	1	0	
EPM0142	2/14/2018 22:00	1	1	0	
EPM0142	2/14/2018 23:00	1	1	0	
EPM0142	2/15/2018 0:00	1	1	0	
EPM0142	2/15/2018 1:00	1	1	0	
EPM0142	2/15/2018 2:00	1	1	0	
EPM0142	2/15/2018 3:00	0	1	0	
EPM0142	2/15/2018 4:00	0	1	0	
EPM0142	2/15/2018 5:00	0	1	0	
EPM0142	2/15/2018 6:00	1	1	0	
EPM0142	2/15/2018 7:00	1	1	0	
EPM0142	2/15/2018 8:00	1	1	0	
EPM0142	2/15/2018 9:00	1	1	0	
EPM0142	2/15/2018 10:00	1	1	0	
EPM0142	2/15/2018 11:00	1	1	0	
EPM0142	2/15/2018 12:00	1	1	0	
EPM0142	2/15/2018 13:00	1	1	0	
EPM0142	2/15/2018 14:00	1	1	0	
EPM0142	2/15/2018 15:00	1	1	0	
EPM0142	2/15/2018 16:00	1	1	0	
EPM0142	2/15/2018 17:00	1	1	0	
EPM0142	2/15/2018 18:00	1	1	0	
EPM0142	2/15/2018 19:00	1	1	0	
EPM0142	2/15/2018 20:00	1	1	0	
EPM0142	2/15/2018 21:00	1	1	0	
EPM0142	2/15/2018 22:00	1	1	0	
EPM0142	2/15/2018 23:00	1	1	0	
EPM0142	2/16/2018 0:00	1	1	0	
EPM0142	2/16/2018 1:00	1	1	0	
EPM0142	2/16/2018 2:00	1	1	0	
EPM0142	2/16/2018 3:00	1	1	0	
EPM0142	2/16/2018 4:00	1	1	0	
EPM0142	2/16/2018 5:00	1	1	0	
EPM0142	2/16/2018 6:00	1	1	0	
EPM0142	2/16/2018 7:00	1	1	0	
EPM0142	2/16/2018 8:00	1	1	0	
EPM0142	2/16/2018 9:00	1	1	0	
EPM0142	2/16/2018 10:00	0	1	0	
EPM0142	2/16/2018 11:00	0	1	0	
EPM0142	2/16/2018 12:00	0	1	0	
EPM0142	2/16/2018 13:00	0	1	0	
EPM0142	2/16/2018 14:00	1	1	0	
EPM0142	2/16/2018 15:00	1	1	0	
EPM0142	2/16/2018 16:00	1	1	0	
EPM0142	2/16/2018 17:00	1	1	0	
EPM0142	2/16/2018 18:00	1	1	0	
EPM0142	2/16/2018 19:00	1	1	0	
EPM0142	2/16/2018 20:00	1	1	0	
EPM0142	2/16/2018 21:00	1	1	0	
EPM0142	2/16/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/16/2018 23:00	1	1	0	
EFM0142	2/17/2018 0:00	1	1	0	
EFM0142	2/17/2018 1:00	1	1	0	
EFM0142	2/17/2018 2:00	1	1	0	
EFM0142	2/17/2018 3:00	1	1	0	
EFM0142	2/17/2018 4:00	1	1	0	
EFM0142	2/17/2018 5:00	1	1	0	
EFM0142	2/17/2018 6:00	1	1	0	
EFM0142	2/17/2018 7:00	1	1	0	
EFM0142	2/17/2018 8:00	1	1	0	
EFM0142	2/17/2018 9:00	1	1	0	
EFM0142	2/17/2018 10:00	1	1	0	
EFM0142	2/17/2018 11:00	1	1	0	
EFM0142	2/17/2018 12:00	1	1	0	
EFM0142	2/17/2018 13:00	1	1	0	
EFM0142	2/17/2018 14:00	1	1	0	
EFM0142	2/17/2018 15:00	1	1	0	
EFM0142	2/17/2018 16:00	1	1	0	
EFM0142	2/17/2018 17:00	1	1	0	
EFM0142	2/17/2018 18:00	1	1	0	
EFM0142	2/17/2018 19:00	1	1	0	
EFM0142	2/17/2018 20:00	1	1	0	
EFM0142	2/17/2018 21:00	1	1	0	
EFM0142	2/17/2018 22:00	1	1	0	
EFM0142	2/17/2018 23:00	1	1	0	
EFM0142	2/18/2018 0:00	1	1	0	
EFM0142	2/18/2018 1:00	1	1	0	
EFM0142	2/18/2018 2:00	1	1	0	
EFM0142	2/18/2018 3:00	1	1	0	
EFM0142	2/18/2018 4:00	1	1	0	
EFM0142	2/18/2018 5:00	1	1	0	
EFM0142	2/18/2018 6:00	1	1	0	
EFM0142	2/18/2018 7:00	1	1	0	
EFM0142	2/18/2018 8:00	1	1	0	
EFM0142	2/18/2018 9:00	1	1	0	
EFM0142	2/18/2018 10:00	1	1	0	
EFM0142	2/18/2018 11:00	1	1	0	
EFM0142	2/18/2018 12:00	1	1	0	
EFM0142	2/18/2018 13:00	1	1	0	
EFM0142	2/18/2018 14:00	1	1	0	
EFM0142	2/18/2018 15:00	1	1	0	
EFM0142	2/18/2018 16:00	1	1	0	
EFM0142	2/18/2018 17:00	1	1	0	
EFM0142	2/18/2018 18:00	1	1	0	
EFM0142	2/18/2018 19:00	1	1	0	
EFM0142	2/18/2018 20:00	1	1	0	
EFM0142	2/18/2018 21:00	1	1	0	
EFM0142	2/18/2018 22:00	1	1	0	
EFM0142	2/18/2018 23:00	1	1	0	
EFM0142	2/19/2018 0:00	1	1	0	
EFM0142	2/19/2018 1:00	1	1	0	
EFM0142	2/19/2018 2:00	1	1	0	
EFM0142	2/19/2018 3:00	1	1	0	
EFM0142	2/19/2018 4:00	1	1	0	
EFM0142	2/19/2018 5:00	1	1	0	
EFM0142	2/19/2018 6:00	1	1	0	
EFM0142	2/19/2018 7:00	1	1	0	
EFM0142	2/19/2018 8:00	1	1	0	
EFM0142	2/19/2018 9:00	1	1	0	
EFM0142	2/19/2018 10:00	1	1	0	
EFM0142	2/19/2018 11:00	1	1	0	
EFM0142	2/19/2018 12:00	1	1	0	
EFM0142	2/19/2018 13:00	1	1	0	
EFM0142	2/19/2018 14:00	1	1	0	
EFM0142	2/19/2018 15:00	1	1	0	
EFM0142	2/19/2018 16:00	1	1	0	
EFM0142	2/19/2018 17:00	1	1	0	
EFM0142	2/19/2018 18:00	1	1	0	
EFM0142	2/19/2018 19:00	1	1	0	
EFM0142	2/19/2018 20:00	1	1	0	
EFM0142	2/19/2018 21:00	1	1	0	
EFM0142	2/19/2018 22:00	1	1	0	
EFM0142	2/20/2018 0:00	1	1	0	
EFM0142	2/20/2018 1:00	1	1	0	
EFM0142	2/20/2018 2:00	1	1	0	
EFM0142	2/20/2018 3:00	1	1	0	
EFM0142	2/20/2018 4:00	1	1	0	
EFM0142	2/20/2018 5:00	1	1	0	
EFM0142	2/20/2018 6:00	1	1	0	
EFM0142	2/20/2018 7:00	1	1	0	
EFM0142	2/20/2018 8:00	1	1	0	
EFM0142	2/20/2018 9:00	1	1	0	
EFM0142	2/20/2018 10:00	1	1	0	
EFM0142	2/20/2018 11:00	1	1	0	
EFM0142	2/20/2018 12:00	1	1	0	
EFM0142	2/20/2018 13:00	1	1	0	
EFM0142	2/20/2018 14:00	1	1	0	
EFM0142	2/20/2018 15:00	1	1	0	
EFM0142	2/20/2018 16:00	1	1	0	
EFM0142	2/20/2018 17:00	1	1	0	
EFM0142	2/20/2018 18:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/20/2018 19:00	1	1	0	
EFM0142	2/20/2018 20:00	1	1	0	
EFM0142	2/20/2018 21:00	1	1	0	
EFM0142	2/20/2018 22:00	1	1	0	
EFM0142	2/20/2018 23:00	1	1	0	
EFM0142	2/21/2018 0:00	1	1	0	
EFM0142	2/21/2018 1:00	1	1	0	
EFM0142	2/21/2018 2:00	1	1	0	
EFM0142	2/21/2018 3:00	1	1	0	
EFM0142	2/21/2018 4:00	1	1	0	
EFM0142	2/21/2018 5:00	1	1	0	
EFM0142	2/21/2018 6:00	1	1	0	
EFM0142	2/21/2018 7:00	1	1	0	
EFM0142	2/21/2018 8:00	1	1	0	
EFM0142	2/21/2018 9:00	1	1	0	
EFM0142	2/21/2018 10:00	1	1	0	
EFM0142	2/21/2018 11:00	1	1	0	
EFM0142	2/21/2018 12:00	1	1	0	
EFM0142	2/21/2018 13:00	1	1	0	
EFM0142	2/21/2018 14:00	1	1	0	
EFM0142	2/21/2018 15:00	1	1	0	
EFM0142	2/21/2018 16:00	1	1	0	
EFM0142	2/21/2018 17:00	1	1	0	
EFM0142	2/21/2018 18:00	1	1	0	
EFM0142	2/21/2018 19:00	1	1	0	
EFM0142	2/21/2018 20:00	1	1	0	
EFM0142	2/21/2018 21:00	1	1	0	
EFM0142	2/21/2018 22:00	1	1	0	
EFM0142	2/21/2018 23:00	1	1	0	
EFM0142	2/22/2018 0:00	1	1	0	
EFM0142	2/22/2018 1:00	1	1	0	
EFM0142	2/22/2018 2:00	1	1	0	
EFM0142	2/22/2018 3:00	1	1	0	
EFM0142	2/22/2018 4:00	1	1	0	
EFM0142	2/22/2018 5:00	1	1	0	
EFM0142	2/22/2018 6:00	1	1	0	
EFM0142	2/22/2018 7:00	1	1	0	
EFM0142	2/22/2018 8:00	1	1	0	
EFM0142	2/22/2018 9:00	1	1	0	
EFM0142	2/22/2018 10:00	1	1	0	
EFM0142	2/22/2018 11:00	1	1	0	
EFM0142	2/22/2018 12:00	1	1	0	
EFM0142	2/22/2018 13:00	1	1	0	
EFM0142	2/22/2018 14:00	1	1	0	
EFM0142	2/22/2018 15:00	1	1	0	
EFM0142	2/22/2018 16:00	1	1	0	
EFM0142	2/22/2018 17:00	1	1	0	
EFM0142	2/22/2018 18:00	1	1	0	
EFM0142	2/22/2018 19:00	1	1	0	
EFM0142	2/22/2018 20:00	1	1	0	
EFM0142	2/22/2018 21:00	1	1	0	
EFM0142	2/22/2018 22:00	1	1	0	
EFM0142	2/22/2018 23:00	1	1	0	
EFM0142	2/23/2018 0:00	1	1	0	
EFM0142	2/23/2018 1:00	1	1	0	
EFM0142	2/23/2018 2:00	1	1	0	
EFM0142	2/23/2018 3:00	1	1	0	
EFM0142	2/23/2018 4:00	1	1	0	
EFM0142	2/23/2018 5:00	1	1	0	
EFM0142	2/23/2018 6:00	1	1	0	
EFM0142	2/23/2018 7:00	1	1	0	
EFM0142	2/23/2018 8:00	1	1	0	
EFM0142	2/23/2018 9:00	1	1	0	
EFM0142	2/23/2018 10:00	1	1	0	
EFM0142	2/23/2018 11:00	1	1	0	
EFM0142	2/23/2018 12:00	1	1	0	
EFM0142	2/23/2018 13:00	1	1	0	
EFM0142	2/23/2018 14:00	1	1	0	
EFM0142	2/23/2018 15:00	1	1	0	
EFM0142	2/23/2018 16:00	1	1	0	
EFM0142	2/23/2018 17:00	1	1	0	
EFM0142	2/23/2018 18:00	1	1	0	
EFM0142	2/23/2018 19:00	1	1	0	
EFM0142	2/23/2018 20:00	1	1	0	
EFM0142	2/23/2018 21:00	1	1	0	
EFM0142	2/23/2018 22:00	1	1	0	
EFM0142	2/23/2018 23:00	1	1	0	
EFM0142	2/24/2018 0:00	1	1	0	
EFM0142	2/24/2018 1:00	1	1	0	
EFM0142	2/24/2018 2:00	1	1	0	
EFM0142	2/24/2018 3:00	1	1	0	
EFM0142	2/24/2018 4:00	1	1	0	
EFM0142	2/24/2018 5:00	1	1	0	
EFM0142	2/24/2018 6:00	1	1	0	
EFM0142	2/24/2018 7:00	1	1	0	
EFM0142	2/24/2018 8:00	1	1	0	
EFM0142	2/24/2018 9:00	1	1	0	
EFM0142	2/24/2018 10:00	1	1	0	
EFM0142	2/24/2018 11:00	1	1	0	
EFM0142	2/24/2018 12:00	1	1	0	
EFM0142	2/24/2018 13:00	1	1	0	
EFM0142	2/24/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 738 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/24/2018 15:00	1	1	0	
EFM0142	2/24/2018 16:00	1	1	0	
EFM0142	2/24/2018 17:00	1	1	0	
EFM0142	2/24/2018 18:00	1	1	0	
EFM0142	2/24/2018 19:00	1	1	0	
EFM0142	2/24/2018 20:00	1	1	0	
EFM0142	2/24/2018 21:00	1	1	0	
EFM0142	2/24/2018 22:00	1	1	0	
EFM0142	2/24/2018 23:00	1	1	0	
EFM0142	2/25/2018 0:00	1	1	0	
EFM0142	2/25/2018 1:00	1	1	0	
EFM0142	2/25/2018 2:00	1	1	0	
EFM0142	2/25/2018 3:00	1	1	0	
EFM0142	2/25/2018 4:00	0	1	0	
EFM0142	2/25/2018 5:00	0	0	0	
EFM0142	2/25/2018 6:00	0	0	0	
EFM0142	2/25/2018 7:00	0	1	0.156761	
EFM0142	2/25/2018 8:00	0	1	0.156761	
EFM0142	2/25/2018 9:00	1	1	0.156761	
EFM0142	2/25/2018 10:00	1	1	0.156761	
EFM0142	2/25/2018 11:00	1	1	0.156761	
EFM0142	2/25/2018 12:00	1	1	0.156761	
EFM0142	2/25/2018 13:00	1	1	0.156761	
EFM0142	2/25/2018 14:00	1	1	0.156761	
EFM0142	2/25/2018 15:00	1	1	0.156761	
EFM0142	2/25/2018 16:00	1	1	0.156761	
EFM0142	2/25/2018 17:00	1	1	0.156761	
EFM0142	2/25/2018 18:00	1	1	0.156761	
EFM0142	2/25/2018 19:00	1	1	0.156761	
EFM0142	2/25/2018 20:00	1	1	0.156761	
EFM0142	2/25/2018 21:00	1	1	0.156761	
EFM0142	2/25/2018 22:00	1	1	0.156761	
EFM0142	2/25/2018 23:00	1	1	0.156761	
EFM0142	2/26/2018 0:00	1	1	0.156761	
EFM0142	2/26/2018 1:00	1	1	0.156761	
EFM0142	2/26/2018 2:00	1	1	0.156761	
EFM0142	2/26/2018 3:00	1	1	0.156761	
EFM0142	2/26/2018 4:00	1	1	0.156761	
EFM0142	2/26/2018 5:00	1	1	0.156761	
EFM0142	2/26/2018 6:00	1	1	0.156761	
EFM0142	2/26/2018 7:00	1	1	0.156761	
EFM0142	2/26/2018 8:00	1	1	0.156761	
EFM0142	2/26/2018 9:00	1	1	0.156761	
EFM0142	2/26/2018 10:00	1	1	0.156761	
EFM0142	2/26/2018 11:00	1	1	0.156761	
EFM0142	2/26/2018 12:00	1	1	0.156761	
EFM0142	2/26/2018 13:00	1	1	0.156761	
EFM0142	2/26/2018 14:00	1	1	0.156761	
EFM0142	2/26/2018 15:00	1	1	0.156761	
EFM0142	2/26/2018 16:00	1	1	0.156761	
EFM0142	2/26/2018 17:00	1	1	0.156761	
EFM0142	2/26/2018 18:00	1	1	0.156761	
EFM0142	2/26/2018 19:00	1	1	0.156761	
EFM0142	2/26/2018 20:00	1	1	0.156761	
EFM0142	2/26/2018 21:00	1	1	0.156761	
EFM0142	2/26/2018 22:00	1	1	0.156761	
EFM0142	2/26/2018 23:00	1	1	0.156761	
EFM0142	2/27/2018 0:00	1	1	0.156761	
	2/27/2018 1:00				Missing data
	2/27/2018 2:00				Missing data
	2/27/2018 3:00				Missing data
	2/27/2018 4:00				Missing data
	2/27/2018 5:00				Missing data
	2/27/2018 6:00				Missing data
	2/27/2018 7:00				Missing data
	2/27/2018 8:00				Missing data
EFM0142	2/27/2018 9:00	1	1	0.156761	
EFM0142	2/27/2018 10:00	1	1	0.156761	
EFM0142	2/27/2018 11:00	1	1	0.156761	
EFM0142	2/27/2018 12:00	1	1	0.156761	
EFM0142	2/27/2018 13:00	1	1	0.156761	
EFM0142	2/27/2018 14:00	1	1	0.156761	
EFM0142	2/27/2018 15:00	1	1	0.156761	
EFM0142	2/27/2018 16:00	1	1	0.156761	
EFM0142	2/27/2018 17:00	1	1	0.156761	
EFM0142	2/27/2018 18:00	1	1	0.156761	
EFM0142	2/27/2018 19:00	1	1	0.156761	
EFM0142	2/27/2018 20:00	1	1	0.156761	
EFM0142	2/27/2018 21:00	1	1	0.156761	
EFM0142	2/27/2018 22:00	1	1	0.156761	
EFM0142	2/27/2018 23:00	1	1	0.156761	
EFM0142	2/28/2018 0:00	1	1	0.156761	
EFM0142	2/28/2018 1:00	1	1	0.156761	
EFM0142	2/28/2018 2:00	1	1	0.156761	
EFM0142	2/28/2018 3:00	1	1	0.156761	
EFM0142	2/28/2018 4:00	1	1	0.156761	
EFM0142	2/28/2018 5:00	1	1	0.156761	
EFM0142	2/28/2018 6:00	1	1	0.156761	
EFM0142	2/28/2018 7:00	1	1	0.156761	
EFM0142	2/28/2018 8:00	1	1	0.156761	
EFM0142	2/28/2018 9:00	1	1	0.156761	
EFM0142	2/28/2018 10:00	1	1	0.156761	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 1/9/2019, 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/28/2018 11:00	1	1	0.156761	
EFM0142	2/28/2018 12:00	1	1	0.156761	
EFM0142	2/28/2018 13:00	1	1	0.156761	
EFM0142	2/28/2018 14:00	1	1	0.156761	
EFM0142	2/28/2018 15:00	1	1	0.156761	
EFM0142	2/28/2018 16:00	1	1	0.156761	
	2/28/2018 17:00				Missing data
	2/28/2018 18:00				Missing data
	2/28/2018 19:00				Missing data
	2/28/2018 20:00				Missing data
	2/28/2018 21:00				Missing data
	2/28/2018 22:00				Missing data
	2/28/2018 23:00				Missing data
	3/1/2018 0:00				Missing data
	3/1/2018 1:00				Missing data
	3/1/2018 2:00				Missing data
	3/1/2018 3:00				Missing data
	3/1/2018 4:00				Missing data
	3/1/2018 5:00				Missing data
	3/1/2018 6:00				Missing data
	3/1/2018 7:00				Missing data
	3/1/2018 8:00				Missing data
EFM0142	3/1/2018 9:00	1	1	0	
EFM0142	3/1/2018 10:00	1	1	0	
EFM0142	3/1/2018 11:00	1	1	0	
EFM0142	3/1/2018 12:00	1	1	0	
EFM0142	3/1/2018 13:00	1	1	0	
EFM0142	3/1/2018 14:00	1	1	0	
EFM0142	3/1/2018 15:00	1	1	0	
EFM0142	3/1/2018 16:00	1	1	0	
EFM0142	3/1/2018 17:00	1	1	0	
EFM0142	3/1/2018 18:00	1	1	0	
EFM0142	3/1/2018 19:00	1	1	0	
EFM0142	3/1/2018 20:00	1	1	0	
EFM0142	3/1/2018 21:00	1	1	0	
EFM0142	3/1/2018 22:00	1	1	0	
EFM0142	3/1/2018 23:00	1	1	0	
EFM0142	3/2/2018 0:00	1	1	0	
EFM0142	3/2/2018 1:00	1	1	0	
EFM0142	3/2/2018 2:00	1	1	0	
EFM0142	3/2/2018 3:00	1	1	0	
EFM0142	3/2/2018 4:00	1	1	0	
EFM0142	3/2/2018 5:00	1	1	0	
EFM0142	3/2/2018 6:00	1	1	0	
EFM0142	3/2/2018 7:00	1	1	0	
EFM0142	3/2/2018 8:00	1	1	0	
EFM0142	3/2/2018 9:00	1	1	0	
EFM0142	3/2/2018 10:00	1	1	0	
EFM0142	3/2/2018 11:00	1	1	0	
EFM0142	3/2/2018 12:00	1	1	0	
EFM0142	3/2/2018 13:00	1	1	0	
EFM0142	3/2/2018 14:00	1	1	0	
EFM0142	3/2/2018 15:00	1	1	0	
EFM0142	3/2/2018 16:00	1	1	0	
EFM0142	3/2/2018 17:00	1	1	0	
EFM0142	3/2/2018 18:00	1	1	0	
EFM0142	3/2/2018 19:00	1	1	0	
EFM0142	3/2/2018 20:00	1	1	0	
EFM0142	3/2/2018 21:00	1	1	0	
EFM0142	3/2/2018 22:00	1	1	0	
EFM0142	3/2/2018 23:00	1	1	0	
EFM0142	3/3/2018 0:00	1	1	0	
EFM0142	3/3/2018 1:00	1	1	0	
EFM0142	3/3/2018 2:00	1	1	0	
EFM0142	3/3/2018 3:00	1	1	0	
EFM0142	3/3/2018 4:00	1	1	0	
EFM0142	3/3/2018 5:00	1	1	0	
EFM0142	3/3/2018 6:00	1	1	0	
EFM0142	3/3/2018 7:00	1	1	0	
EFM0142	3/3/2018 8:00	1	1	0	
EFM0142	3/3/2018 9:00	1	1	0	
EFM0142	3/3/2018 10:00	1	1	0	
EFM0142	3/3/2018 11:00	1	1	0	
EFM0142	3/3/2018 12:00	1	1	0	
EFM0142	3/3/2018 13:00	1	1	0	
EFM0142	3/3/2018 14:00	1	1	0	
EFM0142	3/3/2018 15:00	1	1	0	
EFM0142	3/3/2018 16:00	1	1	0	
EFM0142	3/3/2018 17:00	1	1	0	
EFM0142	3/3/2018 18:00	1	1	0	
EFM0142	3/3/2018 19:00	1	1	0	
EFM0142	3/3/2018 20:00	1	1	0	
EFM0142	3/3/2018 21:00	1	1	0	
EFM0142	3/3/2018 22:00	1	1	0	
EFM0142	3/3/2018 23:00	1	1	0	
EFM0142	3/4/2018 0:00	1	1	0	
EFM0142	3/4/2018 1:00	1	1	0	
EFM0142	3/4/2018 2:00	1	1	0	
EFM0142	3/4/2018 3:00	1	1	0	
EFM0142	3/4/2018 4:00	1	1	0	
EFM0142	3/4/2018 5:00	1	1	0	
EFM0142	3/4/2018 6:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 758 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/4/2018 7:00	1	1	0	
EFM0142	3/4/2018 8:00	1	1	0	
EFM0142	3/4/2018 9:00	1	1	0	
EFM0142	3/4/2018 10:00	1	1	0	
EFM0142	3/4/2018 11:00	1	1	0	
EFM0142	3/4/2018 12:00	1	1	0	
EFM0142	3/4/2018 13:00	1	1	0	
EFM0142	3/4/2018 14:00	1	1	0	
EFM0142	3/4/2018 15:00	1	1	0	
EFM0142	3/4/2018 16:00	1	1	0	
EFM0142	3/4/2018 17:00	1	1	0	
EFM0142	3/4/2018 18:00	1	1	0	
EFM0142	3/4/2018 19:00	1	1	0	
EFM0142	3/4/2018 20:00	1	1	0	
EFM0142	3/4/2018 21:00	1	1	0	
EFM0142	3/4/2018 22:00	1	1	0	
EFM0142	3/4/2018 23:00	1	1	0	
EFM0142	3/5/2018 0:00	1	1	0	
EFM0142	3/5/2018 1:00	1	1	0	
EFM0142	3/5/2018 2:00	1	1	0	
EFM0142	3/5/2018 3:00	1	1	0	
EFM0142	3/5/2018 4:00	1	1	0	
EFM0142	3/5/2018 5:00	1	1	0	
EFM0142	3/5/2018 6:00	1	1	0	
EFM0142	3/5/2018 7:00	1	1	0	
EFM0142	3/5/2018 8:00	1	1	0	
EFM0142	3/5/2018 9:00	1	1	0	
EFM0142	3/5/2018 10:00	1	1	0	
EFM0142	3/5/2018 11:00	1	1	0	
EFM0142	3/5/2018 12:00	1	1	0	
EFM0142	3/5/2018 13:00	1	1	0	
EFM0142	3/5/2018 14:00	1	1	0	
EFM0142	3/5/2018 15:00	1	1	0	
EFM0142	3/5/2018 16:00	1	1	0	
EFM0142	3/5/2018 17:00	1	1	0	
EFM0142	3/5/2018 18:00	1	1	0	
EFM0142	3/5/2018 19:00	1	1	0	
EFM0142	3/5/2018 20:00	1	1	0	
EFM0142	3/5/2018 21:00	1	1	0	
EFM0142	3/5/2018 22:00	1	1	0	
EFM0142	3/5/2018 23:00	1	1	0	
EFM0142	3/6/2018 0:00	1	1	0	
EFM0142	3/6/2018 1:00	1	1	0	
EFM0142	3/6/2018 2:00	1	1	0	
EFM0142	3/6/2018 3:00	1	1	0	
EFM0142	3/6/2018 4:00	1	1	0	
EFM0142	3/6/2018 5:00	1	1	0	
EFM0142	3/6/2018 6:00	1	1	0	
EFM0142	3/6/2018 7:00	1	1	0	
EFM0142	3/6/2018 8:00	1	1	0	
EFM0142	3/6/2018 9:00	1	1	0	
EFM0142	3/6/2018 10:00	1	1	0	
EFM0142	3/6/2018 11:00	1	1	0	
EFM0142	3/6/2018 12:00	1	1	0	
EFM0142	3/6/2018 13:00	1	1	0	
EFM0142	3/6/2018 14:00	1	1	0	
EFM0142	3/6/2018 15:00	1	1	0	
EFM0142	3/6/2018 16:00	1	1	0	
EFM0142	3/6/2018 17:00	1	1	0	
EFM0142	3/6/2018 18:00	1	1	0	
EFM0142	3/6/2018 19:00	1	1	0	
EFM0142	3/6/2018 20:00	1	1	0	
EFM0142	3/6/2018 21:00	1	1	0	
EFM0142	3/6/2018 22:00	1	1	0	
EFM0142	3/6/2018 23:00	1	1	0	
EFM0142	3/7/2018 0:00	1	1	0	
EFM0142	3/7/2018 1:00	1	1	0	
EFM0142	3/7/2018 2:00	1	1	0	
EFM0142	3/7/2018 3:00	1	1	0	
EFM0142	3/7/2018 4:00	1	1	0	
EFM0142	3/7/2018 5:00	1	1	0	
EFM0142	3/7/2018 6:00	1	1	0	
EFM0142	3/7/2018 7:00	1	1	0	
EFM0142	3/7/2018 8:00	1	1	0	
EFM0142	3/7/2018 9:00	1	1	0	
EFM0142	3/7/2018 10:00	1	1	0	
EFM0142	3/7/2018 11:00	1	1	0	
EFM0142	3/7/2018 12:00	1	1	0	
EFM0142	3/7/2018 13:00	1	1	0	
EFM0142	3/7/2018 14:00	1	1	0	
EFM0142	3/7/2018 15:00	1	1	0	
EFM0142	3/7/2018 16:00	1	1	0	
EFM0142	3/7/2018 17:00	1	1	0	
EFM0142	3/7/2018 18:00	1	1	0	
EFM0142	3/7/2018 19:00	1	1	0	
EFM0142	3/7/2018 20:00	1	1	0	
EFM0142	3/7/2018 21:00	1	1	0	
EFM0142	3/7/2018 22:00	1	1	0	
EFM0142	3/7/2018 23:00	1	1	0	
EFM0142	3/8/2018 0:00	1	1	0	
EFM0142	3/8/2018 1:00	1	1	0	
EFM0142	3/8/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					307 hrs relaxing during period 2/10/2018 - 2/9/2019. 4.2% of time 208 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/8/2018 3:00	1	1	0	
EFM0142	3/8/2018 4:00	1	1	0	
EFM0142	3/8/2018 5:00	1	1	0	
EFM0142	3/8/2018 6:00	1	1	0	
EFM0142	3/8/2018 7:00	1	1	0	
EFM0142	3/8/2018 8:00	1	1	0	
EFM0142	3/8/2018 9:00	1	1	0	
EFM0142	3/8/2018 10:00	1	1	0	
EFM0142	3/8/2018 11:00	1	1	0	
EFM0142	3/8/2018 12:00	1	1	0	
EFM0142	3/8/2018 13:00	1	1	0	
EFM0142	3/8/2018 14:00	1	1	0	
EFM0142	3/8/2018 15:00	1	1	0	
EFM0142	3/8/2018 16:00	1	1	0	
EFM0142	3/8/2018 17:00	1	1	0	
EFM0142	3/8/2018 18:00	1	1	0	
EFM0142	3/8/2018 19:00	1	1	0	
EFM0142	3/8/2018 20:00	1	1	0	
EFM0142	3/8/2018 21:00	1	1	0	
EFM0142	3/8/2018 22:00	1	1	0	
EFM0142	3/8/2018 23:00	1	1	0	
EFM0142	3/9/2018 0:00	1	1	0	
EFM0142	3/9/2018 1:00	1	1	0	
EFM0142	3/9/2018 2:00	1	1	0	
EFM0142	3/9/2018 3:00	1	1	0	
EFM0142	3/9/2018 4:00	1	1	0	
EFM0142	3/9/2018 5:00	1	1	0	
EFM0142	3/9/2018 6:00	1	1	0	
EFM0142	3/9/2018 7:00	1	1	0	
EFM0142	3/9/2018 8:00	1	1	0	
EFM0142	3/9/2018 9:00	1	1	0	
EFM0142	3/9/2018 10:00	1	1	0	
EFM0142	3/9/2018 11:00	1	1	0	
EFM0142	3/9/2018 12:00	1	1	0	
EFM0142	3/9/2018 13:00	1	1	0	
EFM0142	3/9/2018 14:00	1	1	0	
EFM0142	3/9/2018 15:00	1	1	0	
EFM0142	3/9/2018 16:00	1	1	0	
EFM0142	3/9/2018 17:00	1	1	0	
EFM0142	3/9/2018 18:00	1	1	0	
EFM0142	3/9/2018 19:00	1	1	0	
EFM0142	3/9/2018 20:00	1	1	0	
EFM0142	3/9/2018 21:00	1	1	0	
EFM0142	3/9/2018 22:00	1	1	0	
EFM0142	3/9/2018 23:00	1	1	0	
EFM0142	3/10/2018 0:00	1	1	0	
EFM0142	3/10/2018 1:00	1	1	0	
EFM0142	3/10/2018 2:00	1	1	0	
EFM0142	3/10/2018 3:00	1	1	0	
EFM0142	3/10/2018 4:00	1	1	0	
EFM0142	3/10/2018 5:00	1	1	0	
EFM0142	3/10/2018 6:00	1	1	0	
EFM0142	3/10/2018 7:00	1	1	0	
EFM0142	3/10/2018 8:00	1	1	0	
EFM0142	3/10/2018 9:00	1	1	0	
EFM0142	3/10/2018 10:00	1	1	0	
EFM0142	3/10/2018 11:00	1	1	0	
EFM0142	3/10/2018 12:00	1	1	0	
EFM0142	3/10/2018 13:00	1	1	0	
EFM0142	3/10/2018 14:00	1	1	0	
EFM0142	3/10/2018 15:00	1	1	0	
EFM0142	3/10/2018 16:00	1	1	0	
EFM0142	3/10/2018 17:00	1	1	0	
EFM0142	3/10/2018 18:00	1	1	0	
EFM0142	3/10/2018 19:00	1	1	0	
EFM0142	3/10/2018 20:00	1	1	0	
EFM0142	3/10/2018 21:00	1	1	0	
EFM0142	3/10/2018 22:00	1	1	0	
EFM0142	3/10/2018 23:00	1	1	0	
EFM0142	3/11/2018 0:00	1	1	0	
EFM0142	3/11/2018 1:00	1	1	0	
EFM0142	3/11/2018 2:00				Missing data
EFM0142	3/11/2018 3:00	1	1	0	
EFM0142	3/11/2018 4:00	1	1	0	
EFM0142	3/11/2018 5:00	1	1	0	
EFM0142	3/11/2018 6:00	1	1	0	
EFM0142	3/11/2018 7:00	1	1	0	
EFM0142	3/11/2018 8:00	1	1	0	
EFM0142	3/11/2018 9:00	1	1	0	
EFM0142	3/11/2018 10:00	1	1	0	
EFM0142	3/11/2018 11:00	1	1	0	
EFM0142	3/11/2018 12:00	1	1	0	
EFM0142	3/11/2018 13:00	1	1	0	
EFM0142	3/11/2018 14:00	1	1	0	
EFM0142	3/11/2018 15:00	1	1	0	
EFM0142	3/11/2018 16:00	1	1	0	
EFM0142	3/11/2018 17:00	1	1	0	
EFM0142	3/11/2018 18:00	1	1	0	
EFM0142	3/11/2018 19:00	1	1	0	
EFM0142	3/11/2018 20:00	1	1	0	
EFM0142	3/11/2018 21:00	1	1	0	
EFM0142	3/11/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	3/11/2018 23:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/12/2018 0:00	1	1	0	
EFM0142	3/12/2018 1:00	1	1	0	
EFM0142	3/12/2018 2:00	1	1	0	
EFM0142	3/12/2018 3:00	1	1	0	
EFM0142	3/12/2018 4:00	1	1	0	
EFM0142	3/12/2018 5:00	1	1	0	
EFM0142	3/12/2018 6:00	1	1	0	
EFM0142	3/12/2018 7:00	1	1	0	
EFM0142	3/12/2018 8:00	1	1	0	
EFM0142	3/12/2018 9:00	1	1	0	
EFM0142	3/12/2018 10:00	1	1	0	
EFM0142	3/12/2018 11:00	1	1	0	
EFM0142	3/12/2018 12:00	1	1	0	
EFM0142	3/12/2018 13:00	1	1	0	
EFM0142	3/12/2018 14:00	1	1	0	
EFM0142	3/12/2018 15:00	1	1	0	
EFM0142	3/12/2018 16:00	1	1	0	
EFM0142	3/12/2018 17:00	1	1	0	
EFM0142	3/12/2018 18:00	1	1	0	
EFM0142	3/12/2018 19:00	1	1	0	
EFM0142	3/12/2018 20:00	1	1	0	
EFM0142	3/12/2018 21:00	1	1	0	
EFM0142	3/12/2018 22:00	1	1	0	
EFM0142	3/12/2018 23:00	1	1	0	
EFM0142	3/13/2018 0:00	1	1	0	
EFM0142	3/13/2018 1:00	1	1	0	
EFM0142	3/13/2018 2:00	1	1	0	
EFM0142	3/13/2018 3:00	1	1	0	
EFM0142	3/13/2018 4:00	1	1	0	
EFM0142	3/13/2018 5:00	1	1	0	
EFM0142	3/13/2018 6:00	1	1	0	
EFM0142	3/13/2018 7:00	1	1	0	
EFM0142	3/13/2018 8:00	1	1	0	
EFM0142	3/13/2018 9:00	1	1	0	
EFM0142	3/13/2018 10:00	1	1	0	
EFM0142	3/13/2018 11:00	1	1	0	
EFM0142	3/13/2018 12:00	1	1	0	
EFM0142	3/13/2018 13:00	1	1	0	
EFM0142	3/13/2018 14:00	1	1	0	
EFM0142	3/13/2018 15:00	1	1	0	
EFM0142	3/13/2018 16:00	1	1	0	
EFM0142	3/13/2018 17:00	1	1	0	
EFM0142	3/13/2018 18:00	1	1	0	
EFM0142	3/13/2018 19:00	1	1	0	
EFM0142	3/13/2018 20:00	1	1	0	
EFM0142	3/13/2018 21:00	1	1	0	
EFM0142	3/13/2018 22:00	1	1	0	
EFM0142	3/13/2018 23:00	1	1	0	
EFM0142	3/14/2018 0:00	1	1	0	
EFM0142	3/14/2018 1:00	1	1	0	
EFM0142	3/14/2018 2:00	1	1	0	
EFM0142	3/14/2018 3:00	1	1	0	
EFM0142	3/14/2018 4:00	1	1	0	
EFM0142	3/14/2018 5:00	1	1	0	
EFM0142	3/14/2018 6:00	1	1	0	
EFM0142	3/14/2018 7:00	1	1	0	
EFM0142	3/14/2018 8:00	1	1	0	
EFM0142	3/14/2018 9:00	1	1	0	
EFM0142	3/14/2018 10:00	1	1	0	
EFM0142	3/14/2018 11:00	1	1	0	
EFM0142	3/14/2018 12:00	1	1	0	
EFM0142	3/14/2018 13:00	1	1	0	
EFM0142	3/14/2018 14:00	1	1	0	
EFM0142	3/14/2018 15:00	1	1	0	
EFM0142	3/14/2018 16:00	1	1	0	
EFM0142	3/14/2018 17:00	1	1	0	
EFM0142	3/14/2018 18:00	1	1	0	
EFM0142	3/14/2018 19:00	1	1	0	
EFM0142	3/14/2018 20:00	1	1	0	
EFM0142	3/14/2018 21:00	1	1	0	
EFM0142	3/14/2018 22:00	1	1	0	
EFM0142	3/14/2018 23:00	1	1	0	
EFM0142	3/15/2018 0:00	1	1	0	
EFM0142	3/15/2018 1:00	1	1	0	
EFM0142	3/15/2018 2:00	1	1	0	
EFM0142	3/15/2018 3:00	1	1	0	
EFM0142	3/15/2018 4:00	1	1	0	
EFM0142	3/15/2018 5:00	1	1	0	
EFM0142	3/15/2018 6:00	1	1	0	
EFM0142	3/15/2018 7:00	1	1	0	
EFM0142	3/15/2018 8:00	1	1	0	
EFM0142	3/15/2018 9:00	1	1	0	
EFM0142	3/15/2018 10:00	1	1	0	
EFM0142	3/15/2018 11:00	1	1	0	
EFM0142	3/15/2018 12:00	1	1	0	
EFM0142	3/15/2018 13:00	1	1	0	
EFM0142	3/15/2018 14:00	1	1	0	
EFM0142	3/15/2018 15:00	1	1	0	
EFM0142	3/15/2018 16:00	1	1	0	
EFM0142	3/15/2018 17:00	1	1	0	
EFM0142	3/15/2018 18:00	1	1	0	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 796 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/15/2018 19:00	1	1	0	
EFM0142	3/15/2018 20:00	1	1	0	
EFM0142	3/15/2018 21:00	1	1	0	
EFM0142	3/15/2018 22:00	1	1	0	
EFM0142	3/15/2018 23:00	1	1	0	
EFM0142	3/16/2018 0:00	1	1	0	
EFM0142	3/16/2018 1:00	1	1	0	
EFM0142	3/16/2018 2:00	1	1	0	
EFM0142	3/16/2018 3:00	1	1	0	
EFM0142	3/16/2018 4:00	1	1	0	
EFM0142	3/16/2018 5:00	1	1	0	
EFM0142	3/16/2018 6:00	1	1	0	
EFM0142	3/16/2018 7:00	1	1	0	
EFM0142	3/16/2018 8:00	1	1	0	
EFM0142	3/16/2018 9:00	1	1	0	
EFM0142	3/16/2018 10:00	1	1	0	
EFM0142	3/16/2018 11:00	1	1	0	
EFM0142	3/16/2018 12:00	1	1	0	
EFM0142	3/16/2018 13:00	1	1	0	
EFM0142	3/16/2018 14:00	1	1	0	
EFM0142	3/16/2018 15:00	1	1	0	
EFM0142	3/16/2018 16:00	1	1	0	
EFM0142	3/16/2018 17:00	1	1	0	
EFM0142	3/16/2018 18:00	1	1	0	
EFM0142	3/16/2018 19:00	1	1	0	
EFM0142	3/16/2018 20:00	1	1	0	
EFM0142	3/16/2018 21:00	1	1	0	
EFM0142	3/16/2018 22:00	1	1	0	
EFM0142	3/16/2018 23:00	1	1	0	
EFM0142	3/17/2018 0:00	1	1	0	
EFM0142	3/17/2018 1:00	1	1	0	
EFM0142	3/17/2018 2:00	1	1	0	
EFM0142	3/17/2018 3:00	1	1	0	
EFM0142	3/17/2018 4:00	1	1	0	
EFM0142	3/17/2018 5:00	1	1	0	
EFM0142	3/17/2018 6:00	1	1	0	
EFM0142	3/17/2018 7:00	1	1	0	
EFM0142	3/17/2018 8:00	1	1	0	
EFM0142	3/17/2018 9:00	1	1	0	
EFM0142	3/17/2018 10:00	1	1	0	
EFM0142	3/17/2018 11:00	1	1	0	
EFM0142	3/17/2018 12:00	1	1	0	
EFM0142	3/17/2018 13:00	1	1	0	
EFM0142	3/17/2018 14:00	1	1	0	
EFM0142	3/17/2018 15:00	1	1	0	
EFM0142	3/17/2018 16:00	1	1	0	
EFM0142	3/17/2018 17:00	1	1	0	
EFM0142	3/17/2018 18:00	1	1	0	
EFM0142	3/17/2018 19:00	1	1	0	
EFM0142	3/17/2018 20:00	1	1	0	
EFM0142	3/17/2018 21:00	1	1	0	
EFM0142	3/17/2018 22:00	1	1	0	
EFM0142	3/17/2018 23:00	1	1	0	
EFM0142	3/18/2018 0:00	1	1	0	
EFM0142	3/18/2018 1:00	1	1	0	
EFM0142	3/18/2018 2:00	1	1	0	
EFM0142	3/18/2018 3:00	1	1	0	
EFM0142	3/18/2018 4:00	1	1	0	
EFM0142	3/18/2018 5:00	1	1	0	
EFM0142	3/18/2018 6:00	1	1	0	
EFM0142	3/18/2018 7:00	1	1	0	
EFM0142	3/18/2018 8:00	1	1	0	
EFM0142	3/18/2018 9:00	1	1	0	
EFM0142	3/18/2018 10:00	1	1	0	
EFM0142	3/18/2018 11:00	1	1	0	
EFM0142	3/18/2018 12:00	1	1	0	
EFM0142	3/18/2018 13:00	1	1	0	
EFM0142	3/18/2018 14:00	1	1	0	
EFM0142	3/18/2018 15:00	1	1	0	
EFM0142	3/18/2018 16:00	1	1	0	
EFM0142	3/18/2018 17:00	1	1	0	
EFM0142	3/18/2018 18:00	1	1	0	
EFM0142	3/18/2018 19:00	1	1	0	
EFM0142	3/18/2018 20:00	1	1	0	
EFM0142	3/18/2018 21:00	1	1	0	
EFM0142	3/18/2018 22:00	1	1	0	
EFM0142	3/18/2018 23:00	1	1	0	
EFM0142	3/19/2018 0:00	1	1	0	
EFM0142	3/19/2018 1:00	1	1	0	
EFM0142	3/19/2018 2:00	1	1	0	
EFM0142	3/19/2018 3:00	1	1	0	
EFM0142	3/19/2018 4:00	1	1	0	
EFM0142	3/19/2018 5:00	1	1	0	
EFM0142	3/19/2018 6:00	1	1	0	
EFM0142	3/19/2018 7:00	1	1	0	
EFM0142	3/19/2018 8:00	1	1	0	
EFM0142	3/19/2018 9:00	1	1	0	
EFM0142	3/19/2018 10:00	1	1	0	
EFM0142	3/19/2018 11:00	1	1	0	
EFM0142	3/19/2018 12:00	1	1	0	
EFM0142	3/19/2018 13:00	1	1	0	
EFM0142	3/19/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	3/19/2018 15:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/19/2018 16:00	1	1	0	
EFM0142	3/19/2018 17:00	1	1	0	
EFM0142	3/19/2018 18:00	1	1	0	
EFM0142	3/19/2018 19:00	1	1	0	
EFM0142	3/19/2018 20:00	1	1	0	
EFM0142	3/19/2018 21:00	1	1	0	
EFM0142	3/19/2018 22:00	1	1	0	
EFM0142	3/19/2018 23:00	1	1	0	
EFM0142	3/20/2018 0:00	1	1	0	
EFM0142	3/20/2018 1:00	1	1	0	
EFM0142	3/20/2018 2:00	1	1	0	
EFM0142	3/20/2018 3:00	1	1	0	
EFM0142	3/20/2018 4:00	1	1	0	
EFM0142	3/20/2018 5:00	1	1	0	
EFM0142	3/20/2018 6:00	1	1	0	
EFM0142	3/20/2018 7:00	1	1	0	
EFM0142	3/20/2018 8:00	1	1	0	
EFM0142	3/20/2018 9:00	1	1	0	
EFM0142	3/20/2018 10:00	0	0	0	
EFM0142	3/20/2018 11:00	0	0	0	
EFM0142	3/20/2018 12:00	0	0	0	
EFM0142	3/20/2018 13:00	0	0	0	
EFM0142	3/20/2018 14:00	0	0	0	
EFM0142	3/20/2018 15:00	0	0	0	
EFM0142	3/20/2018 16:00	0	0	0	
EFM0142	3/20/2018 17:00	0	0	0	
EFM0142	3/20/2018 18:00	0	0	0.034022	
EFM0142	3/20/2018 19:00	1	1	0.034022	
EFM0142	3/20/2018 20:00	1	1	0.034022	
EFM0142	3/20/2018 21:00	1	1	0.034022	
EFM0142	3/20/2018 22:00	1	1	0.034022	
EFM0142	3/20/2018 23:00	1	1	0.034022	
EFM0142	3/21/2018 0:00	1	1	0.034022	
EFM0142	3/21/2018 1:00	1	1	0.034022	
EFM0142	3/21/2018 2:00	1	1	0.034022	
EFM0142	3/21/2018 3:00	1	1	0.034022	
EFM0142	3/21/2018 4:00	1	1	0.034022	
EFM0142	3/21/2018 5:00	1	1	0.034022	
EFM0142	3/21/2018 6:00	1	1	0.034022	
EFM0142	3/21/2018 7:00	1	1	0.034022	
EFM0142	3/21/2018 8:00	1	1	0.034022	
EFM0142	3/21/2018 9:00	1	1	0.034022	
EFM0142	3/21/2018 10:00	1	1	0.034022	
EFM0142	3/21/2018 11:00	1	1	0.034022	
EFM0142	3/21/2018 12:00	1	1	0.034022	
EFM0142	3/21/2018 13:00	1	1	0.034022	
EFM0142	3/21/2018 14:00	1	1	0.034022	
EFM0142	3/21/2018 15:00	1	1	0.034022	
EFM0142	3/21/2018 16:00	1	1	0.034022	
EFM0142	3/21/2018 17:00	1	1	0.034022	
EFM0142	3/21/2018 18:00	1	1	0.034022	
EFM0142	3/21/2018 19:00	1	1	0.034022	
EFM0142	3/21/2018 20:00	1	1	0.034022	
EFM0142	3/21/2018 21:00	1	1	0.034022	
EFM0142	3/21/2018 22:00	1	1	0.034022	
EFM0142	3/21/2018 23:00	1	1	0.034022	
EFM0142	3/22/2018 0:00	1	1	0.034022	
EFM0142	3/22/2018 1:00	1	1	0.034022	
EFM0142	3/22/2018 2:00	1	1	0.034022	
EFM0142	3/22/2018 3:00	1	1	0.034022	
EFM0142	3/22/2018 4:00	1	1	0.034022	
EFM0142	3/22/2018 5:00	1	1	0.034022	
EFM0142	3/22/2018 6:00	1	1	0.034022	
EFM0142	3/22/2018 7:00	1	1	0.034022	
EFM0142	3/22/2018 8:00	1	1	0.034022	
EFM0142	3/22/2018 9:00	1	1	0.034022	
EFM0142	3/22/2018 10:00	1	1	0.034022	
EFM0142	3/22/2018 11:00	1	1	0.034022	
EFM0142	3/22/2018 12:00	1	1	0.034022	
EFM0142	3/22/2018 13:00	1	1	0.034022	
EFM0142	3/22/2018 14:00	1	1	0.034022	
EFM0142	3/22/2018 15:00	1	1	0.034022	
EFM0142	3/22/2018 16:00	1	1	0.034022	
EFM0142	3/22/2018 17:00	1	1	0.034022	
EFM0142	3/22/2018 18:00	1	1	0.034022	
EFM0142	3/22/2018 19:00	1	1	0.034022	
EFM0142	3/22/2018 20:00	1	1	0.034022	
EFM0142	3/22/2018 21:00	1	1	0.034022	
EFM0142	3/22/2018 22:00	1	1	0.034022	
EFM0142	3/22/2018 23:00	1	1	0.034022	
EFM0142	3/23/2018 0:00	1	1	0.034022	
EFM0142	3/23/2018 1:00	1	1	0.034022	
EFM0142	3/23/2018 2:00	1	1	0.034022	
EFM0142	3/23/2018 3:00	1	1	0.034022	
EFM0142	3/23/2018 4:00	1	1	0.034022	
EFM0142	3/23/2018 5:00	1	1	0.034022	
EFM0142	3/23/2018 6:00	1	1	0.034022	
EFM0142	3/23/2018 7:00	1	1	0.034022	
EFM0142	3/23/2018 8:00	1	1	0.034022	
EFM0142	3/23/2018 9:00	1	1	0.034022	
EFM0142	3/23/2018 10:00	1	1	0.034022	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	3/23/2018 11:00	1	1	0.034022	167 hrs missing during period 2/20/2018 - 2/29/2019; 4.2% of time 798 hrs with the pilot off; 8 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/23/2018 12:00	1	1	0.034022	
EFM0142	3/23/2018 13:00	1	1	0.034022	
EFM0142	3/23/2018 14:00	1	1	0.034022	
EFM0142	3/23/2018 15:00	1	1	0.034022	
EFM0142	3/23/2018 16:00	1	1	0.034022	
EFM0142	3/23/2018 17:00	1	1	0.034022	
EFM0142	3/23/2018 18:00	1	1	0.034022	
EFM0142	3/23/2018 19:00	1	1	0.034022	
EFM0142	3/23/2018 20:00	1	1	0.034022	
EFM0142	3/23/2018 21:00	1	1	0.034022	
EFM0142	3/23/2018 22:00	1	1	0.034022	
EFM0142	3/23/2018 23:00	1	1	0.034022	
EFM0142	3/24/2018 0:00	1	1	0.034022	
EFM0142	3/24/2018 1:00	1	1	0.034022	
EFM0142	3/24/2018 2:00	1	1	0.034022	
EFM0142	3/24/2018 3:00	1	1	0.034022	
EFM0142	3/24/2018 4:00	1	1	0.034022	
EFM0142	3/24/2018 5:00	1	1	0.034022	
EFM0142	3/24/2018 6:00	1	1	0.034022	
EFM0142	3/24/2018 7:00	1	1	0.034022	
EFM0142	3/24/2018 8:00	1	1	0.034022	
EFM0142	3/24/2018 9:00	1	1	0.034022	
EFM0142	3/24/2018 10:00	1	1	0.034022	
EFM0142	3/24/2018 11:00	1	1	0.034022	
EFM0142	3/24/2018 12:00	1	1	0.034022	
EFM0142	3/24/2018 13:00	1	1	0.034022	
EFM0142	3/24/2018 14:00	1	1	0.034022	
EFM0142	3/24/2018 15:00	1	1	0.034022	
EFM0142	3/24/2018 16:00	1	1	0.034022	
EFM0142	3/24/2018 17:00	1	1	0.034022	
EFM0142	3/24/2018 18:00	1	1	0.034022	
EFM0142	3/24/2018 19:00	1	1	0.034022	
EFM0142	3/24/2018 20:00	1	1	0.034022	
EFM0142	3/24/2018 21:00	1	1	0.034022	
EFM0142	3/24/2018 22:00	1	1	0.034022	
EFM0142	3/24/2018 23:00	1	1	0.034022	
EFM0142	3/25/2018 0:00	1	1	0.034022	
EFM0142	3/25/2018 1:00	1	1	0.034022	
EFM0142	3/25/2018 2:00	1	1	0.034022	
EFM0142	3/25/2018 3:00	1	1	0.034022	
EFM0142	3/25/2018 4:00	1	1	0.034022	
EFM0142	3/25/2018 5:00	1	1	0.034022	
EFM0142	3/25/2018 6:00	1	1	0.034022	
EFM0142	3/25/2018 7:00	1	1	0.034022	
EFM0142	3/25/2018 8:00	1	1	0.034022	
EFM0142	3/25/2018 9:00	1	1	0.034022	
EFM0142	3/25/2018 10:00	1	1	0.034022	
EFM0142	3/25/2018 11:00	1	1	0.034022	
EFM0142	3/25/2018 12:00	1	1	0.034022	
EFM0142	3/25/2018 13:00	1	1	0.034022	
EFM0142	3/25/2018 14:00	1	1	0.034022	
EFM0142	3/25/2018 15:00	1	1	0.034022	
EFM0142	3/25/2018 16:00	1	1	0.034022	
EFM0142	3/25/2018 17:00	1	1	0.034022	
EFM0142	3/25/2018 18:00	1	1	0.034022	
EFM0142	3/25/2018 19:00	1	1	0.034022	
EFM0142	3/25/2018 20:00	1	1	0.034022	
EFM0142	3/25/2018 21:00	1	1	0.034022	
EFM0142	3/25/2018 22:00	1	1	0.034022	
EFM0142	3/25/2018 23:00	1	1	0.034022	
EFM0142	3/26/2018 0:00	1	1	0.034022	
EFM0142	3/26/2018 1:00	1	1	0.034022	
EFM0142	3/26/2018 2:00	1	1	0.034022	
EFM0142	3/26/2018 3:00	1	1	0.034022	
EFM0142	3/26/2018 4:00	1	1	0.034022	
EFM0142	3/26/2018 5:00	1	1	0.034022	
EFM0142	3/26/2018 6:00	1	1	0.034022	
EFM0142	3/26/2018 7:00	1	1	0.034022	
EFM0142	3/26/2018 8:00	1	1	0.034022	
EFM0142	3/26/2018 9:00	1	1	0.034022	
EFM0142	3/26/2018 10:00	1	1	0.034022	
EFM0142	3/26/2018 11:00	1	1	0.034022	
EFM0142	3/26/2018 12:00	1	1	0.034022	
EFM0142	3/26/2018 13:00	1	1	0.034022	
EFM0142	3/26/2018 14:00	1	1	0.034022	
EFM0142	3/26/2018 15:00	1	1	0.034022	
EFM0142	3/26/2018 16:00	1	1	0.034022	
EFM0142	3/26/2018 17:00	1	1	0.034022	
EFM0142	3/26/2018 18:00	1	1	0.034022	
EFM0142	3/26/2018 19:00	1	1	0.034022	
EFM0142	3/26/2018 20:00	1	1	0.034022	
EFM0142	3/26/2018 21:00	1	1	0.034022	
EFM0142	3/26/2018 22:00	1	1	0.034022	
EFM0142	3/26/2018 23:00	1	1	0.034022	
EFM0142	3/27/2018 0:00	1	1	0.034022	
EFM0142	3/27/2018 1:00	1	1	0.034022	
EFM0142	3/27/2018 2:00	1	1	0.034022	
EFM0142	3/27/2018 3:00	1	1	0.034022	
EFM0142	3/27/2018 4:00	1	1	0.034022	
EFM0142	3/27/2018 5:00	1	1	0.034022	
EFM0142	3/27/2018 6:00	1	1	0.034022	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/8/2019. 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	3/27/2018 7:00	1	1	0.034022	
EFM0142	3/27/2018 8:00	1	1	0.034022	
EFM0142	3/27/2018 9:00	1	1	0.034022	
EFM0142	3/27/2018 10:00	1	1	0.034022	
EFM0142	3/27/2018 11:00	1	1	0.034022	
EFM0142	3/27/2018 12:00	1	1	0.034022	
EFM0142	3/27/2018 13:00	1	1	0.034022	
EFM0142	3/27/2018 14:00	1	1	0.034022	
EFM0142	3/27/2018 15:00	1	1	0.034022	
EFM0142	3/27/2018 16:00	1	1	0.034022	
EFM0142	3/27/2018 17:00	1	1	0.034022	
EFM0142	3/27/2018 18:00	1	1	0.034022	
EFM0142	3/27/2018 19:00	1	1	0.034022	
EFM0142	3/27/2018 20:00	1	1	0.034022	
EFM0142	3/27/2018 21:00	1	1	0.034022	
EFM0142	3/27/2018 22:00	1	1	0.034022	
EFM0142	3/27/2018 23:00	1	1	0.034022	
EFM0142	3/28/2018 0:00	1	1	0.034022	
EFM0142	3/28/2018 1:00	1	1	0.034022	
EFM0142	3/28/2018 2:00	1	1	0.034022	
EFM0142	3/28/2018 3:00	1	1	0.034022	
EFM0142	3/28/2018 4:00	1	1	0.034022	
EFM0142	3/28/2018 5:00	1	1	0.034022	
EFM0142	3/28/2018 6:00	1	1	0.034022	
EFM0142	3/28/2018 7:00	1	1	0.034022	
EFM0142	3/28/2018 8:00	1	1	0.034022	
EFM0142	3/28/2018 9:00	1	1	0.034022	
EFM0142	3/28/2018 10:00	1	1	0.034022	
EFM0142	3/28/2018 11:00	1	1	0.034022	
EFM0142	3/28/2018 12:00	1	1	0.034022	
EFM0142	3/28/2018 13:00	1	1	0.034022	
EFM0142	3/28/2018 14:00	1	1	0.034022	
EFM0142	3/28/2018 15:00	1	1	0.034022	
EFM0142	3/28/2018 16:00	1	1	0.034022	
EFM0142	3/28/2018 17:00	1	1	0.034022	
EFM0142	3/28/2018 18:00	1	1	0.034022	
EFM0142	3/28/2018 19:00	1	1	0.034022	
EFM0142	3/28/2018 20:00	1	1	0.034022	
EFM0142	3/28/2018 21:00	1	1	0.034022	
EFM0142	3/28/2018 22:00	1	1	0.034022	
EFM0142	3/28/2018 23:00	1	1	0.034022	
EFM0142	3/29/2018 0:00	1	1	0.034022	
EFM0142	3/29/2018 1:00	1	1	0.034022	
EFM0142	3/29/2018 2:00	1	1	0.034022	
EFM0142	3/29/2018 3:00	1	1	0.034022	
EFM0142	3/29/2018 4:00	1	1	0.034022	
EFM0142	3/29/2018 5:00	1	1	0.034022	
EFM0142	3/29/2018 6:00	1	1	0.034022	
EFM0142	3/29/2018 7:00	1	1	0.034022	
EFM0142	3/29/2018 8:00	1	1	0.034022	
EFM0142	3/29/2018 9:00	1	1	0.034022	
EFM0142	3/29/2018 10:00	1	1	0.034022	
EFM0142	3/29/2018 11:00	1	1	0.034022	
EFM0142	3/29/2018 12:00	1	1	0.034022	
EFM0142	3/29/2018 13:00	1	1	0.034022	
EFM0142	3/29/2018 14:00	1	1	0.034022	
EFM0142	3/29/2018 15:00	1	1	0.034022	
EFM0142	3/29/2018 16:00	1	1	0.034022	
EFM0142	3/29/2018 17:00	1	1	0.034022	
EFM0142	3/29/2018 18:00	1	1	0.034022	
EFM0142	3/29/2018 19:00	1	1	0.034022	
EFM0142	3/29/2018 20:00	1	1	0.034022	
EFM0142	3/29/2018 21:00	1	1	0.034022	
EFM0142	3/29/2018 22:00	1	1	0.034022	
EFM0142	3/29/2018 23:00	1	1	0.034022	
EFM0142	3/30/2018 0:00	1	1	0.034022	
EFM0142	3/30/2018 1:00	1	1	0.034022	
EFM0142	3/30/2018 2:00	1	1	0.034022	
EFM0142	3/30/2018 3:00	1	1	0.034022	
EFM0142	3/30/2018 4:00	1	1	0.034022	
EFM0142	3/30/2018 5:00	1	1	0.034022	
EFM0142	3/30/2018 6:00	1	1	0.034022	
EFM0142	3/30/2018 7:00	1	1	0.034022	
EFM0142	3/30/2018 8:00	1	1	0.034022	
EFM0142	3/30/2018 9:00	1	1	0.034022	
EFM0142	3/30/2018 10:00	1	1	0.034022	
EFM0142	3/30/2018 11:00	1	1	0.034022	
EFM0142	3/30/2018 12:00	1	1	0.034022	
EFM0142	3/30/2018 13:00	1	1	0.034022	
EFM0142	3/30/2018 14:00	1	1	0.034022	
EFM0142	3/30/2018 15:00	1	1	0.034022	
EFM0142	3/30/2018 16:00	1	1	0.034022	
EFM0142	3/30/2018 17:00	1	1	0.034022	
EFM0142	3/30/2018 18:00	1	1	0.034022	
EFM0142	3/30/2018 19:00	1	1	0.034022	
EFM0142	3/30/2018 20:00	1	1	0.034022	
EFM0142	3/30/2018 21:00	1	1	0.034022	
EFM0142	3/30/2018 22:00	1	1	0.034022	
EFM0142	3/30/2018 23:00	1	1	0.034022	
EFM0142	3/31/2018 0:00	1	1	0.034022	
EFM0142	3/31/2018 1:00	1	1	0.034022	
EFM0142	3/31/2018 2:00	1	1	0.034022	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 3 hrs with compressor "on" 795 hrs with compressor "off"
EFM0142	3/31/2018 3:00	1	1	0.034022	
EFM0142	3/31/2018 4:00	1	1	0.034022	
EFM0142	3/31/2018 5:00	1	1	0.034022	
EFM0142	3/31/2018 6:00	1	1	0.034022	
EFM0142	3/31/2018 7:00	1	1	0.034022	
EFM0142	3/31/2018 8:00	1	1	0.034022	
EFM0142	3/31/2018 9:00	1	1	0.034022	
EFM0142	3/31/2018 10:00	1	1	0.034022	
EFM0142	3/31/2018 11:00	1	1	0.034022	
EFM0142	3/31/2018 12:00	1	1	0.034022	
EFM0142	3/31/2018 13:00	1	1	0.034022	
EFM0142	3/31/2018 14:00	1	1	0.034022	
EFM0142	3/31/2018 15:00	1	1	0.034022	
EFM0142	3/31/2018 16:00	1	1	0.034022	
EFM0142	3/31/2018 17:00	1	1	0.034022	
EFM0142	3/31/2018 18:00	1	1	0.034022	
EFM0142	3/31/2018 19:00	1	1	0.034022	
EFM0142	3/31/2018 20:00	1	1	0.034022	
EFM0142	3/31/2018 21:00	1	1	0.034022	
EFM0142	3/31/2018 22:00	1	1	0.034022	
EFM0142	3/31/2018 23:00	1	1	0.034022	
EFM0142	4/1/2018 0:00	1	1	0.034022	
EFM0142	4/1/2018 1:00	1	1	0	
EFM0142	4/1/2018 2:00	1	1	0	
EFM0142	4/1/2018 3:00	1	1	0	
EFM0142	4/1/2018 4:00	1	1	0	
EFM0142	4/1/2018 5:00	1	1	0	
EFM0142	4/1/2018 6:00	1	1	0	
EFM0142	4/1/2018 7:00	1	1	0	
EFM0142	4/1/2018 8:00	1	1	0	
EFM0142	4/1/2018 9:00	1	1	0	
EFM0142	4/1/2018 10:00	1	1	0	
EFM0142	4/1/2018 11:00	1	1	0	
EFM0142	4/1/2018 12:00	1	1	0	
EFM0142	4/1/2018 13:00	1	1	0	
EFM0142	4/1/2018 14:00	1	1	0	
EFM0142	4/1/2018 15:00	1	1	0	
EFM0142	4/1/2018 16:00	1	1	0	
EFM0142	4/1/2018 17:00	1	1	0	
EFM0142	4/1/2018 18:00	1	1	0	
EFM0142	4/1/2018 19:00	1	1	0	
EFM0142	4/1/2018 20:00	1	1	0	
EFM0142	4/1/2018 21:00	1	1	0	
EFM0142	4/1/2018 22:00	1	1	0	
EFM0142	4/1/2018 23:00	1	1	0	
EFM0142	4/2/2018 0:00	1	1	0	
EFM0142	4/2/2018 1:00	1	1	0	
EFM0142	4/2/2018 2:00	1	1	0	
EFM0142	4/2/2018 3:00	1	1	0	
EFM0142	4/2/2018 4:00	1	1	0	
EFM0142	4/2/2018 5:00	1	1	0	
EFM0142	4/2/2018 6:00	1	1	0	
EFM0142	4/2/2018 7:00	1	1	0	
EFM0142	4/2/2018 8:00	1	1	0	
EFM0142	4/2/2018 9:00	1	1	0	
EFM0142	4/2/2018 10:00	1	1	0	
EFM0142	4/2/2018 11:00	1	1	0	
EFM0142	4/2/2018 12:00	1	1	0	
EFM0142	4/2/2018 13:00	1	1	0	
EFM0142	4/2/2018 14:00	1	1	0	
EFM0142	4/2/2018 15:00	1	1	0	
EFM0142	4/2/2018 16:00	1	1	0	
EFM0142	4/2/2018 17:00	1	1	0	
EFM0142	4/2/2018 18:00	1	1	0	
EFM0142	4/2/2018 19:00	1	1	0	
EFM0142	4/2/2018 20:00	1	1	0	
EFM0142	4/2/2018 21:00	1	1	0	
EFM0142	4/2/2018 22:00	1	1	0	
EFM0142	4/2/2018 23:00	1	1	0	
EFM0142	4/3/2018 0:00	1	1	0	
	4/3/2018 1:00				Missing data
	4/3/2018 2:00				Missing data
	4/3/2018 3:00				Missing data
	4/3/2018 4:00				Missing data
	4/3/2018 5:00				Missing data
	4/3/2018 6:00				Missing data
	4/3/2018 7:00				Missing data
EFM0142	4/3/2018 8:00	1	1	0	
EFM0142	4/3/2018 9:00	1	1	0	
EFM0142	4/3/2018 10:00	1	1	0	
EFM0142	4/3/2018 11:00	1	1	0	
EFM0142	4/3/2018 12:00	1	1	0	
EFM0142	4/3/2018 13:00	1	1	0	
EFM0142	4/3/2018 14:00	1	1	0	
EFM0142	4/3/2018 15:00	1	1	0	
EFM0142	4/3/2018 16:00	1	1	0	
EFM0142	4/3/2018 17:00	1	1	0	
EFM0142	4/3/2018 18:00	1	1	0	
EFM0142	4/3/2018 19:00	1	1	0	
EFM0142	4/3/2018 20:00	1	1	0	
EFM0142	4/3/2018 21:00	1	1	0	
EFM0142	4/3/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	4/3/2018 23:00	1	1	0	NOTES 56.7 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 708 hrs with the pilot off. 9 hrs with compressor "on" 709 hrs with compressor "off"
EFM0142	4/4/2018 0:00	1	1	0	
EFM0142	4/4/2018 1:00	1	1	0	
EFM0142	4/4/2018 2:00	1	1	0	
EFM0142	4/4/2018 3:00	1	1	0	
EFM0142	4/4/2018 4:00	1	1	0	
EFM0142	4/4/2018 5:00	1	1	0	
EFM0142	4/4/2018 6:00	1	1	0	
EFM0142	4/4/2018 7:00	1	1	0	
EFM0142	4/4/2018 8:00	1	1	0	
EFM0142	4/4/2018 9:00	1	1	0	
EFM0142	4/4/2018 10:00	1	1	0	
EFM0142	4/4/2018 11:00	1	1	0	
EFM0142	4/4/2018 12:00	1	1	0	
EFM0142	4/4/2018 13:00	1	1	0	
EFM0142	4/4/2018 14:00	1	1	0	
EFM0142	4/4/2018 15:00	1	1	0	
EFM0142	4/4/2018 16:00	1	1	0	
EFM0142	4/4/2018 17:00	1	1	0	
EFM0142	4/4/2018 18:00	1	1	0	
EFM0142	4/4/2018 19:00	1	1	0	
EFM0142	4/4/2018 20:00	1	1	0	
EFM0142	4/4/2018 21:00	1	1	0	
EFM0142	4/4/2018 22:00	1	1	0	
EFM0142	4/4/2018 23:00	1	1	0	
EFM0142	4/5/2018 0:00	1	1	0	
EFM0142	4/5/2018 1:00	1	1	0	
EFM0142	4/5/2018 2:00	1	1	0	
EFM0142	4/5/2018 3:00	1	1	0	
EFM0142	4/5/2018 4:00	1	1	0	
EFM0142	4/5/2018 5:00	1	1	0	
EFM0142	4/5/2018 6:00	1	1	0	
EFM0142	4/5/2018 7:00	1	1	0	
EFM0142	4/5/2018 8:00	1	1	0	
EFM0142	4/5/2018 9:00	1	1	0	
EFM0142	4/5/2018 10:00	1	1	0	
EFM0142	4/5/2018 11:00	1	1	0	
EFM0142	4/5/2018 12:00	1	1	0	
EFM0142	4/5/2018 13:00	1	1	0	
EFM0142	4/5/2018 14:00	1	1	0	
EFM0142	4/5/2018 15:00	1	1	0	
EFM0142	4/5/2018 16:00	1	1	0	
EFM0142	4/5/2018 17:00	1	1	0	
EFM0142	4/5/2018 18:00	1	1	0	
EFM0142	4/5/2018 19:00	1	1	0	
EFM0142	4/5/2018 20:00	1	1	0	
EFM0142	4/5/2018 21:00	1	1	0	
EFM0142	4/5/2018 22:00	1	1	0	
EFM0142	4/5/2018 23:00	1	1	0	
EFM0142	4/6/2018 0:00	1	1	0	
EFM0142	4/6/2018 1:00	1	1	0	
EFM0142	4/6/2018 2:00	1	1	0	
EFM0142	4/6/2018 3:00	1	1	0	
EFM0142	4/6/2018 4:00	1	1	0	
EFM0142	4/6/2018 5:00	1	1	0	
EFM0142	4/6/2018 6:00	1	1	0	
EFM0142	4/6/2018 7:00	1	1	0	
EFM0142	4/6/2018 8:00	1	1	0	
EFM0142	4/6/2018 9:00	1	1	0	
EFM0142	4/6/2018 10:00	1	1	0	
EFM0142	4/6/2018 11:00	1	1	0	
EFM0142	4/6/2018 12:00	1	1	0	
EFM0142	4/6/2018 13:00	1	1	0	
EFM0142	4/6/2018 14:00	1	1	0	
EFM0142	4/6/2018 15:00	1	1	0	
EFM0142	4/6/2018 16:00	1	1	0	
EFM0142	4/6/2018 17:00	1	1	0	
EFM0142	4/6/2018 18:00	1	1	0	
EFM0142	4/6/2018 19:00	1	1	0	
EFM0142	4/6/2018 20:00	1	1	0	
EFM0142	4/6/2018 21:00	1	1	0	
EFM0142	4/6/2018 22:00	1	1	0	
EFM0142	4/6/2018 23:00	1	1	0	
EFM0142	4/7/2018 0:00	1	1	0	
EFM0142	4/7/2018 1:00	1	1	0	
EFM0142	4/7/2018 2:00	1	1	0	
EFM0142	4/7/2018 3:00	1	1	0	
EFM0142	4/7/2018 4:00	1	1	0	
EFM0142	4/7/2018 5:00	1	1	0	
EFM0142	4/7/2018 6:00	1	1	0	
EFM0142	4/7/2018 7:00	1	1	0	
EFM0142	4/7/2018 8:00	1	1	0	
EFM0142	4/7/2018 9:00	1	1	0	
EFM0142	4/7/2018 10:00	1	1	0	
EFM0142	4/7/2018 11:00	1	1	0	
EFM0142	4/7/2018 12:00	1	1	0	
EFM0142	4/7/2018 13:00	1	1	0	
EFM0142	4/7/2018 14:00	1	1	0	
EFM0142	4/7/2018 15:00	1	1	0	
EFM0142	4/7/2018 16:00	1	1	0	
EFM0142	4/7/2018 17:00	1	1	0	
EFM0142	4/7/2018 18:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time [hour ending]	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time [hrs]	NOTES 367 hrs missing during period 2/7/2018 - 2/9/2018. 4.2% of time 758 hrs with the pilot off. 8 hrs with compressor "on" 766 hrs with compressor "off"
EFM0142	4/7/2018 19:00	1	1	0	
EFM0142	4/7/2018 20:00	1	1	0	
EFM0142	4/7/2018 21:00	1	1	0	
EFM0142	4/7/2018 22:00	1	1	0	
EFM0142	4/7/2018 23:00	1	1	0	
EFM0142	4/8/2018 0:00	1	1	0	
EFM0142	4/8/2018 1:00	1	1	0	
EFM0142	4/8/2018 2:00	1	1	0	
EFM0142	4/8/2018 3:00	1	1	0	
EFM0142	4/8/2018 4:00	1	1	0	
EFM0142	4/8/2018 5:00	1	1	0	
EFM0142	4/8/2018 6:00	1	1	0	
EFM0142	4/8/2018 7:00	1	1	0	
EFM0142	4/8/2018 8:00	1	1	0	
EFM0142	4/8/2018 9:00	1	1	0	
EFM0142	4/8/2018 10:00	1	1	0	
EFM0142	4/8/2018 11:00	1	1	0	
EFM0142	4/8/2018 12:00	1	1	0	
EFM0142	4/8/2018 13:00	1	1	0	
EFM0142	4/8/2018 14:00	1	1	0	
EFM0142	4/8/2018 15:00	1	1	0	
EFM0142	4/8/2018 16:00	1	1	0	
EFM0142	4/8/2018 17:00	1	1	0	
EFM0142	4/8/2018 18:00	1	1	0	
EFM0142	4/8/2018 19:00	1	1	0	
EFM0142	4/8/2018 20:00	1	1	0	
EFM0142	4/8/2018 21:00	1	1	0	
EFM0142	4/8/2018 22:00	1	1	0	
EFM0142	4/8/2018 23:00	1	1	0	
EFM0142	4/9/2018 0:00	1	1	0	
EFM0142	4/9/2018 1:00	1	1	0	
EFM0142	4/9/2018 2:00	1	1	0	
EFM0142	4/9/2018 3:00	1	1	0	
EFM0142	4/9/2018 4:00	1	1	0	
EFM0142	4/9/2018 5:00	1	1	0	
EFM0142	4/9/2018 6:00	1	1	0	
EFM0142	4/9/2018 7:00	1	1	0	
EFM0142	4/9/2018 8:00	1	1	0	
EFM0142	4/9/2018 9:00	1	1	0	
EFM0142	4/9/2018 10:00	1	1	0	
EFM0142	4/9/2018 11:00	1	1	0	
EFM0142	4/9/2018 12:00	1	1	0	
EFM0142	4/9/2018 13:00	1	1	0	
EFM0142	4/9/2018 14:00	1	1	0	
EFM0142	4/9/2018 15:00	1	1	0	
EFM0142	4/9/2018 16:00	1	1	0	
EFM0142	4/9/2018 17:00	1	1	0	
EFM0142	4/9/2018 18:00	1	1	0	
EFM0142	4/9/2018 19:00	1	1	0	
EFM0142	4/9/2018 20:00	1	1	0	
EFM0142	4/9/2018 21:00	1	1	0	
EFM0142	4/9/2018 22:00	1	1	0	
EFM0142	4/9/2018 23:00	1	1	0	
EFM0142	4/10/2018 0:00	1	1	0	
EFM0142	4/10/2018 1:00	1	1	0	
EFM0142	4/10/2018 2:00	1	1	0	
EFM0142	4/10/2018 3:00	1	1	0	
EFM0142	4/10/2018 4:00	1	1	0	
EFM0142	4/10/2018 5:00	1	1	0	
EFM0142	4/10/2018 6:00	1	1	0	
EFM0142	4/10/2018 7:00	1	1	0	
EFM0142	4/10/2018 8:00	1	1	0	
EFM0142	4/10/2018 9:00	1	1	0	
EFM0142	4/10/2018 10:00	1	1	0	
EFM0142	4/10/2018 11:00	1	1	0	
EFM0142	4/10/2018 12:00	1	1	0	
EFM0142	4/10/2018 13:00	1	1	0	
EFM0142	4/10/2018 14:00	1	1	0	
EFM0142	4/10/2018 15:00	1	1	0	
EFM0142	4/10/2018 16:00	1	1	0	
EFM0142	4/10/2018 17:00	1	1	0	
EFM0142	4/10/2018 18:00	1	1	0	
EFM0142	4/10/2018 19:00	1	1	0	
EFM0142	4/10/2018 20:00	1	1	0	
EFM0142	4/10/2018 21:00	1	1	0	
EFM0142	4/10/2018 22:00	1	1	0	
EFM0142	4/10/2018 23:00	1	1	0	
EFM0142	4/11/2018 0:00	1	1	0	
EFM0142	4/11/2018 1:00	1	1	0	
EFM0142	4/11/2018 2:00	1	1	0	
EFM0142	4/11/2018 3:00	1	1	0	
EFM0142	4/11/2018 4:00	1	1	0	
EFM0142	4/11/2018 5:00	1	1	0	
EFM0142	4/11/2018 6:00	1	1	0	
EFM0142	4/11/2018 7:00	1	1	0	
EFM0142	4/11/2018 8:00	1	1	0	
EFM0142	4/11/2018 9:00	1	1	0	
EFM0142	4/11/2018 10:00	1	1	0	
EFM0142	4/11/2018 11:00	1	1	0	
EFM0142	4/11/2018 12:00	1	1	0	
EFM0142	4/11/2018 13:00	1	1	0	
EFM0142	4/11/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	4/11/2018 15:00	1	1	0	
EFM0142	4/11/2018 16:00	1	1	0	
EFM0142	4/11/2018 17:00	1	1	0	
EFM0142	4/11/2018 18:00	1	1	0	
EFM0142	4/11/2018 19:00	1	1	0	
EFM0142	4/11/2018 20:00	1	1	0	
EFM0142	4/11/2018 21:00	1	1	0	
EFM0142	4/11/2018 22:00	1	1	0	
EFM0142	4/11/2018 23:00	1	1	0	
EFM0142	4/12/2018 0:00	1	1	0	
EFM0142	4/12/2018 1:00	1	1	0	
EFM0142	4/12/2018 2:00	1	1	0	
EFM0142	4/12/2018 3:00	1	1	0	
EFM0142	4/12/2018 4:00	1	1	0	
EFM0142	4/12/2018 5:00	1	1	0	
EFM0142	4/12/2018 6:00	1	1	0	
EFM0142	4/12/2018 7:00	1	1	0	
EFM0142	4/12/2018 8:00	1	1	0	
EFM0142	4/12/2018 9:00	1	1	0	
EFM0142	4/12/2018 10:00	1	1	0	
EFM0142	4/12/2018 11:00	1	1	0	
EFM0142	4/12/2018 12:00	1	1	0	
EFM0142	4/12/2018 13:00	1	1	0	
EFM0142	4/12/2018 14:00	1	1	0	
EFM0142	4/12/2018 15:00	1	1	0	
EFM0142	4/12/2018 16:00	1	1	0	
EFM0142	4/12/2018 17:00	1	1	0	
EFM0142	4/12/2018 18:00	1	1	0	
EFM0142	4/12/2018 19:00	1	1	0	
EFM0142	4/12/2018 20:00	1	1	0	
EFM0142	4/12/2018 21:00	1	1	0	
EFM0142	4/12/2018 22:00	1	1	0	
EFM0142	4/12/2018 23:00	1	1	0	
EFM0142	4/13/2018 0:00	1	1	0	
EFM0142	4/13/2018 1:00	1	1	0	
EFM0142	4/13/2018 2:00	1	1	0	
EFM0142	4/13/2018 3:00	1	1	0	
EFM0142	4/13/2018 4:00	1	1	0	
EFM0142	4/13/2018 5:00	1	1	0	
EFM0142	4/13/2018 6:00	1	1	0	
EFM0142	4/13/2018 7:00	1	1	0	
EFM0142	4/13/2018 8:00	1	1	0	
EFM0142	4/13/2018 9:00	1	1	0	
EFM0142	4/13/2018 10:00	1	1	0	
EFM0142	4/13/2018 11:00	1	1	0	
EFM0142	4/13/2018 12:00	1	1	0	
EFM0142	4/13/2018 13:00	1	1	0	
EFM0142	4/13/2018 14:00	1	1	0	
EFM0142	4/13/2018 15:00	1	1	0	
EFM0142	4/13/2018 16:00	1	1	0	
EFM0142	4/13/2018 17:00	1	1	0	
EFM0142	4/13/2018 18:00	1	1	0	
EFM0142	4/13/2018 19:00	1	1	0	
EFM0142	4/13/2018 20:00	1	1	0	
EFM0142	4/13/2018 21:00	1	1	0	
EFM0142	4/13/2018 22:00	1	1	0	
EFM0142	4/13/2018 23:00	1	1	0	
EFM0142	4/14/2018 0:00	1	1	0	
EFM0142	4/14/2018 1:00	1	1	0	
EFM0142	4/14/2018 2:00	1	1	0	
EFM0142	4/14/2018 3:00	1	1	0	
EFM0142	4/14/2018 4:00	1	1	0	
EFM0142	4/14/2018 5:00	1	1	0	
EFM0142	4/14/2018 6:00	1	1	0	
EFM0142	4/14/2018 7:00	1	1	0	
EFM0142	4/14/2018 8:00	1	1	0	
EFM0142	4/14/2018 9:00	1	1	0	
EFM0142	4/14/2018 10:00	1	1	0	
EFM0142	4/14/2018 11:00	1	1	0	
EFM0142	4/14/2018 12:00	1	1	0	
EFM0142	4/14/2018 13:00	1	1	0	
EFM0142	4/14/2018 14:00	1	1	0	
EFM0142	4/14/2018 15:00	1	1	0	
EFM0142	4/14/2018 16:00	1	1	0	
EFM0142	4/14/2018 17:00	1	1	0	
EFM0142	4/14/2018 18:00	1	1	0	
EFM0142	4/14/2018 19:00	1	1	0	
EFM0142	4/14/2018 20:00	1	1	0	
EFM0142	4/14/2018 21:00	1	1	0	
EFM0142	4/14/2018 22:00	1	1	0	
EFM0142	4/14/2018 23:00	1	1	0	
EFM0142	4/15/2018 0:00	1	1	0	
	4/15/2018 1:00				Missing data
	4/15/2018 2:00				Missing data
	4/15/2018 3:00				Missing data
	4/15/2018 4:00				Missing data
	4/15/2018 5:00				Missing data
	4/15/2018 6:00				Missing data
	4/15/2018 7:00				Missing data
	4/15/2018 8:00				Missing data
EFM0142	4/15/2018 9:00	1	1	0	
EFM0142	4/15/2018 10:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Approx Time (hrs)	NOTES
EFM0142	4/15/2018 11:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	4/15/2018 12:00	1	1	0	
EFM0142	4/15/2018 13:00	1	1	0	
EFM0142	4/15/2018 14:00	1	1	0	
EFM0142	4/15/2018 15:00	1	1	0	
EFM0142	4/15/2018 16:00	1	1	0	
EFM0142	4/15/2018 17:00	1	1	0	
EFM0142	4/15/2018 18:00	1	1	0	
EFM0142	4/15/2018 19:00	1	1	0	
EFM0142	4/15/2018 20:00	1	1	0	
EFM0142	4/15/2018 21:00	1	1	0	
EFM0142	4/15/2018 22:00	1	1	0	
EFM0142	4/15/2018 23:00	1	1	0	
EFM0142	4/16/2018 0:00	1	1	0	
EFM0142	4/16/2018 1:00	1	1	0	
EFM0142	4/16/2018 2:00	1	1	0	
EFM0142	4/16/2018 3:00	1	1	0	
EFM0142	4/16/2018 4:00	1	1	0	
EFM0142	4/16/2018 5:00	1	1	0	
EFM0142	4/16/2018 6:00	1	1	0	
EFM0142	4/16/2018 7:00	1	1	0	
EFM0142	4/16/2018 8:00	1	1	0	
EFM0142	4/16/2018 9:00	1	1	0	
EFM0142	4/16/2018 10:00	1	1	0	
EFM0142	4/16/2018 11:00	1	1	0	
EFM0142	4/16/2018 12:00	1	1	0	
EFM0142	4/16/2018 13:00	1	1	0	
EFM0142	4/16/2018 14:00	1	1	0	
EFM0142	4/16/2018 15:00	1	1	0	
EFM0142	4/16/2018 16:00	1	1	0	
EFM0142	4/16/2018 17:00	1	1	0	
EFM0142	4/16/2018 18:00	1	1	0	
EFM0142	4/16/2018 19:00	1	1	0	
EFM0142	4/16/2018 20:00	1	1	0	
EFM0142	4/16/2018 21:00	1	1	0	
EFM0142	4/16/2018 22:00	1	1	0	
EFM0142	4/16/2018 23:00	1	1	0	
EFM0142	4/17/2018 0:00	1	1	0	
EFM0142	4/17/2018 1:00	1	1	0	
EFM0142	4/17/2018 2:00	1	1	0	
EFM0142	4/17/2018 3:00	1	1	0	
EFM0142	4/17/2018 4:00	1	1	0	
EFM0142	4/17/2018 5:00	1	1	0	
EFM0142	4/17/2018 6:00	1	1	0	
EFM0142	4/17/2018 7:00	1	1	0	
EFM0142	4/17/2018 8:00	1	1	0	
EFM0142	4/17/2018 9:00	1	1	0	
EFM0142	4/17/2018 10:00	1	1	0	
EFM0142	4/17/2018 11:00	1	1	0	
EFM0142	4/17/2018 12:00	1	1	0	
EFM0142	4/17/2018 13:00	1	1	0	
EFM0142	4/17/2018 14:00	1	1	0	
EFM0142	4/17/2018 15:00	1	1	0	
EFM0142	4/17/2018 16:00	1	1	0	
EFM0142	4/17/2018 17:00	1	1	0	
EFM0142	4/17/2018 18:00	1	1	0	
EFM0142	4/17/2018 19:00	1	1	0	
EFM0142	4/17/2018 20:00	1	1	0	
EFM0142	4/17/2018 21:00	1	1	0	
EFM0142	4/17/2018 22:00	1	1	0	
EFM0142	4/17/2018 23:00	1	1	0	
EFM0142	4/18/2018 0:00	1	1	0	
EFM0142	4/18/2018 1:00	1	1	0	
EFM0142	4/18/2018 2:00	1	1	0	
EFM0142	4/18/2018 3:00	1	1	0	
EFM0142	4/18/2018 4:00	1	1	0	
EFM0142	4/18/2018 5:00	1	1	0	
EFM0142	4/18/2018 6:00	1	1	0	
EFM0142	4/18/2018 7:00	1	1	0	
EFM0142	4/18/2018 8:00	1	1	0	
EFM0142	4/18/2018 9:00	1	1	0	
EFM0142	4/18/2018 10:00	1	1	0	
EFM0142	4/18/2018 11:00	1	1	0	
EFM0142	4/18/2018 12:00	1	1	0	
EFM0142	4/18/2018 13:00	0	0	0	
EFM0142	4/18/2018 14:00	1	1	0.009013	
EFM0142	4/18/2018 15:00	1	1	0.009013	
EFM0142	4/18/2018 16:00	1	1	0.009013	
EFM0142	4/18/2018 17:00	1	1	0.009013	
EFM0142	4/18/2018 18:00	1	1	0.009013	
EFM0142	4/18/2018 19:00	1	1	0.009013	
EFM0142	4/18/2018 20:00	1	1	0.009013	
EFM0142	4/18/2018 21:00	1	1	0.009013	
EFM0142	4/18/2018 22:00	1	1	0.009013	
EFM0142	4/18/2018 23:00	1	1	0.009013	
EFM0142	4/19/2018 0:00	1	1	0.009013	
EFM0142	4/19/2018 1:00	1	1	0.009013	
EFM0142	4/19/2018 2:00	1	1	0.009013	
EFM0142	4/19/2018 3:00	1	1	0.009013	
EFM0142	4/19/2018 4:00	1	1	0.009013	
EFM0142	4/19/2018 5:00	1	1	0.009013	
EFM0142	4/19/2018 6:00	1	1	0.009013	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					167 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	4/19/2018 7:00	1	1	0.009013	
EFM0142	4/19/2018 8:00	1	1	0.009013	
EFM0142	4/19/2018 9:00	1	1	0.009013	
EFM0142	4/19/2018 10:00	1	1	0.009013	
EFM0142	4/19/2018 11:00	1	1	0.009013	
EFM0142	4/19/2018 12:00	1	1	0.009013	
EFM0142	4/19/2018 13:00	1	1	0.009013	
EFM0142	4/19/2018 14:00	1	1	0.009013	
EFM0142	4/19/2018 15:00	1	1	0.009013	
EFM0142	4/19/2018 16:00	1	1	0.009013	
EFM0142	4/19/2018 17:00	1	1	0.009013	
EFM0142	4/19/2018 18:00	1	1	0.009013	
EFM0142	4/19/2018 19:00	1	1	0.009013	
EFM0142	4/19/2018 20:00	1	1	0.009013	
EFM0142	4/19/2018 21:00	1	1	0.009013	
EFM0142	4/19/2018 22:00	1	1	0.009013	
EFM0142	4/19/2018 23:00	1	1	0.009013	
EFM0142	4/20/2018 0:00	1	1	0.009013	
EFM0142	4/20/2018 1:00	1	1	0.009013	
EFM0142	4/20/2018 2:00	1	1	0.009013	
EFM0142	4/20/2018 3:00	1	1	0.009013	
EFM0142	4/20/2018 4:00	1	1	0.009013	
EFM0142	4/20/2018 5:00	1	1	0.009013	
EFM0142	4/20/2018 6:00	1	1	0.009013	
EFM0142	4/20/2018 7:00	1	1	0.009013	
EFM0142	4/20/2018 8:00	1	1	0.009013	
EFM0142	4/20/2018 9:00	1	1	0.009013	
EFM0142	4/20/2018 10:00	1	1	0.009013	
EFM0142	4/20/2018 11:00	1	1	0.009013	
EFM0142	4/20/2018 12:00	1	1	0.009013	
EFM0142	4/20/2018 13:00	1	1	0.009013	
EFM0142	4/20/2018 14:00	1	1	0.009013	
EFM0142	4/20/2018 15:00	1	1	0.009013	
EFM0142	4/20/2018 16:00	1	1	0.009013	
	4/20/2018 17:00				Missing data
	4/20/2018 18:00				Missing data
	4/20/2018 19:00				Missing data
	4/20/2018 20:00				Missing data
	4/20/2018 21:00				Missing data
	4/20/2018 22:00				Missing data
	4/20/2018 23:00				Missing data
	4/21/2018 0:00				Missing data
EFM0142	4/21/2018 1:00	1	1	0.009013	
EFM0142	4/21/2018 2:00	1	1	0.009013	
EFM0142	4/21/2018 3:00	1	1	0.009013	
EFM0142	4/21/2018 4:00	1	1	0.009013	
EFM0142	4/21/2018 5:00	1	1	0.009013	
EFM0142	4/21/2018 6:00	1	1	0.009013	
EFM0142	4/21/2018 7:00	1	1	0.009013	
EFM0142	4/21/2018 8:00	1	1	0.009013	
EFM0142	4/21/2018 9:00	1	1	0.009013	
EFM0142	4/21/2018 10:00	1	1	0.009013	
EFM0142	4/21/2018 11:00	1	1	0.009013	
EFM0142	4/21/2018 12:00	1	1	0.009013	
EFM0142	4/21/2018 13:00	1	1	0.009013	
EFM0142	4/21/2018 14:00	1	1	0.009013	
EFM0142	4/21/2018 15:00	1	1	0.009013	
EFM0142	4/21/2018 16:00	1	1	0.009013	
EFM0142	4/21/2018 17:00	1	1	0.009013	
EFM0142	4/21/2018 18:00	1	1	0.009013	
EFM0142	4/21/2018 19:00	1	1	0.009013	
EFM0142	4/21/2018 20:00	1	1	0.009013	
EFM0142	4/21/2018 21:00	1	1	0.009013	
EFM0142	4/21/2018 22:00	1	1	0.009013	
EFM0142	4/21/2018 23:00	1	1	0.009013	
EFM0142	4/22/2018 0:00	1	1	0.009013	
EFM0142	4/22/2018 1:00	1	1	0.009013	
EFM0142	4/22/2018 2:00	1	1	0.009013	
EFM0142	4/22/2018 3:00	1	1	0.009013	
EFM0142	4/22/2018 4:00	1	1	0.009013	
EFM0142	4/22/2018 5:00	1	1	0.009013	
EFM0142	4/22/2018 6:00	1	1	0.009013	
EFM0142	4/22/2018 7:00	1	1	0.009013	
EFM0142	4/22/2018 8:00	1	1	0.009013	
EFM0142	4/22/2018 9:00	1	1	0.009013	
EFM0142	4/22/2018 10:00	1	1	0.009013	
EFM0142	4/22/2018 11:00	1	1	0.009013	
EFM0142	4/22/2018 12:00	1	1	0.009013	
EFM0142	4/22/2018 13:00	1	1	0.009013	
EFM0142	4/22/2018 14:00	1	1	0.009013	
EFM0142	4/22/2018 15:00	1	1	0.009013	
EFM0142	4/22/2018 16:00	1	1	0.009013	
	4/22/2018 17:00				Missing data
	4/22/2018 18:00				Missing data
	4/22/2018 19:00				Missing data
	4/22/2018 20:00				Missing data
	4/22/2018 21:00				Missing data
	4/22/2018 22:00				Missing data
	4/22/2018 23:00				Missing data
	4/23/2018 0:00				Missing data
EFM0142	4/23/2018 1:00	1	1	0.009013	
EFM0142	4/23/2018 2:00	1	1	0.009013	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					867 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off; 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	4/23/2018 3:00	1	1	0.009013	
EFM0142	4/23/2018 4:00	1	1	0.009013	
EFM0142	4/23/2018 5:00	1	1	0.009013	
EFM0142	4/23/2018 6:00	1	1	0.009013	
EFM0142	4/23/2018 7:00	1	1	0.009013	
EFM0142	4/23/2018 8:00	1	1	0.009013	
EFM0142	4/23/2018 9:00	1	1	0.009013	
EFM0142	4/23/2018 10:00	1	1	0.009013	
EFM0142	4/23/2018 11:00	1	1	0.009013	
EFM0142	4/23/2018 12:00	1	1	0.009013	
EFM0142	4/23/2018 13:00	1	1	0.009013	
EFM0142	4/23/2018 14:00	1	1	0.009013	
EFM0142	4/23/2018 15:00	1	1	0.009013	
EFM0142	4/23/2018 16:00	1	1	0.009013	
EFM0142	4/23/2018 17:00	1	1	0.009013	
EFM0142	4/23/2018 18:00	1	1	0.009013	
EFM0142	4/23/2018 19:00	1	1	0.009013	
EFM0142	4/23/2018 20:00	1	1	0.009013	
EFM0142	4/23/2018 21:00	1	1	0.009013	
EFM0142	4/23/2018 22:00	1	1	0.009013	
EFM0142	4/23/2018 23:00	1	1	0.009013	
EFM0142	4/24/2018 0:00	1	1	0.009013	
EFM0142	4/24/2018 1:00	1	1	0.009013	
EFM0142	4/24/2018 2:00	1	1	0.009013	
EFM0142	4/24/2018 3:00	1	1	0.009013	
EFM0142	4/24/2018 4:00	1	1	0.009013	
EFM0142	4/24/2018 5:00	1	1	0.009013	
EFM0142	4/24/2018 6:00	1	1	0.009013	
EFM0142	4/24/2018 7:00	1	1	0.009013	
EFM0142	4/24/2018 8:00	1	1	0.009013	
EFM0142	4/24/2018 9:00	1	1	0.009013	
EFM0142	4/24/2018 10:00	1	1	0.009013	
EFM0142	4/24/2018 11:00	1	1	0.009013	
EFM0142	4/24/2018 12:00	1	1	0.009013	
EFM0142	4/24/2018 13:00	1	1	0.009013	
EFM0142	4/24/2018 14:00	1	1	0.009013	
EFM0142	4/24/2018 15:00	1	1	0.009013	
EFM0142	4/24/2018 16:00	1	1	0.009013	
EFM0142	4/24/2018 17:00	1	1	0.009013	
EFM0142	4/24/2018 18:00	1	1	0.009013	
EFM0142	4/24/2018 19:00	1	1	0.009013	
EFM0142	4/24/2018 20:00	1	1	0.009013	
EFM0142	4/24/2018 21:00	1	1	0.009013	
EFM0142	4/24/2018 22:00	1	1	0.009013	
EFM0142	4/24/2018 23:00	1	1	0.009013	
EFM0142	4/25/2018 0:00	1	1	0.009013	
EFM0142	4/25/2018 1:00	1	1	0.009013	
EFM0142	4/25/2018 2:00	1	1	0.009013	
EFM0142	4/25/2018 3:00	1	1	0.009013	
EFM0142	4/25/2018 4:00	1	1	0.009013	
EFM0142	4/25/2018 5:00	1	1	0.009013	
EFM0142	4/25/2018 6:00	1	1	0.009013	
EFM0142	4/25/2018 7:00	1	1	0.009013	
EFM0142	4/25/2018 8:00	1	1	0.009013	
EFM0142	4/25/2018 9:00	1	1	0.009013	
EFM0142	4/25/2018 10:00	1	1	0.009013	
EFM0142	4/25/2018 11:00	1	1	0.009013	
EFM0142	4/25/2018 12:00	1	1	0.009013	
EFM0142	4/25/2018 13:00	1	1	0.009013	
EFM0142	4/25/2018 14:00	1	1	0.009013	
EFM0142	4/25/2018 15:00	1	1	0.009013	
EFM0142	4/25/2018 16:00	1	1	0.009013	
EFM0142	4/25/2018 17:00	1	1	0.009013	
EFM0142	4/25/2018 18:00	1	1	0.009013	
EFM0142	4/25/2018 19:00	1	1	0.009013	
EFM0142	4/25/2018 20:00	1	1	0.009013	
EFM0142	4/25/2018 21:00	1	1	0.009013	
EFM0142	4/25/2018 22:00	1	1	0.009013	
EFM0142	4/25/2018 23:00	1	1	0.009013	
EFM0142	4/26/2018 0:00	1	1	0.009013	
EFM0142	4/26/2018 1:00	1	1	0.009013	
EFM0142	4/26/2018 2:00	1	1	0.009013	
EFM0142	4/26/2018 3:00	1	1	0.009013	
EFM0142	4/26/2018 4:00	1	1	0.009013	
EFM0142	4/26/2018 5:00	1	1	0.009013	
EFM0142	4/26/2018 6:00	1	1	0.009013	
EFM0142	4/26/2018 7:00	1	1	0.009013	
EFM0142	4/26/2018 8:00	1	1	0.009013	
	4/26/2018 9:00				Missing data
	4/26/2018 10:00				Missing data
	4/26/2018 11:00				Missing data
	4/26/2018 12:00				Missing data
	4/26/2018 13:00				Missing data
	4/26/2018 14:00				Missing data
	4/26/2018 15:00				Missing data
	4/26/2018 16:00				Missing data
EFM0142	4/26/2018 17:00	1	1	0.009013	
EFM0142	4/26/2018 18:00	1	1	0.009013	
EFM0142	4/26/2018 19:00	1	1	0.009013	
EFM0142	4/26/2018 20:00	1	1	0.009013	
EFM0142	4/26/2018 21:00	1	1	0.009013	
EFM0142	4/26/2018 22:00	1	1	0.009013	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019 - 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	4/26/2018 23:00	1	1	0.009013	
EFMD142	4/27/2018 0:00	1	1	0.009013	
EFMD142	4/27/2018 1:00	1	1	0.009013	
EFMD142	4/27/2018 2:00	1	1	0.009013	
EFMD142	4/27/2018 3:00	1	1	0.009013	
EFMD142	4/27/2018 4:00	1	1	0.009013	
EFMD142	4/27/2018 5:00	1	1	0.009013	
EFMD142	4/27/2018 6:00	1	1	0.009013	
EFMD142	4/27/2018 7:00	1	1	0.009013	
EFMD142	4/27/2018 8:00	1	1	0.009013	
	4/27/2018 9:00				Missing data
	4/27/2018 10:00				Missing data
	4/27/2018 11:00				Missing data
	4/27/2018 12:00				Missing data
	4/27/2018 13:00				Missing data
	4/27/2018 14:00				Missing data
	4/27/2018 15:00				Missing data
	4/27/2018 16:00				Missing data
EFMD142	4/27/2018 17:00	1	1	0.009013	
EFMD142	4/27/2018 18:00	1	1	0.009013	
EFMD142	4/27/2018 19:00	1	1	0.009013	
EFMD142	4/27/2018 20:00	1	1	0.009013	
EFMD142	4/27/2018 21:00	1	1	0.009013	
EFMD142	4/27/2018 22:00	1	1	0.009013	
EFMD142	4/27/2018 23:00	1	1	0.009013	
EFMD142	4/28/2018 0:00	1	1	0.009013	
EFMD142	4/28/2018 1:00	1	1	0.009013	
EFMD142	4/28/2018 2:00	1	1	0.009013	
EFMD142	4/28/2018 3:00	1	1	0.009013	
EFMD142	4/28/2018 4:00	1	1	0.009013	
EFMD142	4/28/2018 5:00	1	1	0.009013	
EFMD142	4/28/2018 6:00	1	1	0.009013	
EFMD142	4/28/2018 7:00	1	1	0.009013	
EFMD142	4/28/2018 8:00	1	1	0.009013	
EFMD142	4/28/2018 9:00	1	1	0.009013	
EFMD142	4/28/2018 10:00	1	1	0.009013	
EFMD142	4/28/2018 11:00	1	1	0.009013	
EFMD142	4/28/2018 12:00	1	1	0.009013	
EFMD142	4/28/2018 13:00	1	1	0.009013	
EFMD142	4/28/2018 14:00	1	1	0.009013	
EFMD142	4/28/2018 15:00	1	1	0.009013	
EFMD142	4/28/2018 16:00	1	1	0.009013	
EFMD142	4/28/2018 17:00	1	1	0.009013	
EFMD142	4/28/2018 18:00	1	1	0.009013	
EFMD142	4/28/2018 19:00	1	1	0.009013	
EFMD142	4/28/2018 20:00	1	1	0.009013	
EFMD142	4/28/2018 21:00	1	1	0.009013	
EFMD142	4/28/2018 22:00	1	1	0.009013	
EFMD142	4/28/2018 23:00	1	1	0.009013	
EFMD142	4/29/2018 0:00	1	1	0.009013	
EFMD142	4/29/2018 1:00	1	1	0.009013	
EFMD142	4/29/2018 2:00	1	1	0.009013	
EFMD142	4/29/2018 3:00	1	1	0.009013	
EFMD142	4/29/2018 4:00	1	1	0.009013	
EFMD142	4/29/2018 5:00	1	1	0.009013	
EFMD142	4/29/2018 6:00	1	1	0.009013	
EFMD142	4/29/2018 7:00	1	1	0.009013	
EFMD142	4/29/2018 8:00	1	1	0.009013	
EFMD142	4/29/2018 9:00	1	1	0.009013	
EFMD142	4/29/2018 10:00	1	1	0.009013	
EFMD142	4/29/2018 11:00	1	1	0.009013	
EFMD142	4/29/2018 12:00	1	1	0.009013	
EFMD142	4/29/2018 13:00	1	1	0.009013	
EFMD142	4/29/2018 14:00	1	1	0.009013	
EFMD142	4/29/2018 15:00	1	1	0.009013	
EFMD142	4/29/2018 16:00	1	1	0.009013	
EFMD142	4/29/2018 17:00	1	1	0.009013	
EFMD142	4/29/2018 18:00	1	1	0.009013	
EFMD142	4/29/2018 19:00	1	1	0.009013	
EFMD142	4/29/2018 20:00	1	1	0.009013	
EFMD142	4/29/2018 21:00	1	1	0.009013	
EFMD142	4/29/2018 22:00	1	1	0.009013	
EFMD142	4/29/2018 23:00	1	1	0.009013	
EFMD142	4/30/2018 0:00	1	1	0.009013	
EFMD142	4/30/2018 1:00	1	1	0.009013	
EFMD142	4/30/2018 2:00	1	1	0.009013	
EFMD142	4/30/2018 3:00	1	1	0.009013	
EFMD142	4/30/2018 4:00	1	1	0.009013	
EFMD142	4/30/2018 5:00	1	1	0.009013	
EFMD142	4/30/2018 6:00	1	1	0.009013	
EFMD142	4/30/2018 7:00	1	1	0.009013	
EFMD142	4/30/2018 8:00	1	1	0.009013	
EFMD142	4/30/2018 9:00	1	1	0.009013	
EFMD142	4/30/2018 10:00	1	1	0.009013	
EFMD142	4/30/2018 11:00	1	1	0.009013	
EFMD142	4/30/2018 12:00	1	1	0.009013	
EFMD142	4/30/2018 13:00	1	1	0.009013	
EFMD142	4/30/2018 14:00	1	1	0.009013	
EFMD142	4/30/2018 15:00	1	1	0.009013	
EFMD142	4/30/2018 16:00	1	1	0.009013	
EFMD142	4/30/2018 17:00	1	1	0.009013	
EFMD142	4/30/2018 18:00	1	1	0.009013	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES 967 hrs missing during period 2/10/2018 - 2/5/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	4/30/2018 19:00	1	1	0.009013	
EFM0142	4/30/2018 20:00	1	1	0.009013	
EFM0142	4/30/2018 21:00	1	1	0.009013	
EFM0142	4/30/2018 22:00	1	1	0.009013	
EFM0142	4/30/2018 23:00	1	1	0.009013	
EFM0142	5/1/2018 0:00	1	1	0.009013	
EFM0142	5/1/2018 1:00	1	1	0	
EFM0142	5/1/2018 2:00	1	1	0	
EFM0142	5/1/2018 3:00	1	1	0	
EFM0142	5/1/2018 4:00	1	1	0	
EFM0142	5/1/2018 5:00	1	1	0	
EFM0142	5/1/2018 6:00	1	1	0	
EFM0142	5/1/2018 7:00	1	1	0	
EFM0142	5/1/2018 8:00	1	1	0	
EFM0142	5/1/2018 9:00	1	1	0	
EFM0142	5/1/2018 10:00	1	1	0	
EFM0142	5/1/2018 11:00	1	1	0	
EFM0142	5/1/2018 12:00	1	1	0	
EFM0142	5/1/2018 13:00	1	1	0	
EFM0142	5/1/2018 14:00	1	1	0	
EFM0142	5/1/2018 15:00	1	1	0	
EFM0142	5/1/2018 16:00	1	1	0	
EFM0142	5/1/2018 17:00	1	1	0	
EFM0142	5/1/2018 18:00	1	1	0	
EFM0142	5/1/2018 19:00	1	1	0	
EFM0142	5/1/2018 20:00	1	1	0	
EFM0142	5/1/2018 21:00	1	1	0	
EFM0142	5/1/2018 22:00	1	1	0	
EFM0142	5/1/2018 23:00	1	1	0	
EFM0142	5/2/2018 0:00	1	1	0	
EFM0142	5/2/2018 1:00	1	1	0	
EFM0142	5/2/2018 2:00	1	1	0	
EFM0142	5/2/2018 3:00	1	1	0	
EFM0142	5/2/2018 4:00	1	1	0	
EFM0142	5/2/2018 5:00	1	1	0	
EFM0142	5/2/2018 6:00	1	1	0	
EFM0142	5/2/2018 7:00	1	1	0	
EFM0142	5/2/2018 8:00	1	1	0	
EFM0142	5/2/2018 9:00	1	1	0	
EFM0142	5/2/2018 10:00	1	1	0	
EFM0142	5/2/2018 11:00	1	1	0	
EFM0142	5/2/2018 12:00	1	1	0	
EFM0142	5/2/2018 13:00	1	1	0	
EFM0142	5/2/2018 14:00	1	1	0	
EFM0142	5/2/2018 15:00	1	1	0	
EFM0142	5/2/2018 16:00	1	1	0	
EFM0142	5/2/2018 17:00	1	1	0	
EFM0142	5/2/2018 18:00	1	1	0	
EFM0142	5/2/2018 19:00	1	1	0	
EFM0142	5/2/2018 20:00	1	1	0	
EFM0142	5/2/2018 21:00	1	1	0	
EFM0142	5/2/2018 22:00	1	1	0	
EFM0142	5/2/2018 23:00	1	1	0	
EFM0142	5/3/2018 0:00	1	1	0	
EFM0142	5/3/2018 1:00	1	1	0	
EFM0142	5/3/2018 2:00	1	1	0	
EFM0142	5/3/2018 3:00	1	1	0	
EFM0142	5/3/2018 4:00	1	1	0	
EFM0142	5/3/2018 5:00	1	1	0	
EFM0142	5/3/2018 6:00	1	1	0	
EFM0142	5/3/2018 7:00	1	1	0	
EFM0142	5/3/2018 8:00	1	1	0	
EFM0142	5/3/2018 9:00	1	1	0	
EFM0142	5/3/2018 10:00	1	1	0	
EFM0142	5/3/2018 11:00	1	1	0	
EFM0142	5/3/2018 12:00	1	1	0	
EFM0142	5/3/2018 13:00	1	1	0	
EFM0142	5/3/2018 14:00	1	1	0	
EFM0142	5/3/2018 15:00	1	1	0	
EFM0142	5/3/2018 16:00	1	1	0	
EFM0142	5/3/2018 17:00	1	1	0	
EFM0142	5/3/2018 18:00	1	1	0	
EFM0142	5/3/2018 19:00	1	1	0	
EFM0142	5/3/2018 20:00	1	1	0	
EFM0142	5/3/2018 21:00	1	1	0	
EFM0142	5/3/2018 22:00	1	1	0	
EFM0142	5/3/2018 23:00	1	1	0	
EFM0142	5/4/2018 0:00	1	1	0	
EFM0142	5/4/2018 1:00	1	1	0	
EFM0142	5/4/2018 2:00	1	1	0	
EFM0142	5/4/2018 3:00	1	1	0	
EFM0142	5/4/2018 4:00	1	1	0	
EFM0142	5/4/2018 5:00	1	1	0	
EFM0142	5/4/2018 6:00	1	1	0	
EFM0142	5/4/2018 7:00	1	1	0	
EFM0142	5/4/2018 8:00	1	1	0	
EFM0142	5/4/2018 9:00	1	1	0	
EFM0142	5/4/2018 10:00	1	1	0	
EFM0142	5/4/2018 11:00	1	1	0	
EFM0142	5/4/2018 12:00	1	1	0	
EFM0142	5/4/2018 13:00	1	1	0	
EFM0142	5/4/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	5/4/2018 15:00	1	1	0	
EFM0142	5/4/2018 16:00	1	1	0	
EFM0142	5/4/2018 17:00	1	1	0	
EFM0142	5/4/2018 18:00	1	1	0	
EFM0142	5/4/2018 19:00	1	1	0	
EFM0142	5/4/2018 20:00	1	1	0	
EFM0142	5/4/2018 21:00	1	1	0	
EFM0142	5/4/2018 22:00	1	1	0	
EFM0142	5/4/2018 23:00	1	1	0	
EFM0142	5/5/2018 0:00	1	1	0	
EFM0142	5/5/2018 1:00	1	1	0	
EFM0142	5/5/2018 2:00	1	1	0	
EFM0142	5/5/2018 3:00	1	1	0	
EFM0142	5/5/2018 4:00	1	1	0	
EFM0142	5/5/2018 5:00	1	1	0	
EFM0142	5/5/2018 6:00	1	1	0	
EFM0142	5/5/2018 7:00	1	1	0	
EFM0142	5/5/2018 8:00	1	1	0	
EFM0142	5/5/2018 9:00	1	1	0	
EFM0142	5/5/2018 10:00	1	1	0	
EFM0142	5/5/2018 11:00	1	1	0	
EFM0142	5/5/2018 12:00	1	1	0	
EFM0142	5/5/2018 13:00	1	1	0	
EFM0142	5/5/2018 14:00	1	1	0	
EFM0142	5/5/2018 15:00	1	1	0	
EFM0142	5/5/2018 16:00	1	1	0	
EFM0142	5/5/2018 17:00	1	1	0	
EFM0142	5/5/2018 18:00	1	1	0	
EFM0142	5/5/2018 19:00	1	1	0	
EFM0142	5/5/2018 20:00	1	1	0	
EFM0142	5/5/2018 21:00	1	1	0	
EFM0142	5/5/2018 22:00	1	1	0	
EFM0142	5/5/2018 23:00	1	1	0	
EFM0142	5/6/2018 0:00	1	1	0	
	5/6/2018 1:00				Missing data
	5/6/2018 2:00				Missing data
	5/6/2018 3:00				Missing data
	5/6/2018 4:00				Missing data
	5/6/2018 5:00				Missing data
	5/6/2018 6:00				Missing data
	5/6/2018 7:00				Missing data
	5/6/2018 8:00				Missing data
EFM0142	5/6/2018 9:00	1	1	0	
EFM0142	5/6/2018 10:00	1	1	0	
EFM0142	5/6/2018 11:00	1	1	0	
EFM0142	5/6/2018 12:00	1	1	0	
EFM0142	5/6/2018 13:00	1	1	0	
EFM0142	5/6/2018 14:00	1	1	0	
EFM0142	5/6/2018 15:00	1	1	0	
EFM0142	5/6/2018 16:00	1	1	0	
EFM0142	5/6/2018 17:00	1	1	0	
EFM0142	5/6/2018 18:00	1	1	0	
EFM0142	5/6/2018 19:00	1	1	0	
EFM0142	5/6/2018 20:00	1	1	0	
EFM0142	5/6/2018 21:00	1	1	0	
EFM0142	5/6/2018 22:00	1	1	0	
EFM0142	5/6/2018 23:00	1	1	0	
EFM0142	5/7/2018 0:00	1	1	0	
EFM0142	5/7/2018 1:00	1	1	0	
EFM0142	5/7/2018 2:00	1	1	0	
EFM0142	5/7/2018 3:00	1	1	0	
EFM0142	5/7/2018 4:00	1	1	0	
EFM0142	5/7/2018 5:00	1	1	0	
EFM0142	5/7/2018 6:00	1	1	0	
EFM0142	5/7/2018 7:00	1	1	0	
EFM0142	5/7/2018 8:00	1	1	0	
EFM0142	5/7/2018 9:00	1	1	0	
EFM0142	5/7/2018 10:00	1	1	0	
EFM0142	5/7/2018 11:00	1	1	0	
EFM0142	5/7/2018 12:00	1	1	0	
EFM0142	5/7/2018 13:00	1	1	0	
EFM0142	5/7/2018 14:00	1	1	0	
EFM0142	5/7/2018 15:00	1	1	0	
EFM0142	5/7/2018 16:00	1	1	0	
EFM0142	5/7/2018 17:00	1	1	0	
EFM0142	5/7/2018 18:00	1	1	0	
EFM0142	5/7/2018 19:00	1	1	0	
EFM0142	5/7/2018 20:00	1	1	0	
EFM0142	5/7/2018 21:00	1	1	0	
EFM0142	5/7/2018 22:00	1	1	0	
EFM0142	5/7/2018 23:00	1	1	0	
EFM0142	5/8/2018 0:00	1	1	0	
EFM0142	5/8/2018 1:00	1	1	0	
EFM0142	5/8/2018 2:00	1	1	0	
EFM0142	5/8/2018 3:00	1	1	0	
EFM0142	5/8/2018 4:00	1	1	0	
EFM0142	5/8/2018 5:00	1	1	0	
EFM0142	5/8/2018 6:00	1	1	0	
EFM0142	5/8/2018 7:00	1	1	0	
EFM0142	5/8/2018 8:00	1	1	0	
EFM0142	5/8/2018 9:00	1	1	0	
EFM0142	5/8/2018 10:00	0	0	0.000333	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	5/8/2018 11:00	0	0	0.000333	307 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 796 hrs with the pilot off 8 hrs with compressor "on" 788 hrs with compressor "off"
EFM0142	5/8/2018 12:00	1	1	0.000333	
EFM0142	5/8/2018 13:00	1	1	0.000333	
EFM0142	5/8/2018 14:00	1	1	0.000333	
EFM0142	5/8/2018 15:00	1	1	0.000333	
EFM0142	5/8/2018 16:00	1	1	0.000333	
EFM0142	5/8/2018 17:00	1	1	0.000333	
EFM0142	5/8/2018 18:00	1	1	0.000333	
EFM0142	5/8/2018 19:00	1	1	0.000333	
EFM0142	5/8/2018 20:00	1	1	0.000333	
EFM0142	5/8/2018 21:00	1	1	0.000333	
EFM0142	5/8/2018 22:00	1	1	0.000333	
EFM0142	5/8/2018 23:00	1	1	0.000333	
EFM0142	5/9/2018 0:00	1	1	0.000333	
EFM0142	5/9/2018 1:00	1	1	0.000333	
EFM0142	5/9/2018 2:00	1	1	0.000333	
EFM0142	5/9/2018 3:00	1	1	0.000333	
EFM0142	5/9/2018 4:00	1	1	0.000333	
EFM0142	5/9/2018 5:00	1	1	0.000333	
EFM0142	5/9/2018 6:00	1	1	0.000333	
EFM0142	5/9/2018 7:00	1	1	0.000333	
EFM0142	5/9/2018 8:00	1	1	0.000333	
EFM0142	5/9/2018 9:00	1	1	0.000333	
EFM0142	5/9/2018 10:00	1	1	0.000333	
EFM0142	5/9/2018 11:00	1	1	0.000333	
EFM0142	5/9/2018 12:00	1	1	0.000333	
EFM0142	5/9/2018 13:00	1	1	0.000333	
EFM0142	5/9/2018 14:00	1	1	0.000333	
EFM0142	5/9/2018 15:00	1	1	0.000333	
EFM0142	5/9/2018 16:00	1	1	0.000333	
EFM0142	5/9/2018 17:00	1	1	0.000333	
EFM0142	5/9/2018 18:00	1	1	0.000333	
EFM0142	5/9/2018 19:00	1	1	0.000333	
EFM0142	5/9/2018 20:00	1	1	0.000333	
EFM0142	5/9/2018 21:00	1	1	0.000333	
EFM0142	5/9/2018 22:00	1	1	0.000333	
EFM0142	5/9/2018 23:00	1	1	0.000333	
EFM0142	5/10/2018 0:00	1	1	0.000333	
EFM0142	5/10/2018 1:00	1	1	0.000333	
EFM0142	5/10/2018 2:00	1	1	0.000333	
EFM0142	5/10/2018 3:00	1	1	0.000333	
EFM0142	5/10/2018 4:00	1	1	0.000333	
EFM0142	5/10/2018 5:00	1	1	0.000333	
EFM0142	5/10/2018 6:00	1	1	0.000333	
EFM0142	5/10/2018 7:00	1	1	0.000333	
EFM0142	5/10/2018 8:00	1	1	0.000333	
EFM0142	5/10/2018 9:00	1	1	0.000333	
EFM0142	5/10/2018 10:00	1	1	0.000333	
EFM0142	5/10/2018 11:00	1	1	0.000333	
EFM0142	5/10/2018 12:00	1	1	0.000333	
EFM0142	5/10/2018 13:00	1	1	0.000333	
EFM0142	5/10/2018 14:00	1	1	0.000333	
EFM0142	5/10/2018 15:00	1	1	0.000333	
EFM0142	5/10/2018 16:00	1	1	0.000333	
EFM0142	5/10/2018 17:00	1	1	0.000333	
EFM0142	5/10/2018 18:00	1	1	0.000333	
EFM0142	5/10/2018 19:00	1	1	0.000333	
EFM0142	5/10/2018 20:00	1	1	0.000333	
EFM0142	5/10/2018 21:00	1	1	0.000333	
EFM0142	5/10/2018 22:00	1	1	0.000333	
EFM0142	5/10/2018 23:00	1	1	0.000333	
EFM0142	5/11/2018 0:00	1	1	0.000333	
EFM0142	5/11/2018 1:00	1	1	0.000333	
EFM0142	5/11/2018 2:00	1	1	0.000333	
EFM0142	5/11/2018 3:00	1	1	0.000333	
EFM0142	5/11/2018 4:00	1	1	0.000333	
EFM0142	5/11/2018 5:00	1	1	0.000333	
EFM0142	5/11/2018 6:00	1	1	0.000333	
EFM0142	5/11/2018 7:00	1	1	0.000333	
EFM0142	5/11/2018 8:00	1	1	0.000333	
EFM0142	5/11/2018 9:00	1	1	0.000333	
EFM0142	5/11/2018 10:00	1	1	0.000333	
EFM0142	5/11/2018 11:00	1	1	0.000333	
EFM0142	5/11/2018 12:00	1	1	0.000333	
EFM0142	5/11/2018 13:00	1	1	0.000333	
EFM0142	5/11/2018 14:00	1	1	0.000333	
EFM0142	5/11/2018 15:00	1	1	0.000333	
EFM0142	5/11/2018 16:00	1	1	0.000333	
EFM0142	5/11/2018 17:00	1	1	0.000333	
EFM0142	5/11/2018 18:00	1	1	0.000333	
EFM0142	5/11/2018 19:00	1	1	0.000333	
EFM0142	5/11/2018 20:00	1	1	0.000333	
EFM0142	5/11/2018 21:00	1	1	0.000333	
EFM0142	5/11/2018 22:00	1	1	0.000333	
EFM0142	5/11/2018 23:00	1	1	0.000333	
EFM0142	5/12/2018 0:00	1	1	0.000333	
EFM0142	5/12/2018 1:00	1	1	0.000333	
EFM0142	5/12/2018 2:00	1	1	0.000333	
EFM0142	5/12/2018 3:00	1	1	0.000333	
EFM0142	5/12/2018 4:00	1	1	0.000333	
EFM0142	5/12/2018 5:00	1	1	0.000333	
EFM0142	5/12/2018 6:00	1	1	0.000333	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	5/12/2018 7:00	1	1	0.000333	
EFM0142	5/12/2018 8:00	1	1	0.000333	
EFM0142	5/12/2018 9:00	1	1	0.000333	
EFM0142	5/12/2018 10:00	1	1	0.000333	
EFM0142	5/12/2018 11:00	1	1	0.000333	
EFM0142	5/12/2018 12:00	1	1	0.000333	
EFM0142	5/12/2018 13:00	1	1	0.000333	
EFM0142	5/12/2018 14:00	1	1	0.000333	
EFM0142	5/12/2018 15:00	1	1	0.000333	
EFM0142	5/12/2018 16:00	1	1	0.000333	
EFM0142	5/12/2018 17:00	1	1	0.000333	
EFM0142	5/12/2018 18:00	1	1	0.000333	
EFM0142	5/12/2018 19:00	1	1	0.000333	
EFM0142	5/12/2018 20:00	1	1	0.000333	
EFM0142	5/12/2018 21:00	1	1	0.000333	
EFM0142	5/12/2018 22:00	1	1	0.000333	
EFM0142	5/12/2018 23:00	1	1	0.000333	
EFM0142	5/13/2018 0:00	1	1	0.000333	
EFM0142	5/13/2018 1:00	1	1	0.000333	
EFM0142	5/13/2018 2:00	1	1	0.000333	
EFM0142	5/13/2018 3:00	1	1	0.000333	
EFM0142	5/13/2018 4:00	1	1	0.000333	
EFM0142	5/13/2018 5:00	0	0	0.000333	
EFM0142	5/13/2018 6:00	0	0	0.000333	
EFM0142	5/13/2018 7:00	0	1	0.018343	
EFM0142	5/13/2018 8:00	0	1	0.018343	
EFM0142	5/13/2018 9:00	0	1	0.018343	
EFM0142	5/13/2018 10:00	0	1	0.018343	
EFM0142	5/13/2018 11:00	0	1	0.018343	
EFM0142	5/13/2018 12:00	1	1	0.018343	
EFM0142	5/13/2018 13:00	1	1	0.018343	
EFM0142	5/13/2018 14:00	1	1	0.018343	
EFM0142	5/13/2018 15:00	1	1	0.018343	
EFM0142	5/13/2018 16:00	1	1	0.018343	
EFM0142	5/13/2018 17:00	1	1	0.018343	
EFM0142	5/13/2018 18:00	1	1	0.018343	
EFM0142	5/13/2018 19:00	1	1	0.018343	
EFM0142	5/13/2018 20:00	1	1	0.018343	
EFM0142	5/13/2018 21:00	1	1	0.018343	
EFM0142	5/13/2018 22:00	1	1	0.018343	
EFM0142	5/13/2018 23:00	1	1	0.018343	
EFM0142	5/14/2018 0:00	1	1	0.018343	
	5/14/2018 1:00				Missing data
	5/14/2018 2:00				Missing data
	5/14/2018 3:00				Missing data
	5/14/2018 4:00				Missing data
	5/14/2018 5:00				Missing data
	5/14/2018 6:00				Missing data
	5/14/2018 7:00				Missing data
	5/14/2018 8:00				Missing data
EFM0142	5/14/2018 9:00	1	1	0.018343	
EFM0142	5/14/2018 10:00	1	1	0.018343	
EFM0142	5/14/2018 11:00	1	1	0.018343	
EFM0142	5/14/2018 12:00	1	1	0.018343	
EFM0142	5/14/2018 13:00	1	1	0.018343	
EFM0142	5/14/2018 14:00	1	1	0.018343	
EFM0142	5/14/2018 15:00	1	1	0.018343	
EFM0142	5/14/2018 16:00	1	1	0.018343	
EFM0142	5/14/2018 17:00	1	1	0.018343	
EFM0142	5/14/2018 18:00	1	1	0.018343	
EFM0142	5/14/2018 19:00	1	1	0.018343	
EFM0142	5/14/2018 20:00	1	1	0.018343	
EFM0142	5/14/2018 21:00	1	1	0.018343	
EFM0142	5/14/2018 22:00	1	1	0.018343	
EFM0142	5/14/2018 23:00	1	1	0.018343	
EFM0142	5/15/2018 0:00	1	1	0.018343	
EFM0142	5/15/2018 1:00	1	1	0.018343	
EFM0142	5/15/2018 2:00	1	1	0.018343	
EFM0142	5/15/2018 3:00	1	1	0.018343	
EFM0142	5/15/2018 4:00	1	1	0.018343	
EFM0142	5/15/2018 5:00	1	1	0.018343	
EFM0142	5/15/2018 6:00	1	1	0.018343	
EFM0142	5/15/2018 7:00	1	1	0.018343	
EFM0142	5/15/2018 8:00	1	1	0.018343	
EFM0142	5/15/2018 9:00	1	1	0.018343	
EFM0142	5/15/2018 10:00	1	1	0.018343	
EFM0142	5/15/2018 11:00	1	1	0.018343	
EFM0142	5/15/2018 12:00	1	1	0.018343	
EFM0142	5/15/2018 13:00	1	1	0.018343	
EFM0142	5/15/2018 14:00	1	1	0.018343	
EFM0142	5/15/2018 15:00	1	1	0.018343	
EFM0142	5/15/2018 16:00	1	1	0.018343	
EFM0142	5/15/2018 17:00	1	1	0.018343	
EFM0142	5/15/2018 18:00	1	1	0.018343	
EFM0142	5/15/2018 19:00	1	1	0.018343	
EFM0142	5/15/2018 20:00	1	1	0.018343	
EFM0142	5/15/2018 21:00	1	1	0.018343	
EFM0142	5/15/2018 22:00	1	1	0.018343	
EFM0142	5/15/2018 23:00	1	1	0.018343	
EFM0142	5/16/2018 0:00	1	1	0.018343	
EFM0142	5/16/2018 1:00	1	1	0.018343	
EFM0142	5/16/2018 2:00	1	1	0.018343	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 796 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	5/16/2018 3:00	1	1	0.018343	
EFMD142	5/16/2018 4:00	1	1	0.018343	
EFMD142	5/16/2018 5:00	1	1	0.018343	
EFMD142	5/16/2018 6:00	1	1	0.018343	
EFMD142	5/16/2018 7:00	1	1	0.018343	
EFMD142	5/16/2018 8:00	1	1	0.018343	
EFMD142	5/16/2018 9:00	1	1	0.018343	
EFMD142	5/16/2018 10:00	1	1	0.018343	
EFMD142	5/16/2018 11:00	1	1	0.018343	
EFMD142	5/16/2018 12:00	1	1	0.018343	
EFMD142	5/16/2018 13:00	1	1	0.018343	
EFMD142	5/16/2018 14:00	1	1	0.018343	
EFMD142	5/16/2018 15:00	1	1	0.018343	
EFMD142	5/16/2018 16:00	1	1	0.018343	
EFMD142	5/16/2018 17:00	1	1	0.018343	
EFMD142	5/16/2018 18:00	1	1	0.018343	
EFMD142	5/16/2018 19:00	1	1	0.018343	
EFMD142	5/16/2018 20:00	1	1	0.018343	
EFMD142	5/16/2018 21:00	1	1	0.018343	
EFMD142	5/16/2018 22:00	1	1	0.018343	
EFMD142	5/16/2018 23:00	1	1	0.018343	
EFMD142	5/17/2018 0:00	1	1	0.018343	
EFMD142	5/17/2018 1:00	1	1	0.018343	
EFMD142	5/17/2018 2:00	1	1	0.018343	
EFMD142	5/17/2018 3:00	1	1	0.018343	
EFMD142	5/17/2018 4:00	1	1	0.018343	
EFMD142	5/17/2018 5:00	1	1	0.018343	
EFMD142	5/17/2018 6:00	1	1	0.018343	
EFMD142	5/17/2018 7:00	1	1	0.018343	
EFMD142	5/17/2018 8:00	1	1	0.018343	
EFMD142	5/17/2018 9:00	1	1	0.018343	
EFMD142	5/17/2018 10:00	1	1	0.018343	
EFMD142	5/17/2018 11:00	1	1	0.018343	
EFMD142	5/17/2018 12:00	1	1	0.018343	
EFMD142	5/17/2018 13:00	1	1	0.018343	
EFMD142	5/17/2018 14:00	1	1	0.018343	
EFMD142	5/17/2018 15:00	1	1	0.018343	
EFMD142	5/17/2018 16:00	1	1	0.018343	
EFMD142	5/17/2018 17:00	1	1	0.018343	
EFMD142	5/17/2018 18:00	1	1	0.018343	
EFMD142	5/17/2018 19:00	1	1	0.018343	
EFMD142	5/17/2018 20:00	1	1	0.018343	
EFMD142	5/17/2018 21:00	1	1	0.018343	
EFMD142	5/17/2018 22:00	1	1	0.018343	
EFMD142	5/17/2018 23:00	1	1	0.018343	
EFMD142	5/18/2018 0:00	1	1	0.018343	
EFMD142	5/18/2018 1:00	1	1	0.018343	
EFMD142	5/18/2018 2:00	1	1	0.018343	
EFMD142	5/18/2018 3:00	1	1	0.018343	
EFMD142	5/18/2018 4:00	1	1	0.018343	
EFMD142	5/18/2018 5:00	1	1	0.018343	
EFMD142	5/18/2018 6:00	1	1	0.018343	
EFMD142	5/18/2018 7:00	1	1	0.018343	
EFMD142	5/18/2018 8:00	1	1	0.018343	
	5/18/2018 9:00				Missing data
	5/18/2018 10:00				Missing data
	5/18/2018 11:00				Missing data
	5/18/2018 12:00				Missing data
	5/18/2018 13:00				Missing data
	5/18/2018 14:00				Missing data
	5/18/2018 15:00				Missing data
	5/18/2018 16:00				Missing data
EFMD142	5/18/2018 17:00	1	1	0.018343	
EFMD142	5/18/2018 18:00	1	1	0.018343	
EFMD142	5/18/2018 19:00	1	1	0.018343	
EFMD142	5/18/2018 20:00	1	1	0.018343	
EFMD142	5/18/2018 21:00	1	1	0.018343	
EFMD142	5/18/2018 22:00	1	1	0.018343	
EFMD142	5/18/2018 23:00	1	1	0.018343	
EFMD142	5/19/2018 0:00	1	1	0.018343	
EFMD142	5/19/2018 1:00	1	1	0.018343	
EFMD142	5/19/2018 2:00	1	1	0.018343	
EFMD142	5/19/2018 3:00	1	1	0.018343	
EFMD142	5/19/2018 4:00	1	1	0.018343	
EFMD142	5/19/2018 5:00	1	1	0.018343	
EFMD142	5/19/2018 6:00	1	1	0.018343	
EFMD142	5/19/2018 7:00	1	1	0.018343	
EFMD142	5/19/2018 8:00	1	1	0.018343	
EFMD142	5/19/2018 9:00	1	1	0.018343	
EFMD142	5/19/2018 10:00	1	1	0.018343	
EFMD142	5/19/2018 11:00	1	1	0.018343	
EFMD142	5/19/2018 12:00	1	1	0.018343	
EFMD142	5/19/2018 13:00	1	1	0.018343	
EFMD142	5/19/2018 14:00	1	1	0.018343	
EFMD142	5/19/2018 15:00	1	1	0.018343	
EFMD142	5/19/2018 16:00	1	1	0.018343	
EFMD142	5/19/2018 17:00	1	1	0.018343	
EFMD142	5/19/2018 18:00	1	1	0.018343	
EFMD142	5/19/2018 19:00	1	1	0.018343	
EFMD142	5/19/2018 20:00	1	1	0.018343	
EFMD142	5/19/2018 21:00	1	1	0.018343	
EFMD142	5/19/2018 22:00	1	1	0.018343	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					307 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	5/19/2018 23:00	1	1	0.018343	
EFM0142	5/20/2018 0:00	1	1	0.018343	
EFM0142	5/20/2018 1:00	1	1	0.018343	
EFM0142	5/20/2018 2:00	1	1	0.018343	
EFM0142	5/20/2018 3:00	1	1	0.018343	
EFM0142	5/20/2018 4:00	1	1	0.018343	
EFM0142	5/20/2018 5:00	1	1	0.018343	
EFM0142	5/20/2018 6:00	1	1	0.018343	
EFM0142	5/20/2018 7:00	1	1	0.018343	
EFM0142	5/20/2018 8:00	1	1	0.018343	
EFM0142	5/20/2018 9:00	1	1	0.018343	
EFM0142	5/20/2018 10:00	1	1	0.018343	
EFM0142	5/20/2018 11:00	1	1	0.018343	
EFM0142	5/20/2018 12:00	1	1	0.018343	
EFM0142	5/20/2018 13:00	1	1	0.018343	
EFM0142	5/20/2018 14:00	1	1	0.018343	
EFM0142	5/20/2018 15:00	1	1	0.018343	
EFM0142	5/20/2018 16:00	1	1	0.018343	
EFM0142	5/20/2018 17:00	1	1	0.018343	
EFM0142	5/20/2018 18:00	1	1	0.018343	
EFM0142	5/20/2018 19:00	1	1	0.018343	
EFM0142	5/20/2018 20:00	1	1	0.018343	
EFM0142	5/20/2018 21:00	1	1	0.018343	
EFM0142	5/20/2018 22:00	1	1	0.018343	
EFM0142	5/20/2018 23:00	1	1	0.018343	
EFM0142	5/21/2018 0:00	1	1	0.018343	
EFM0142	5/21/2018 1:00	1	1	0.018343	
EFM0142	5/21/2018 2:00	1	1	0.018343	
EFM0142	5/21/2018 3:00	1	1	0.018343	
EFM0142	5/21/2018 4:00	1	1	0.018343	
EFM0142	5/21/2018 5:00	1	1	0.018343	
EFM0142	5/21/2018 6:00	1	1	0.018343	
EFM0142	5/21/2018 7:00	1	1	0.018343	
EFM0142	5/21/2018 8:00	1	1	0.018343	
EFM0142	5/21/2018 9:00	1	1	0.018343	
EFM0142	5/21/2018 10:00	1	1	0.018343	
EFM0142	5/21/2018 11:00	1	1	0.018343	
EFM0142	5/21/2018 12:00	1	1	0.018343	
EFM0142	5/21/2018 13:00	1	1	0.018343	
EFM0142	5/21/2018 14:00	1	1	0.018343	
EFM0142	5/21/2018 15:00	1	1	0.018343	
EFM0142	5/21/2018 16:00	1	1	0.018343	
EFM0142	5/21/2018 17:00	1	1	0.018343	
EFM0142	5/21/2018 18:00	1	1	0.018343	
EFM0142	5/21/2018 19:00	1	1	0.018343	
EFM0142	5/21/2018 20:00	1	1	0.018343	
EFM0142	5/21/2018 21:00	1	1	0.018343	
EFM0142	5/21/2018 22:00	1	1	0.018343	
EFM0142	5/21/2018 23:00	1	1	0.018343	
EFM0142	5/22/2018 0:00	1	1	0.018343	
EFM0142	5/22/2018 1:00	1	1	0.018343	
EFM0142	5/22/2018 2:00	1	1	0.018343	
EFM0142	5/22/2018 3:00	1	1	0.018343	
EFM0142	5/22/2018 4:00	1	1	0.018343	
EFM0142	5/22/2018 5:00	1	1	0.018343	
EFM0142	5/22/2018 6:00	1	1	0.018343	
EFM0142	5/22/2018 7:00	1	1	0.018343	
EFM0142	5/22/2018 8:00	0	0	0.018343	
EFM0142	5/22/2018 9:00	0	0	0.018343	
EFM0142	5/22/2018 10:00	0	0	0.018343	
EFM0142	5/22/2018 11:00	0	0	0.134821	
EFM0142	5/22/2018 12:00	0	0	0.134821	
EFM0142	5/22/2018 13:00	1	1	0.262015	
EFM0142	5/22/2018 14:00	1	1	0.262015	
EFM0142	5/22/2018 15:00	1	1	0.262015	
EFM0142	5/22/2018 16:00	1	1	0.262015	
EFM0142	5/22/2018 17:00	1	1	0.262015	
EFM0142	5/22/2018 18:00	1	1	0.262015	
EFM0142	5/22/2018 19:00	1	1	0.262015	
EFM0142	5/22/2018 20:00	1	1	0.262015	
EFM0142	5/22/2018 21:00	1	1	0.262015	
EFM0142	5/22/2018 22:00	1	1	0.262015	
EFM0142	5/22/2018 23:00	1	1	0.262015	
EFM0142	5/23/2018 0:00	1	1	0.262015	
EFM0142	5/23/2018 1:00	1	1	0.262015	
EFM0142	5/23/2018 2:00	1	1	0.262015	
EFM0142	5/23/2018 3:00	1	1	0.262015	
EFM0142	5/23/2018 4:00	1	1	0.262015	
EFM0142	5/23/2018 5:00	1	1	0.262015	
EFM0142	5/23/2018 6:00	1	1	0.262015	
EFM0142	5/23/2018 7:00	1	1	0.262015	
EFM0142	5/23/2018 8:00	1	1	0.262015	
EFM0142	5/23/2018 9:00	1	1	0.262015	
EFM0142	5/23/2018 10:00	1	1	0.262015	
EFM0142	5/23/2018 11:00	1	1	0.262015	
EFM0142	5/23/2018 12:00	1	1	0.262015	
EFM0142	5/23/2018 13:00	1	1	0.262015	
EFM0142	5/23/2018 14:00	1	1	0.262015	
EFM0142	5/23/2018 15:00	1	1	0.262015	
EFM0142	5/23/2018 16:00	1	1	0.262015	
EFM0142	5/23/2018 17:00	1	1	0.262015	
EFM0142	5/23/2018 18:00	1	1	0.262015	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	5/23/2018 19:00	1	1	0.262015	367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 738 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	5/23/2018 20:00	1	1	0.262015	
EFM0142	5/23/2018 21:00	1	1	0.262015	
EFM0142	5/23/2018 22:00	1	1	0.262015	
EFM0142	5/23/2018 23:00	1	1	0.262015	
EFM0142	5/24/2018 0:00	1	1	0.262015	
EFM0142	5/24/2018 1:00	1	1	0.262015	
EFM0142	5/24/2018 2:00	1	1	0.262015	
EFM0142	5/24/2018 3:00	1	1	0.262015	
EFM0142	5/24/2018 4:00	1	1	0.262015	
EFM0142	5/24/2018 5:00	1	1	0.262015	
EFM0142	5/24/2018 6:00	1	1	0.262015	
EFM0142	5/24/2018 7:00	1	1	0.262015	
EFM0142	5/24/2018 8:00	1	1	0.262015	
EFM0142	5/24/2018 9:00	1	1	0.262015	
EFM0142	5/24/2018 10:00	1	1	0.262015	
EFM0142	5/24/2018 11:00	1	1	0.262015	
EFM0142	5/24/2018 12:00	1	1	0.262015	
EFM0142	5/24/2018 13:00	1	1	0.262015	
EFM0142	5/24/2018 14:00	1	1	0.262015	
EFM0142	5/24/2018 15:00	1	1	0.262015	
EFM0142	5/24/2018 16:00	1	1	0.262015	
EFM0142	5/24/2018 17:00	1	1	0.262015	
EFM0142	5/24/2018 18:00	1	1	0.262015	
EFM0142	5/24/2018 19:00	1	1	0.262015	
EFM0142	5/24/2018 20:00	1	1	0.262015	
EFM0142	5/24/2018 21:00	1	1	0.262015	
EFM0142	5/24/2018 22:00	1	1	0.262015	
EFM0142	5/24/2018 23:00	1	1	0.262015	
EFM0142	5/25/2018 0:00	1	1	0.262015	
EFM0142	5/25/2018 1:00	1	1	0.262015	
EFM0142	5/25/2018 2:00	1	1	0.262015	
EFM0142	5/25/2018 3:00	1	1	0.262015	
EFM0142	5/25/2018 4:00	1	1	0.262015	
EFM0142	5/25/2018 5:00	1	1	0.262015	
EFM0142	5/25/2018 6:00	1	1	0.262015	
EFM0142	5/25/2018 7:00	1	1	0.262015	
EFM0142	5/25/2018 8:00	1	1	0.262015	
EFM0142	5/25/2018 9:00	1	1	0.262015	
EFM0142	5/25/2018 10:00	1	1	0.262015	
EFM0142	5/25/2018 11:00	1	1	0.262015	
EFM0142	5/25/2018 12:00	1	1	0.262015	
EFM0142	5/25/2018 13:00	1	1	0.262015	
EFM0142	5/25/2018 14:00	1	1	0.262015	
EFM0142	5/25/2018 15:00	1	1	0.262015	
EFM0142	5/25/2018 16:00	1	1	0.262015	
EFM0142	5/25/2018 17:00	1	1	0.262015	
EFM0142	5/25/2018 18:00	1	1	0.262015	
EFM0142	5/25/2018 19:00	1	1	0.262015	
EFM0142	5/25/2018 20:00	1	1	0.262015	
EFM0142	5/25/2018 21:00	1	1	0.262015	
EFM0142	5/25/2018 22:00	1	1	0.262015	
EFM0142	5/25/2018 23:00	1	1	0.262015	
EFM0142	5/26/2018 0:00	1	1	0.262015	
EFM0142	5/26/2018 1:00	1	1	0.262015	
EFM0142	5/26/2018 2:00	1	1	0.262015	
EFM0142	5/26/2018 3:00	1	1	0.262015	
EFM0142	5/26/2018 4:00	1	1	0.262015	
EFM0142	5/26/2018 5:00	1	1	0.262015	
EFM0142	5/26/2018 6:00	1	1	0.262015	
EFM0142	5/26/2018 7:00	1	1	0.262015	
EFM0142	5/26/2018 8:00	1	1	0.262015	
EFM0142	5/26/2018 9:00	1	1	0.262015	
EFM0142	5/26/2018 10:00	1	1	0.262015	
EFM0142	5/26/2018 11:00	1	1	0.262015	
EFM0142	5/26/2018 12:00	1	1	0.262015	
EFM0142	5/26/2018 13:00	1	1	0.262015	
EFM0142	5/26/2018 14:00	1	1	0.262015	
EFM0142	5/26/2018 15:00	1	1	0.262015	
EFM0142	5/26/2018 16:00	1	1	0.262015	
EFM0142	5/26/2018 17:00	1	1	0.262015	
EFM0142	5/26/2018 18:00	1	1	0.262015	
EFM0142	5/26/2018 19:00	1	1	0.262015	
EFM0142	5/26/2018 20:00	1	1	0.262015	
EFM0142	5/26/2018 21:00	1	1	0.262015	
EFM0142	5/26/2018 22:00	1	1	0.262015	
EFM0142	5/26/2018 23:00	1	1	0.262015	
EFM0142	5/27/2018 0:00	1	1	0.262015	
EFM0142	5/27/2018 1:00	1	1	0.262015	
EFM0142	5/27/2018 2:00	1	1	0.262015	
EFM0142	5/27/2018 3:00	1	1	0.262015	
EFM0142	5/27/2018 4:00	1	1	0.262015	
EFM0142	5/27/2018 5:00	1	1	0.262015	
EFM0142	5/27/2018 6:00	1	1	0.262015	
EFM0142	5/27/2018 7:00	1	1	0.262015	
EFM0142	5/27/2018 8:00	1	1	0.262015	
EFM0142	5/27/2018 9:00	1	1	0.262015	
EFM0142	5/27/2018 10:00	1	1	0.262015	
EFM0142	5/27/2018 11:00	1	1	0.262015	
EFM0142	5/27/2018 12:00	1	1	0.262015	
EFM0142	5/27/2018 13:00	1	1	0.262015	
EFM0142	5/27/2018 14:00	1	1	0.262015	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EPM0142	5/27/2018 15:00	1	1	0.262015	
EPM0142	5/27/2018 16:00	1	1	0.262015	
EPM0142	5/27/2018 17:00	1	1	0.262015	
EPM0142	5/27/2018 18:00	1	1	0.262015	
EPM0142	5/27/2018 19:00	1	1	0.262015	
EPM0142	5/27/2018 20:00	1	1	0.262015	
EPM0142	5/27/2018 21:00	1	1	0.262015	
EPM0142	5/27/2018 22:00	1	1	0.262015	
EPM0142	5/27/2018 23:00	1	1	0.262015	
EPM0142	5/28/2018 0:00	1	1	0.262015	
EPM0142	5/28/2018 1:00	1	1	0.262015	
EPM0142	5/28/2018 2:00	1	1	0.262015	
EPM0142	5/28/2018 3:00	1	1	0.262015	
EPM0142	5/28/2018 4:00	1	1	0.262015	
EPM0142	5/28/2018 5:00	1	1	0.262015	
EPM0142	5/28/2018 6:00	1	1	0.262015	
EPM0142	5/28/2018 7:00	1	1	0.262015	
EPM0142	5/28/2018 8:00	1	1	0.262015	
EPM0142	5/28/2018 9:00	1	1	0.262015	
EPM0142	5/28/2018 10:00	1	1	0.262015	
EPM0142	5/28/2018 11:00	1	1	0.262015	
EPM0142	5/28/2018 12:00	1	1	0.262015	
EPM0142	5/28/2018 13:00	1	1	0.262015	
EPM0142	5/28/2018 14:00	1	1	0.262015	
EPM0142	5/28/2018 15:00	1	1	0.262015	
EPM0142	5/28/2018 16:00	1	1	0.262015	
EPM0142	5/28/2018 17:00	1	1	0.262015	
EPM0142	5/28/2018 18:00	1	1	0.262015	
EPM0142	5/28/2018 19:00	1	1	0.262015	
EPM0142	5/28/2018 20:00	1	1	0.262015	
EPM0142	5/28/2018 21:00	1	1	0.262015	
EPM0142	5/28/2018 22:00	1	1	0.262015	
EPM0142	5/28/2018 23:00	1	1	0.262015	
EPM0142	5/29/2018 0:00	1	1	0.262015	
EPM0142	5/29/2018 1:00	1	1	0.262015	
EPM0142	5/29/2018 2:00	1	1	0.262015	
EPM0142	5/29/2018 3:00	1	1	0.262015	
EPM0142	5/29/2018 4:00	1	1	0.262015	
EPM0142	5/29/2018 5:00	1	1	0.262015	
EPM0142	5/29/2018 6:00	1	1	0.262015	
EPM0142	5/29/2018 7:00	1	1	0.262015	
EPM0142	5/29/2018 8:00	1	1	0.262015	
EPM0142	5/29/2018 9:00	1	1	0.262015	
EPM0142	5/29/2018 10:00	1	1	0.262015	
EPM0142	5/29/2018 11:00	1	1	0.262015	
EPM0142	5/29/2018 12:00	1	1	0.262015	
EPM0142	5/29/2018 13:00	1	1	0.262015	
EPM0142	5/29/2018 14:00	1	1	0.262015	
EPM0142	5/29/2018 15:00	1	1	0.262015	
EPM0142	5/29/2018 16:00	1	1	0.262015	
EPM0142	5/29/2018 17:00				Missing data
EPM0142	5/29/2018 18:00				Missing data
EPM0142	5/29/2018 19:00				Missing data
EPM0142	5/29/2018 20:00				Missing data
EPM0142	5/29/2018 21:00				Missing data
EPM0142	5/29/2018 22:00				Missing data
EPM0142	5/29/2018 23:00				Missing data
EPM0142	5/30/2018 0:00				Missing data
EPM0142	5/30/2018 1:00	1	1	0.262015	
EPM0142	5/30/2018 2:00	1	1	0.262015	
EPM0142	5/30/2018 3:00	1	1	0.262015	
EPM0142	5/30/2018 4:00	1	1	0.262015	
EPM0142	5/30/2018 5:00	1	1	0.262015	
EPM0142	5/30/2018 6:00	1	1	0.262015	
EPM0142	5/30/2018 7:00	1	1	0.262015	
EPM0142	5/30/2018 8:00	1	1	0.262015	
EPM0142	5/30/2018 9:00	1	1	0.262015	
EPM0142	5/30/2018 10:00	1	1	0.262015	
EPM0142	5/30/2018 11:00	1	1	0.262015	
EPM0142	5/30/2018 12:00	1	1	0.262015	
EPM0142	5/30/2018 13:00	1	1	0.262015	
EPM0142	5/30/2018 14:00	1	1	0.262015	
EPM0142	5/30/2018 15:00	1	1	0.262015	
EPM0142	5/30/2018 16:00	1	1	0.262015	
EPM0142	5/30/2018 17:00	1	1	0.262015	
EPM0142	5/30/2018 18:00	1	1	0.262015	
EPM0142	5/30/2018 19:00	1	1	0.262015	
EPM0142	5/30/2018 20:00	1	1	0.262015	
EPM0142	5/30/2018 21:00	1	1	0.262015	
EPM0142	5/30/2018 22:00	1	1	0.262015	
EPM0142	5/30/2018 23:00	1	1	0.262015	
EPM0142	5/31/2018 0:00	1	1	0.262015	
EPM0142	5/31/2018 1:00	1	1	0.262015	
EPM0142	5/31/2018 2:00	1	1	0.262015	
EPM0142	5/31/2018 3:00	1	1	0.262015	
EPM0142	5/31/2018 4:00	1	1	0.262015	
EPM0142	5/31/2018 5:00	1	1	0.262015	
EPM0142	5/31/2018 6:00	1	1	0.262015	
EPM0142	5/31/2018 7:00	1	1	0.262015	
EPM0142	5/31/2018 8:00	1	1	0.262015	
EPM0142	5/31/2018 9:00	0	0	0.262682	
EPM0142	5/31/2018 10:00	0	0	0.262682	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 758 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	5/31/2018 11:00	0	0	0.262682	
EFM0142	5/31/2018 12:00	0	0	0.262682	
EFM0142	5/31/2018 13:00	1	1	0.262682	
EFM0142	5/31/2018 14:00	1	1	0.262682	
EFM0142	5/31/2018 15:00	1	1	0.262682	
EFM0142	5/31/2018 16:00	1	1	0.262682	
EFM0142	5/31/2018 17:00	1	1	0.262682	
EFM0142	5/31/2018 18:00	1	1	0.262682	
EFM0142	5/31/2018 19:00	1	1	0.262682	
EFM0142	5/31/2018 20:00	1	1	0.262682	
EFM0142	5/31/2018 21:00	1	1	0.262682	
EFM0142	5/31/2018 22:00	1	1	0.262682	
EFM0142	5/31/2018 23:00	1	1	0.262682	
EFM0142	6/1/2018 0:00	1	1	0.262682	
EFM0142	6/1/2018 1:00	1	1	0	
EFM0142	6/1/2018 2:00	1	1	0	
EFM0142	6/1/2018 3:00	1	1	0	
EFM0142	6/1/2018 4:00	1	1	0	
EFM0142	6/1/2018 5:00	1	1	0	
EFM0142	6/1/2018 6:00	1	1	0	
EFM0142	6/1/2018 7:00	1	1	0	
EFM0142	6/1/2018 8:00	1	1	0	
EFM0142	6/1/2018 9:00	1	1	0	
EFM0142	6/1/2018 10:00	1	1	0	
EFM0142	6/1/2018 11:00	1	1	0	
EFM0142	6/1/2018 12:00	1	1	0	
EFM0142	6/1/2018 13:00	1	1	0	
EFM0142	6/1/2018 14:00	1	1	0	
EFM0142	6/1/2018 15:00	1	1	0	
EFM0142	6/1/2018 16:00	1	1	0	
EFM0142	6/1/2018 17:00	1	1	0	
EFM0142	6/1/2018 18:00	1	1	0	
EFM0142	6/1/2018 19:00	1	1	0	
EFM0142	6/1/2018 20:00	1	1	0	
EFM0142	6/1/2018 21:00	1	1	0	
EFM0142	6/1/2018 22:00	1	1	0	
EFM0142	6/1/2018 23:00	1	1	0	
EFM0142	6/2/2018 0:00	1	1	0	
EFM0142	6/2/2018 1:00	1	1	0	
EFM0142	6/2/2018 2:00	1	1	0	
EFM0142	6/2/2018 3:00	1	1	0	
EFM0142	6/2/2018 4:00	1	1	0	
EFM0142	6/2/2018 5:00	1	1	0	
EFM0142	6/2/2018 6:00	1	1	0	
EFM0142	6/2/2018 7:00	1	1	0	
EFM0142	6/2/2018 8:00	1	1	0	
EFM0142	6/2/2018 9:00	1	1	0	
EFM0142	6/2/2018 10:00	1	1	0	
EFM0142	6/2/2018 11:00	1	1	0	
EFM0142	6/2/2018 12:00	1	1	0	
EFM0142	6/2/2018 13:00	1	1	0	
EFM0142	6/2/2018 14:00	1	1	0	
EFM0142	6/2/2018 15:00	1	1	0	
EFM0142	6/2/2018 16:00	1	1	0	
EFM0142	6/2/2018 17:00	1	1	0	
EFM0142	6/2/2018 18:00	1	1	0	
EFM0142	6/2/2018 19:00	1	1	0	
EFM0142	6/2/2018 20:00	1	1	0	
EFM0142	6/2/2018 21:00	1	1	0	
EFM0142	6/2/2018 22:00	1	1	0	
EFM0142	6/2/2018 23:00	1	1	0	
EFM0142	6/3/2018 0:00	1	1	0	
EFM0142	6/3/2018 1:00	1	1	0	
EFM0142	6/3/2018 2:00	1	1	0	
EFM0142	6/3/2018 3:00	1	1	0	
EFM0142	6/3/2018 4:00	1	1	0	
EFM0142	6/3/2018 5:00	1	1	0	
EFM0142	6/3/2018 6:00	1	1	0	
EFM0142	6/3/2018 7:00	1	1	0	
EFM0142	6/3/2018 8:00	1	1	0	
EFM0142	6/3/2018 9:00	1	1	0	
EFM0142	6/3/2018 10:00	1	1	0	
EFM0142	6/3/2018 11:00	1	1	0	
EFM0142	6/3/2018 12:00	1	1	0	
EFM0142	6/3/2018 13:00	1	1	0	
EFM0142	6/3/2018 14:00	1	1	0	
EFM0142	6/3/2018 15:00	1	1	0	
EFM0142	6/3/2018 16:00	1	1	0	
EFM0142	6/3/2018 17:00	1	1	0	
EFM0142	6/3/2018 18:00	1	1	0	
EFM0142	6/3/2018 19:00	1	1	0	
EFM0142	6/3/2018 20:00	1	1	0	
EFM0142	6/3/2018 21:00	1	1	0	
EFM0142	6/3/2018 22:00	1	1	0	
EFM0142	6/3/2018 23:00	1	1	0	
EFM0142	6/4/2018 0:00	1	1	0	
EFM0142	6/4/2018 1:00	1	1	0	
EFM0142	6/4/2018 2:00	1	1	0	
EFM0142	6/4/2018 3:00	1	1	0	
EFM0142	6/4/2018 4:00	1	1	0	
EFM0142	6/4/2018 5:00	1	1	0	
EFM0142	6/4/2018 6:00	1	1	0	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	6/4/2018 7:00	1	1	0	357 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	6/4/2018 8:00	1	1	0	
EFM0142	6/4/2018 9:00	1	1	0	
EFM0142	6/4/2018 10:00	1	1	0	
EFM0142	6/4/2018 11:00	1	1	0	
EFM0142	6/4/2018 12:00	1	1	0	
EFM0142	6/4/2018 13:00	1	1	0	
EFM0142	6/4/2018 14:00	1	1	0	
EFM0142	6/4/2018 15:00	1	1	0	
EFM0142	6/4/2018 16:00	1	1	0	
EFM0142	6/4/2018 17:00	1	1	0	
EFM0142	6/4/2018 18:00	1	1	0	
EFM0142	6/4/2018 19:00	1	1	0	
EFM0142	6/4/2018 20:00	1	1	0	
EFM0142	6/4/2018 21:00	1	1	0	
EFM0142	6/4/2018 22:00	1	1	0	
EFM0142	6/4/2018 23:00	1	1	0	
EFM0142	6/5/2018 0:00	1	1	0	
EFM0142	6/5/2018 1:00	1	1	0	
EFM0142	6/5/2018 2:00	1	1	0	
EFM0142	6/5/2018 3:00	1	1	0	
EFM0142	6/5/2018 4:00	1	1	0	
EFM0142	6/5/2018 5:00	1	1	0	
EFM0142	6/5/2018 6:00	1	1	0	
EFM0142	6/5/2018 7:00	1	1	0	
EFM0142	6/5/2018 8:00	1	1	0	
EFM0142	6/5/2018 9:00	1	1	0	
EFM0142	6/5/2018 10:00	1	1	0	
EFM0142	6/5/2018 11:00	1	1	0	
EFM0142	6/5/2018 12:00	1	1	0	
EFM0142	6/5/2018 13:00	1	1	0	
EFM0142	6/5/2018 14:00	1	1	0	
EFM0142	6/5/2018 15:00	1	1	0	
EFM0142	6/5/2018 16:00	1	1	0	
EFM0142	6/5/2018 17:00	1	1	0	
EFM0142	6/5/2018 18:00	1	1	0	
EFM0142	6/5/2018 19:00	1	1	0	
EFM0142	6/5/2018 20:00	1	1	0	
EFM0142	6/5/2018 21:00	1	1	0	
EFM0142	6/5/2018 22:00	1	1	0	
EFM0142	6/5/2018 23:00	1	1	0	
EFM0142	6/6/2018 0:00	1	1	0	
EFM0142	6/6/2018 1:00	1	1	0	
EFM0142	6/6/2018 2:00	1	1	0	
EFM0142	6/6/2018 3:00	1	1	0	
EFM0142	6/6/2018 4:00	1	1	0	
EFM0142	6/6/2018 5:00	1	1	0	
EFM0142	6/6/2018 6:00	1	1	0	
EFM0142	6/6/2018 7:00	1	1	0	
EFM0142	6/6/2018 8:00	1	1	0	
EFM0142	6/6/2018 9:00	1	1	0	
EFM0142	6/6/2018 10:00	1	1	0	
EFM0142	6/6/2018 11:00	1	1	0	
EFM0142	6/6/2018 12:00	1	1	0	
EFM0142	6/6/2018 13:00	1	1	0	
EFM0142	6/6/2018 14:00	1	1	0	
EFM0142	6/6/2018 15:00	1	1	0	
EFM0142	6/6/2018 16:00	1	1	0	
EFM0142	6/6/2018 17:00	1	1	0	
EFM0142	6/6/2018 18:00	1	1	0	
EFM0142	6/6/2018 19:00	1	1	0	
EFM0142	6/6/2018 20:00	1	1	0	
EFM0142	6/6/2018 21:00	1	1	0	
EFM0142	6/6/2018 22:00	1	1	0	
EFM0142	6/6/2018 23:00	1	1	0	
EFM0142	6/7/2018 0:00	1	1	0	
EFM0142	6/7/2018 1:00	1	1	0	
EFM0142	6/7/2018 2:00	1	1	0	
EFM0142	6/7/2018 3:00	1	1	0	
EFM0142	6/7/2018 4:00	1	1	0	
EFM0142	6/7/2018 5:00	1	1	0	
EFM0142	6/7/2018 6:00	1	1	0	
EFM0142	6/7/2018 7:00	1	1	0	
EFM0142	6/7/2018 8:00	1	1	0	
EFM0142	6/7/2018 9:00	1	1	0	
EFM0142	6/7/2018 10:00	1	1	0	
EFM0142	6/7/2018 11:00	1	1	0	
EFM0142	6/7/2018 12:00	1	1	0	
EFM0142	6/7/2018 13:00	1	1	0	
EFM0142	6/7/2018 14:00	1	1	0	
EFM0142	6/7/2018 15:00	1	1	0	
EFM0142	6/7/2018 16:00	1	1	0	
EFM0142	6/7/2018 17:00	1	1	0	
EFM0142	6/7/2018 18:00	1	1	0	
EFM0142	6/7/2018 19:00	1	1	0	
EFM0142	6/7/2018 20:00	1	1	0	
EFM0142	6/7/2018 21:00	1	1	0	
EFM0142	6/7/2018 22:00	1	1	0	
EFM0142	6/7/2018 23:00	1	1	0	
EFM0142	6/8/2018 0:00	1	1	0	
EFM0142	6/8/2018 1:00	1	1	0	
EFM0142	6/8/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	6/8/2018 3:00	1	1	0	
EFMD142	6/8/2018 4:00	1	1	0	
EFMD142	6/8/2018 5:00	1	1	0	
EFMD142	6/8/2018 6:00	1	1	0	
EFMD142	6/8/2018 7:00	1	1	0	
EFMD142	6/8/2018 8:00	1	1	0	
EFMD142	6/8/2018 9:00	1	1	0	
EFMD142	6/8/2018 10:00	1	1	0	
EFMD142	6/8/2018 11:00	1	1	0	
EFMD142	6/8/2018 12:00	1	1	0	
EFMD142	6/8/2018 13:00	1	1	0	
EFMD142	6/8/2018 14:00	1	1	0	
EFMD142	6/8/2018 15:00	1	1	0	
EFMD142	6/8/2018 16:00	1	1	0	
EFMD142	6/8/2018 17:00	1	1	0	
EFMD142	6/8/2018 18:00	1	1	0	
EFMD142	6/8/2018 19:00	1	1	0	
EFMD142	6/8/2018 20:00	1	1	0	
EFMD142	6/8/2018 21:00	1	1	0	
EFMD142	6/8/2018 22:00	1	1	0	
EFMD142	6/8/2018 23:00	1	1	0	
EFMD142	6/9/2018 0:00	1	1	0	
EFMD142	6/9/2018 1:00	1	1	0	
EFMD142	6/9/2018 2:00	1	1	0	
EFMD142	6/9/2018 3:00	1	1	0	
EFMD142	6/9/2018 4:00	1	1	0	
EFMD142	6/9/2018 5:00	1	1	0	
EFMD142	6/9/2018 6:00	1	1	0	
EFMD142	6/9/2018 7:00	1	1	0	
EFMD142	6/9/2018 8:00	1	1	0	
EFMD142	6/9/2018 9:00	1	1	0	
EFMD142	6/9/2018 10:00	1	1	0	
EFMD142	6/9/2018 11:00	1	1	0	
EFMD142	6/9/2018 12:00	1	1	0	
EFMD142	6/9/2018 13:00	1	1	0	
EFMD142	6/9/2018 14:00	1	1	0	
EFMD142	6/9/2018 15:00	1	1	0	
EFMD142	6/9/2018 16:00	1	1	0	
EFMD142	6/9/2018 17:00	1	1	0	
EFMD142	6/9/2018 18:00	1	1	0	
EFMD142	6/9/2018 19:00	1	1	0	
EFMD142	6/9/2018 20:00	1	1	0	
EFMD142	6/9/2018 21:00	1	1	0	
EFMD142	6/9/2018 22:00	1	1	0	
EFMD142	6/9/2018 23:00	1	1	0	
EFMD142	6/10/2018 0:00	1	1	0	
EFMD142	6/10/2018 1:00	1	1	0	
EFMD142	6/10/2018 2:00	1	1	0	
EFMD142	6/10/2018 3:00	1	1	0	
EFMD142	6/10/2018 4:00	1	1	0	
EFMD142	6/10/2018 5:00	1	1	0	
EFMD142	6/10/2018 6:00	1	1	0	
EFMD142	6/10/2018 7:00	1	1	0	
EFMD142	6/10/2018 8:00	1	1	0	
EFMD142	6/10/2018 9:00	1	1	0	
EFMD142	6/10/2018 10:00	1	1	0	
EFMD142	6/10/2018 11:00	1	1	0	
EFMD142	6/10/2018 12:00	1	1	0	
EFMD142	6/10/2018 13:00	1	1	0	
EFMD142	6/10/2018 14:00	1	1	0	
EFMD142	6/10/2018 15:00	1	1	0	
EFMD142	6/10/2018 16:00	1	1	0	
EFMD142	6/10/2018 17:00	1	1	0	
EFMD142	6/10/2018 18:00	1	1	0	
EFMD142	6/10/2018 19:00	1	1	0	
EFMD142	6/10/2018 20:00	1	1	0	
EFMD142	6/10/2018 21:00	1	1	0	
EFMD142	6/10/2018 22:00	1	1	0	
EFMD142	6/10/2018 23:00	1	1	0	
EFMD142	6/11/2018 0:00	1	1	0	
EFMD142	6/11/2018 1:00	1	1	0	
EFMD142	6/11/2018 2:00	1	1	0	
EFMD142	6/11/2018 3:00	1	1	0	
EFMD142	6/11/2018 4:00	1	1	0	
EFMD142	6/11/2018 5:00	1	1	0	
EFMD142	6/11/2018 6:00	1	1	0	
EFMD142	6/11/2018 7:00	1	1	0	
EFMD142	6/11/2018 8:00	1	1	0	
EFMD142	6/11/2018 9:00	1	1	0	
EFMD142	6/11/2018 10:00	1	1	0	
EFMD142	6/11/2018 11:00	1	1	0	
EFMD142	6/11/2018 12:00	1	1	0	
EFMD142	6/11/2018 13:00	1	1	0	
EFMD142	6/11/2018 14:00	1	1	0	
EFMD142	6/11/2018 15:00	1	1	0	
EFMD142	6/11/2018 16:00	1	1	0	
EFMD142	6/11/2018 17:00	1	1	0	
EFMD142	6/11/2018 18:00	1	1	0	
EFMD142	6/11/2018 19:00	1	1	0	
EFMD142	6/11/2018 20:00	1	1	0	
EFMD142	6/11/2018 21:00	1	1	0	
EFMD142	6/11/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.3% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	6/11/2018 23:00	1	1	0	
EFM0142	6/12/2018 0:00	1	1	0	
EFM0142	6/12/2018 1:00	1	1	0	
EFM0142	6/12/2018 2:00	1	1	0	
EFM0142	6/12/2018 3:00	1	1	0	
EFM0142	6/12/2018 4:00	1	1	0	
EFM0142	6/12/2018 5:00	1	1	0	
EFM0142	6/12/2018 6:00	1	1	0	
EFM0142	6/12/2018 7:00	1	1	0	
EFM0142	6/12/2018 8:00	1	1	0	
EFM0142	6/12/2018 9:00	1	1	0	
EFM0142	6/12/2018 10:00	1	1	0	
EFM0142	6/12/2018 11:00	1	1	0	
EFM0142	6/12/2018 12:00	1	1	0	
EFM0142	6/12/2018 13:00	1	1	0	
EFM0142	6/12/2018 14:00	1	1	0	
EFM0142	6/12/2018 15:00	1	1	0	
EFM0142	6/12/2018 16:00	1	1	0	
EFM0142	6/12/2018 17:00	1	1	0	
EFM0142	6/12/2018 18:00	1	1	0	
EFM0142	6/12/2018 19:00	1	1	0	
EFM0142	6/12/2018 20:00	1	1	0	
EFM0142	6/12/2018 21:00	1	1	0	
EFM0142	6/12/2018 22:00	1	1	0	
EFM0142	6/12/2018 23:00	1	1	0	
EFM0142	6/13/2018 0:00	1	1	0	
EFM0142	6/13/2018 1:00	1	1	0	
EFM0142	6/13/2018 2:00	1	1	0	
EFM0142	6/13/2018 3:00	1	1	0	
EFM0142	6/13/2018 4:00	1	1	0	
EFM0142	6/13/2018 5:00	1	1	0	
EFM0142	6/13/2018 6:00	1	1	0	
EFM0142	6/13/2018 7:00	1	1	0	
EFM0142	6/13/2018 8:00	1	1	0	
EFM0142	6/13/2018 9:00	1	1	0	
EFM0142	6/13/2018 10:00	1	1	0	
EFM0142	6/13/2018 11:00	1	1	0	
EFM0142	6/13/2018 12:00	1	1	0	
EFM0142	6/13/2018 13:00	1	1	0	
EFM0142	6/13/2018 14:00	1	1	0	
EFM0142	6/13/2018 15:00	1	1	0	
EFM0142	6/13/2018 16:00	1	1	0	
EFM0142	6/13/2018 17:00	1	1	0	
EFM0142	6/13/2018 18:00	1	1	0	
EFM0142	6/13/2018 19:00	1	1	0	
EFM0142	6/13/2018 20:00	1	1	0	
EFM0142	6/13/2018 21:00	1	1	0	
EFM0142	6/13/2018 22:00	1	1	0	
EFM0142	6/13/2018 23:00	1	1	0	
EFM0142	6/14/2018 0:00	1	1	0	
	6/14/2018 1:00				Missing data
	6/14/2018 2:00				Missing data
	6/14/2018 3:00				Missing data
	6/14/2018 4:00				Missing data
	6/14/2018 5:00				Missing data
	6/14/2018 6:00				Missing data
	6/14/2018 7:00				Missing data
	6/14/2018 8:00				Missing data
EFM0142	6/14/2018 9:00	1	1	0	
EFM0142	6/14/2018 10:00	1	1	0	
EFM0142	6/14/2018 11:00	1	1	0	
EFM0142	6/14/2018 12:00	1	1	0	
EFM0142	6/14/2018 13:00	1	1	0	
EFM0142	6/14/2018 14:00	1	1	0	
EFM0142	6/14/2018 15:00	1	1	0	
EFM0142	6/14/2018 16:00	1	1	0	
EFM0142	6/14/2018 17:00	1	1	0	
EFM0142	6/14/2018 18:00	1	1	0	
EFM0142	6/14/2018 19:00	1	1	0	
EFM0142	6/14/2018 20:00	1	1	0	
EFM0142	6/14/2018 21:00	1	1	0	
EFM0142	6/14/2018 22:00	1	1	0	
EFM0142	6/14/2018 23:00	1	1	0	
EFM0142	6/15/2018 0:00	1	1	0	
EFM0142	6/15/2018 1:00	1	1	0	
EFM0142	6/15/2018 2:00	1	1	0	
EFM0142	6/15/2018 3:00	1	1	0	
EFM0142	6/15/2018 4:00	1	1	0	
EFM0142	6/15/2018 5:00	1	1	0	
EFM0142	6/15/2018 6:00	1	1	0	
EFM0142	6/15/2018 7:00	1	1	0	
EFM0142	6/15/2018 8:00	1	1	0	
EFM0142	6/15/2018 9:00	1	1	0	
EFM0142	6/15/2018 10:00	1	1	0	
EFM0142	6/15/2018 11:00	1	1	0	
EFM0142	6/15/2018 12:00	1	1	0	
EFM0142	6/15/2018 13:00	1	1	0	
EFM0142	6/15/2018 14:00	1	1	0	
EFM0142	6/15/2018 15:00	1	1	0	
EFM0142	6/15/2018 16:00	1	1	0	
EFM0142	6/15/2018 17:00	1	1	0	
EFM0142	6/15/2018 18:00	1	1	0	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	6/15/2018 19:00	1	1	0	
EFM0142	6/15/2018 20:00	1	1	0	
EFM0142	6/15/2018 21:00	1	1	0	
EFM0142	6/15/2018 22:00	1	1	0	
EFM0142	6/15/2018 23:00	1	1	0	
EFM0142	6/16/2018 0:00	1	1	0	
EFM0142	6/16/2018 1:00	1	1	0	
EFM0142	6/16/2018 2:00	1	1	0	
EFM0142	6/16/2018 3:00	1	1	0	
EFM0142	6/16/2018 4:00	1	1	0	
EFM0142	6/16/2018 5:00	1	1	0	
EFM0142	6/16/2018 6:00	1	1	0	
EFM0142	6/16/2018 7:00	1	1	0	
EFM0142	6/16/2018 8:00	1	1	0	
EFM0142	6/16/2018 9:00	1	1	0	
EFM0142	6/16/2018 10:00	1	1	0	
EFM0142	6/16/2018 11:00	1	1	0	
EFM0142	6/16/2018 12:00	1	1	0	
EFM0142	6/16/2018 13:00	1	1	0	
EFM0142	6/16/2018 14:00	1	1	0	
EFM0142	6/16/2018 15:00	1	1	0	
EFM0142	6/16/2018 16:00	1	1	0	
EFM0142	6/16/2018 17:00	1	1	0	
EFM0142	6/16/2018 18:00	1	1	0	
EFM0142	6/16/2018 19:00	1	1	0	
EFM0142	6/16/2018 20:00	1	1	0	
EFM0142	6/16/2018 21:00	1	1	0	
EFM0142	6/16/2018 22:00	1	1	0	
EFM0142	6/16/2018 23:00	1	1	0	
EFM0142	6/17/2018 0:00	1	1	0	
EFM0142	6/17/2018 1:00	1	1	0	
EFM0142	6/17/2018 2:00	1	1	0	
EFM0142	6/17/2018 3:00	1	1	0	
EFM0142	6/17/2018 4:00	1	1	0	
EFM0142	6/17/2018 5:00	1	1	0	
EFM0142	6/17/2018 6:00	1	1	0	
EFM0142	6/17/2018 7:00	1	1	0	
EFM0142	6/17/2018 8:00	1	1	0	
EFM0142	6/17/2018 9:00	1	1	0	
EFM0142	6/17/2018 10:00	1	1	0	
EFM0142	6/17/2018 11:00	1	1	0	
EFM0142	6/17/2018 12:00	1	1	0	
EFM0142	6/17/2018 13:00	1	1	0	
EFM0142	6/17/2018 14:00	1	1	0	
EFM0142	6/17/2018 15:00	1	1	0	
EFM0142	6/17/2018 16:00	1	1	0	
EFM0142	6/17/2018 17:00	1	1	0	
EFM0142	6/17/2018 18:00	1	1	0	
EFM0142	6/17/2018 19:00	1	1	0	
EFM0142	6/17/2018 20:00	1	1	0	
EFM0142	6/17/2018 21:00	1	1	0	
EFM0142	6/17/2018 22:00	1	1	0	
EFM0142	6/17/2018 23:00	1	1	0	
EFM0142	6/18/2018 0:00	1	1	0	
EFM0142	6/18/2018 1:00	1	1	0	
EFM0142	6/18/2018 2:00	1	1	0	
EFM0142	6/18/2018 3:00	1	1	0	
EFM0142	6/18/2018 4:00	1	1	0	
EFM0142	6/18/2018 5:00	1	1	0	
EFM0142	6/18/2018 6:00	1	1	0	
EFM0142	6/18/2018 7:00	1	1	0	
EFM0142	6/18/2018 8:00	1	1	0	
EFM0142	6/18/2018 9:00	1	1	0	
EFM0142	6/18/2018 10:00	1	1	0	
EFM0142	6/18/2018 11:00	1	1	0	
EFM0142	6/18/2018 12:00	1	1	0	
EFM0142	6/18/2018 13:00	1	1	0	
EFM0142	6/18/2018 14:00	1	1	0	
EFM0142	6/18/2018 15:00	1	1	0	
EFM0142	6/18/2018 16:00	1	1	0	
EFM0142	6/18/2018 17:00	1	1	0	
EFM0142	6/18/2018 18:00	1	1	0	
EFM0142	6/18/2018 19:00	1	1	0	
EFM0142	6/18/2018 20:00	1	1	0	
EFM0142	6/18/2018 21:00	1	1	0	
EFM0142	6/18/2018 22:00	1	1	0	
EFM0142	6/18/2018 23:00	1	1	0	
EFM0142	6/19/2018 0:00	1	1	0	
EFM0142	6/19/2018 1:00	1	1	0	
EFM0142	6/19/2018 2:00	1	1	0	
EFM0142	6/19/2018 3:00	1	1	0	
EFM0142	6/19/2018 4:00	1	1	0	
EFM0142	6/19/2018 5:00	1	1	0	
EFM0142	6/19/2018 6:00	1	1	0	
EFM0142	6/19/2018 7:00	1	1	0	
EFM0142	6/19/2018 8:00	1	1	0	
EFM0142	6/19/2018 9:00	1	1	0	
EFM0142	6/19/2018 10:00	1	1	0	
EFM0142	6/19/2018 11:00	1	1	0	
EFM0142	6/19/2018 12:00	1	1	0	
EFM0142	6/19/2018 13:00	1	1	0	
EFM0142	6/19/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Excess Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time
					798 hrs with the pilot off
					8 hrs with compressor "on"
					789 hrs with compressor "off"
EFM0142	6/19/2018 15:00	1	1	0	
EFM0142	6/19/2018 16:00	1	1	0	
EFM0142	6/19/2018 17:00	1	1	0	
EFM0142	6/19/2018 18:00	1	1	0	
EFM0142	6/19/2018 19:00	1	1	0	
EFM0142	6/19/2018 20:00	1	1	0	
EFM0142	6/19/2018 21:00	1	1	0	
EFM0142	6/19/2018 22:00	1	1	0	
EFM0142	6/19/2018 23:00	1	1	0	
EFM0142	6/20/2018 0:00	1	1	0	
EFM0142	6/20/2018 1:00	1	1	0	
EFM0142	6/20/2018 2:00	1	1	0	
EFM0142	6/20/2018 3:00	1	1	0	
EFM0142	6/20/2018 4:00	1	1	0	
EFM0142	6/20/2018 5:00	1	1	0	
EFM0142	6/20/2018 6:00	1	1	0	
EFM0142	6/20/2018 7:00	1	1	0	
EFM0142	6/20/2018 8:00	1	1	0	
EFM0142	6/20/2018 9:00	1	1	0	
EFM0142	6/20/2018 10:00	1	1	0	
EFM0142	6/20/2018 11:00	1	1	0	
EFM0142	6/20/2018 12:00	1	1	0	
EFM0142	6/20/2018 13:00	1	1	0	
EFM0142	6/20/2018 14:00	1	1	0	
EFM0142	6/20/2018 15:00	1	1	0	
EFM0142	6/20/2018 16:00	1	1	0	
EFM0142	6/20/2018 17:00	1	1	0	
EFM0142	6/20/2018 18:00	1	1	0	
EFM0142	6/20/2018 19:00	1	1	0	
EFM0142	6/20/2018 20:00	1	1	0	
EFM0142	6/20/2018 21:00	1	1	0	
EFM0142	6/20/2018 22:00	1	1	0	
EFM0142	6/20/2018 23:00	1	1	0	
EFM0142	6/21/2018 0:00	1	1	0	
EFM0142	6/21/2018 1:00	1	1	0	
EFM0142	6/21/2018 2:00	1	1	0	
EFM0142	6/21/2018 3:00	1	1	0	
EFM0142	6/21/2018 4:00	1	1	0	
EFM0142	6/21/2018 5:00	1	1	0	
EFM0142	6/21/2018 6:00	1	1	0	
EFM0142	6/21/2018 7:00	1	1	0	
EFM0142	6/21/2018 8:00	1	1	0	
EFM0142	6/21/2018 9:00	1	1	0	
EFM0142	6/21/2018 10:00	1	1	0	
EFM0142	6/21/2018 11:00	1	1	0	
EFM0142	6/21/2018 12:00	1	1	0	
EFM0142	6/21/2018 13:00	1	1	0	
EFM0142	6/21/2018 14:00	1	1	0	
EFM0142	6/21/2018 15:00	1	1	0	
EFM0142	6/21/2018 16:00	1	1	0	
EFM0142	6/21/2018 17:00	1	1	0	
EFM0142	6/21/2018 18:00	1	1	0	
EFM0142	6/21/2018 19:00	1	1	0	
EFM0142	6/21/2018 20:00	1	1	0	
EFM0142	6/21/2018 21:00	1	1	0	
EFM0142	6/21/2018 22:00	1	1	0	
EFM0142	6/21/2018 23:00	1	1	0	
EFM0142	6/22/2018 0:00	1	1	0	
EFM0142	6/22/2018 1:00	1	1	0	
EFM0142	6/22/2018 2:00	1	1	0	
EFM0142	6/22/2018 3:00	1	1	0	
EFM0142	6/22/2018 4:00	1	1	0	
EFM0142	6/22/2018 5:00	1	1	0	
EFM0142	6/22/2018 6:00	1	1	0	
EFM0142	6/22/2018 7:00	1	1	0	
EFM0142	6/22/2018 8:00	1	1	0	
EFM0142	6/22/2018 9:00	1	1	0	
EFM0142	6/22/2018 10:00	1	1	0	
EFM0142	6/22/2018 11:00	1	1	0	
EFM0142	6/22/2018 12:00	1	1	0	
EFM0142	6/22/2018 13:00	1	1	0	
EFM0142	6/22/2018 14:00	1	1	0	
EFM0142	6/22/2018 15:00	1	1	0	
EFM0142	6/22/2018 16:00	1	1	0	
EFM0142	6/22/2018 17:00	1	1	0	
EFM0142	6/22/2018 18:00	1	1	0	
EFM0142	6/22/2018 19:00	1	1	0	
EFM0142	6/22/2018 20:00	1	1	0	
EFM0142	6/22/2018 21:00	1	1	0	
EFM0142	6/22/2018 22:00	1	1	0	
EFM0142	6/22/2018 23:00	1	1	0	
EFM0142	6/23/2018 0:00	1	1	0	
EFM0142	6/23/2018 1:00	1	1	0	
EFM0142	6/23/2018 2:00	1	1	0	
EFM0142	6/23/2018 3:00	1	1	0	
EFM0142	6/23/2018 4:00	1	1	0	
EFM0142	6/23/2018 5:00	1	1	0	
EFM0142	6/23/2018 6:00	1	1	0	
EFM0142	6/23/2018 7:00	1	1	0	
EFM0142	6/23/2018 8:00	1	1	0	
EFM0142	6/23/2018 9:00	1	1	0	
EFM0142	6/23/2018 10:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	6/23/2018 11:00	1	1	0	
EFM0142	6/23/2018 12:00	1	1	0	
EFM0142	6/23/2018 13:00	1	1	0	
EFM0142	6/23/2018 14:00	1	1	0	
EFM0142	6/23/2018 15:00	1	1	0	
EFM0142	6/23/2018 16:00	1	1	0	
EFM0142	6/23/2018 17:00	1	1	0	
EFM0142	6/23/2018 18:00	1	1	0	
EFM0142	6/23/2018 19:00	1	1	0	
EFM0142	6/23/2018 20:00	1	1	0	
EFM0142	6/23/2018 21:00	1	1	0	
EFM0142	6/23/2018 22:00	1	1	0	
EFM0142	6/23/2018 23:00	1	1	0	
EFM0142	6/24/2018 0:00	1	1	0	
EFM0142	6/24/2018 1:00	1	1	0	
EFM0142	6/24/2018 2:00	1	1	0	
EFM0142	6/24/2018 3:00	1	1	0	
EFM0142	6/24/2018 4:00	1	1	0	
EFM0142	6/24/2018 5:00	1	1	0	
EFM0142	6/24/2018 6:00	1	1	0	
EFM0142	6/24/2018 7:00	1	1	0	
EFM0142	6/24/2018 8:00	1	1	0	
EFM0142	6/24/2018 9:00	1	1	0	
EFM0142	6/24/2018 10:00	1	1	0	
EFM0142	6/24/2018 11:00	1	1	0	
EFM0142	6/24/2018 12:00	1	1	0	
EFM0142	6/24/2018 13:00	1	1	0	
EFM0142	6/24/2018 14:00	1	1	0	
EFM0142	6/24/2018 15:00	1	1	0	
EFM0142	6/24/2018 16:00	1	1	0	
EFM0142	6/24/2018 17:00	1	1	0	
EFM0142	6/24/2018 18:00	1	1	0	
EFM0142	6/24/2018 19:00	1	1	0	
EFM0142	6/24/2018 20:00	1	1	0	
EFM0142	6/24/2018 21:00	1	1	0	
EFM0142	6/24/2018 22:00	1	1	0	
EFM0142	6/24/2018 23:00	1	1	0	
EFM0142	6/25/2018 0:00	1	1	0	
EFM0142	6/25/2018 1:00	1	1	0	
EFM0142	6/25/2018 2:00	1	1	0	
EFM0142	6/25/2018 3:00	1	1	0	
EFM0142	6/25/2018 4:00	1	1	0	
EFM0142	6/25/2018 5:00	1	1	0	
EFM0142	6/25/2018 6:00	1	1	0	
EFM0142	6/25/2018 7:00	1	1	0	
EFM0142	6/25/2018 8:00	1	1	0	
EFM0142	6/25/2018 9:00	0	0	0	
EFM0142	6/25/2018 10:00	0	0	0	
EFM0142	6/25/2018 11:00	1	1	0	
EFM0142	6/25/2018 12:00	1	1	0	
EFM0142	6/25/2018 13:00	1	1	0	
EFM0142	6/25/2018 14:00	1	1	0	
EFM0142	6/25/2018 15:00	1	1	0	
EFM0142	6/25/2018 16:00	1	1	0	
EFM0142	6/25/2018 17:00	1	1	0	
EFM0142	6/25/2018 18:00	1	1	0	
EFM0142	6/25/2018 19:00	1	1	0	
EFM0142	6/25/2018 20:00	1	1	0	
EFM0142	6/25/2018 21:00	1	1	0	
EFM0142	6/25/2018 22:00	1	1	0	
EFM0142	6/25/2018 23:00	1	1	0	
EFM0142	6/26/2018 0:00	1	1	0	
EFM0142	6/26/2018 1:00	1	1	0	
EFM0142	6/26/2018 2:00	1	1	0	
EFM0142	6/26/2018 3:00	1	1	0	
EFM0142	6/26/2018 4:00	1	1	0	
EFM0142	6/26/2018 5:00	1	1	0	
EFM0142	6/26/2018 6:00	1	1	0	
EFM0142	6/26/2018 7:00	1	1	0	
EFM0142	6/26/2018 8:00	1	1	0	
EFM0142	6/26/2018 9:00	1	1	0	
EFM0142	6/26/2018 10:00	1	1	0	
EFM0142	6/26/2018 11:00	1	1	0	
EFM0142	6/26/2018 12:00	1	1	0	
EFM0142	6/26/2018 13:00	1	1	0	
EFM0142	6/26/2018 14:00	1	1	0	
EFM0142	6/26/2018 15:00	1	1	0	
EFM0142	6/26/2018 16:00	1	1	0	
EFM0142	6/26/2018 17:00	1	1	0	
EFM0142	6/26/2018 18:00	1	1	0	
EFM0142	6/26/2018 19:00	1	1	0	
EFM0142	6/26/2018 20:00	1	1	0	
EFM0142	6/26/2018 21:00	1	1	0	
EFM0142	6/26/2018 22:00	1	1	0	
EFM0142	6/26/2018 23:00	1	1	0	
EFM0142	6/27/2018 0:00	1	1	0	
EFM0142	6/27/2018 1:00	1	1	0	
EFM0142	6/27/2018 2:00	1	1	0	
EFM0142	6/27/2018 3:00	1	1	0	
EFM0142	6/27/2018 4:00	1	1	0	
EFM0142	6/27/2018 5:00	1	1	0	
EFM0142	6/27/2018 6:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 708 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	6/27/2018 7:00	1	1	0	
EFM0142	6/27/2018 8:00	1	1	0	
EFM0142	6/27/2018 9:00	1	1	0	
EFM0142	6/27/2018 10:00	1	1	0	
EFM0142	6/27/2018 11:00	1	1	0	
EFM0142	6/27/2018 12:00	1	1	0	
EFM0142	6/27/2018 13:00	1	1	0	
EFM0142	6/27/2018 14:00	1	1	0	
EFM0142	6/27/2018 15:00	1	1	0	
EFM0142	6/27/2018 16:00	1	1	0	
EFM0142	6/27/2018 17:00	1	1	0	
EFM0142	6/27/2018 18:00	1	1	0	
EFM0142	6/27/2018 19:00	1	1	0	
EFM0142	6/27/2018 20:00	1	1	0	
EFM0142	6/27/2018 21:00	1	1	0	
EFM0142	6/27/2018 22:00	1	1	0	
EFM0142	6/27/2018 23:00	1	1	0	
EFM0142	6/28/2018 0:00	1	1	0	
EFM0142	6/28/2018 1:00	1	1	0	
EFM0142	6/28/2018 2:00	1	1	0	
EFM0142	6/28/2018 3:00	1	1	0	
EFM0142	6/28/2018 4:00	1	1	0	
EFM0142	6/28/2018 5:00	1	1	0	
EFM0142	6/28/2018 6:00	1	1	0	
EFM0142	6/28/2018 7:00	1	1	0	
EFM0142	6/28/2018 8:00	1	1	0	
EFM0142	6/28/2018 9:00	1	1	0	
EFM0142	6/28/2018 10:00	1	1	0	
EFM0142	6/28/2018 11:00	1	1	0	
EFM0142	6/28/2018 12:00	1	1	0	
EFM0142	6/28/2018 13:00	1	1	0	
EFM0142	6/28/2018 14:00	1	1	0	
EFM0142	6/28/2018 15:00	1	1	0	
EFM0142	6/28/2018 16:00	1	1	0	
EFM0142	6/28/2018 17:00	1	1	0	
EFM0142	6/28/2018 18:00	1	1	0	
EFM0142	6/28/2018 19:00	1	1	0	
EFM0142	6/28/2018 20:00	1	1	0	
EFM0142	6/28/2018 21:00	1	1	0	
EFM0142	6/28/2018 22:00	1	1	0	
EFM0142	6/28/2018 23:00	1	1	0	
EFM0142	6/29/2018 0:00	1	1	0	
EFM0142	6/29/2018 1:00	1	1	0	
EFM0142	6/29/2018 2:00	1	1	0	
EFM0142	6/29/2018 3:00	1	1	0	
EFM0142	6/29/2018 4:00	1	1	0	
EFM0142	6/29/2018 5:00	1	1	0	
EFM0142	6/29/2018 6:00	1	1	0	
EFM0142	6/29/2018 7:00	1	1	0	
EFM0142	6/29/2018 8:00	1	1	0	
EFM0142	6/29/2018 9:00	1	1	0	
EFM0142	6/29/2018 10:00	1	1	0	
EFM0142	6/29/2018 11:00	1	1	0	
EFM0142	6/29/2018 12:00	1	1	0	
EFM0142	6/29/2018 13:00	1	1	0	
EFM0142	6/29/2018 14:00	1	1	0	
EFM0142	6/29/2018 15:00	1	1	0	
EFM0142	6/29/2018 16:00	1	1	0	
EFM0142	6/29/2018 17:00	1	1	0	
EFM0142	6/29/2018 18:00	1	1	0	
EFM0142	6/29/2018 19:00	1	1	0	
EFM0142	6/29/2018 20:00	1	1	0	
EFM0142	6/29/2018 21:00	1	1	0	
EFM0142	6/29/2018 22:00	1	1	0	
EFM0142	6/29/2018 23:00	1	1	0	
EFM0142	6/30/2018 0:00	1	1	0	
EFM0142	6/30/2018 1:00	1	1	0	
EFM0142	6/30/2018 2:00	1	1	0	
EFM0142	6/30/2018 3:00	1	1	0	
EFM0142	6/30/2018 4:00	1	1	0	
EFM0142	6/30/2018 5:00	1	1	0	
EFM0142	6/30/2018 6:00	1	1	0	
EFM0142	6/30/2018 7:00	1	1	0	
EFM0142	6/30/2018 8:00	1	1	0	
EFM0142	6/30/2018 9:00	1	1	0	
EFM0142	6/30/2018 10:00	1	1	0	
EFM0142	6/30/2018 11:00	1	1	0	
EFM0142	6/30/2018 12:00	1	1	0	
EFM0142	6/30/2018 13:00	1	1	0	
EFM0142	6/30/2018 14:00	1	1	0	
EFM0142	6/30/2018 15:00	1	1	0	
EFM0142	6/30/2018 16:00	1	1	0	
	6/30/2018 17:00				Missing data
	6/30/2018 18:00				Missing data
	6/30/2018 19:00				Missing data
	6/30/2018 20:00				Missing data
	6/30/2018 21:00				Missing data
	6/30/2018 22:00				Missing data
	6/30/2018 23:00				Missing data
	7/1/2018 0:00				Missing data
EFM0142	7/1/2018 1:00	1	1	0	
EFM0142	7/1/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 738 hrs with the pilot off; 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	7/1/2018 3:00	1	1	0	
EFM0142	7/1/2018 4:00	1	1	0	
EFM0142	7/1/2018 5:00	1	1	0	
EFM0142	7/1/2018 6:00	1	1	0	
EFM0142	7/1/2018 7:00	1	1	0	
EFM0142	7/1/2018 8:00	1	1	0	
EFM0142	7/1/2018 9:00	1	1	0	
EFM0142	7/1/2018 10:00	1	1	0	
EFM0142	7/1/2018 11:00	1	1	0	
EFM0142	7/1/2018 12:00	1	1	0	
EFM0142	7/1/2018 13:00	1	1	0	
EFM0142	7/1/2018 14:00	1	1	0	
EFM0142	7/1/2018 15:00	1	1	0	
EFM0142	7/1/2018 16:00	1	1	0	
EFM0142	7/1/2018 17:00	1	1	0	
EFM0142	7/1/2018 18:00	1	1	0	
EFM0142	7/1/2018 19:00	1	1	0	
EFM0142	7/1/2018 20:00	1	1	0	
EFM0142	7/1/2018 21:00	1	1	0	
EFM0142	7/1/2018 22:00	1	1	0	
EFM0142	7/1/2018 23:00	1	1	0	
EFM0142	7/2/2018 0:00	1	1	0	
EFM0142	7/2/2018 1:00	1	1	0	
EFM0142	7/2/2018 2:00	1	1	0	
EFM0142	7/2/2018 3:00	1	1	0	
EFM0142	7/2/2018 4:00	1	1	0	
EFM0142	7/2/2018 5:00	1	1	0	
EFM0142	7/2/2018 6:00	1	1	0	
EFM0142	7/2/2018 7:00	1	1	0	
EFM0142	7/2/2018 8:00	1	1	0	
EFM0142	7/2/2018 9:00	1	1	0	
EFM0142	7/2/2018 10:00	1	1	0	
EFM0142	7/2/2018 11:00	1	1	0	
EFM0142	7/2/2018 12:00	1	1	0	
EFM0142	7/2/2018 13:00	1	1	0	
EFM0142	7/2/2018 14:00	1	1	0	
EFM0142	7/2/2018 15:00	1	1	0	
EFM0142	7/2/2018 16:00	1	1	0	
EFM0142	7/2/2018 17:00	1	1	0	
EFM0142	7/2/2018 18:00	1	1	0	
EFM0142	7/2/2018 19:00	1	1	0	
EFM0142	7/2/2018 20:00	1	1	0	
EFM0142	7/2/2018 21:00	1	1	0	
EFM0142	7/2/2018 22:00	1	1	0	
EFM0142	7/2/2018 23:00	1	1	0	
EFM0142	7/3/2018 0:00	1	1	0	
EFM0142	7/3/2018 1:00	1	1	0	
EFM0142	7/3/2018 2:00	1	1	0	
EFM0142	7/3/2018 3:00	1	1	0	
EFM0142	7/3/2018 4:00	1	1	0	
EFM0142	7/3/2018 5:00	1	1	0	
EFM0142	7/3/2018 6:00	1	1	0	
EFM0142	7/3/2018 7:00	1	1	0	
EFM0142	7/3/2018 8:00	1	1	0	
EFM0142	7/3/2018 9:00	1	1	0	
EFM0142	7/3/2018 10:00	1	1	0	
EFM0142	7/3/2018 11:00	1	1	0	
EFM0142	7/3/2018 12:00	1	1	0	
EFM0142	7/3/2018 13:00	1	1	0	
EFM0142	7/3/2018 14:00	1	1	0	
EFM0142	7/3/2018 15:00	1	1	0	
EFM0142	7/3/2018 16:00	1	1	0	
EFM0142	7/3/2018 17:00	1	1	0	
EFM0142	7/3/2018 18:00	1	1	0	
EFM0142	7/3/2018 19:00	1	1	0	
EFM0142	7/3/2018 20:00	1	1	0	
EFM0142	7/3/2018 21:00	1	1	0	
EFM0142	7/3/2018 22:00	1	1	0	
EFM0142	7/3/2018 23:00	1	1	0	
EFM0142	7/4/2018 0:00	1	1	0	
EFM0142	7/4/2018 1:00	1	1	0	
EFM0142	7/4/2018 2:00	1	1	0	
EFM0142	7/4/2018 3:00	1	1	0	
EFM0142	7/4/2018 4:00	1	1	0	
EFM0142	7/4/2018 5:00	1	1	0	
EFM0142	7/4/2018 6:00	1	1	0	
EFM0142	7/4/2018 7:00	1	1	0	
EFM0142	7/4/2018 8:00	1	1	0	
EFM0142	7/4/2018 9:00	1	1	0	
EFM0142	7/4/2018 10:00	1	1	0	
EFM0142	7/4/2018 11:00	1	1	0	
EFM0142	7/4/2018 12:00	1	1	0	
EFM0142	7/4/2018 13:00	1	1	0	
EFM0142	7/4/2018 14:00	1	1	0	
EFM0142	7/4/2018 15:00	1	1	0	
EFM0142	7/4/2018 16:00	1	1	0	
EFM0142	7/4/2018 17:00	1	1	0	
EFM0142	7/4/2018 18:00	1	1	0	
EFM0142	7/4/2018 19:00	1	1	0	
EFM0142	7/4/2018 20:00	1	1	0	
EFM0142	7/4/2018 21:00	1	1	0	
EFM0142	7/4/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	7/4/2018 23:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	7/5/2018 0:00	1	1	0	
EFM0142	7/5/2018 1:00	1	1	0	
EFM0142	7/5/2018 2:00	1	1	0	
EFM0142	7/5/2018 3:00	1	1	0	
EFM0142	7/5/2018 4:00	1	1	0	
EFM0142	7/5/2018 5:00	1	1	0	
EFM0142	7/5/2018 6:00	1	1	0	
EFM0142	7/5/2018 7:00	1	1	0	
EFM0142	7/5/2018 8:00	1	1	0	
EFM0142	7/5/2018 9:00	1	1	0	
EFM0142	7/5/2018 10:00	1	1	0	
EFM0142	7/5/2018 11:00	1	1	0	
EFM0142	7/5/2018 12:00	1	1	0	
EFM0142	7/5/2018 13:00	1	1	0	
EFM0142	7/5/2018 14:00	1	1	0	
EFM0142	7/5/2018 15:00	1	1	0	
EFM0142	7/5/2018 16:00	1	1	0	
EFM0142	7/5/2018 17:00	1	1	0	
EFM0142	7/5/2018 18:00	1	1	0	
EFM0142	7/5/2018 19:00	1	1	0	
EFM0142	7/5/2018 20:00	1	1	0	
EFM0142	7/5/2018 21:00	1	1	0	
EFM0142	7/5/2018 22:00	1	1	0	
EFM0142	7/5/2018 23:00	1	1	0	
EFM0142	7/6/2018 0:00	1	1	0	
EFM0142	7/6/2018 1:00	1	1	0	
EFM0142	7/6/2018 2:00	1	1	0	
EFM0142	7/6/2018 3:00	1	1	0	
EFM0142	7/6/2018 4:00	1	1	0	
EFM0142	7/6/2018 5:00	1	1	0	
EFM0142	7/6/2018 6:00	1	1	0	
EFM0142	7/6/2018 7:00	1	1	0	
EFM0142	7/6/2018 8:00	1	1	0	
EFM0142	7/6/2018 9:00	1	1	0	
EFM0142	7/6/2018 10:00	1	1	0	
EFM0142	7/6/2018 11:00	1	1	0	
EFM0142	7/6/2018 12:00	1	1	0	
EFM0142	7/6/2018 13:00	1	1	0	
EFM0142	7/6/2018 14:00	1	1	0	
EFM0142	7/6/2018 15:00	1	1	0	
EFM0142	7/6/2018 16:00	1	1	0	
EFM0142	7/6/2018 17:00	1	1	0	
EFM0142	7/6/2018 18:00	1	1	0	
EFM0142	7/6/2018 19:00	1	1	0	
EFM0142	7/6/2018 20:00	1	1	0	
EFM0142	7/6/2018 21:00	1	1	0	
EFM0142	7/6/2018 22:00	1	1	0	
EFM0142	7/6/2018 23:00	1	1	0	
EFM0142	7/7/2018 0:00	1	1	0	
EFM0142	7/7/2018 1:00	1	1	0	
EFM0142	7/7/2018 2:00	1	1	0	
EFM0142	7/7/2018 3:00	1	1	0	
EFM0142	7/7/2018 4:00	1	1	0	
EFM0142	7/7/2018 5:00	1	1	0	
EFM0142	7/7/2018 6:00	1	1	0	
EFM0142	7/7/2018 7:00	1	1	0	
EFM0142	7/7/2018 8:00	1	1	0	
EFM0142	7/7/2018 9:00	1	1	0	
EFM0142	7/7/2018 10:00	1	1	0	
EFM0142	7/7/2018 11:00	1	1	0	
EFM0142	7/7/2018 12:00	1	1	0	
EFM0142	7/7/2018 13:00	1	1	0	
EFM0142	7/7/2018 14:00	1	1	0	
EFM0142	7/7/2018 15:00	1	1	0	
EFM0142	7/7/2018 16:00	1	1	0	
EFM0142	7/7/2018 17:00	1	1	0	
EFM0142	7/7/2018 18:00	1	1	0	
EFM0142	7/7/2018 19:00	1	1	0	
EFM0142	7/7/2018 20:00	1	1	0	
EFM0142	7/7/2018 21:00	1	1	0	
EFM0142	7/7/2018 22:00	1	1	0	
EFM0142	7/7/2018 23:00	1	1	0	
EFM0142	7/8/2018 0:00	1	1	0	
EFM0142	7/8/2018 1:00	1	1	0	
EFM0142	7/8/2018 2:00	1	1	0	
EFM0142	7/8/2018 3:00	1	1	0	
EFM0142	7/8/2018 4:00	1	1	0	
EFM0142	7/8/2018 5:00	1	1	0	
EFM0142	7/8/2018 6:00	1	1	0	
EFM0142	7/8/2018 7:00	1	1	0	
EFM0142	7/8/2018 8:00	1	1	0	
EFM0142	7/8/2018 9:00	1	1	0	
EFM0142	7/8/2018 10:00	1	1	0	
EFM0142	7/8/2018 11:00	1	1	0	
EFM0142	7/8/2018 12:00	1	1	0	
EFM0142	7/8/2018 13:00	1	1	0	
EFM0142	7/8/2018 14:00	1	1	0	
EFM0142	7/8/2018 15:00	1	1	0	
EFM0142	7/8/2018 16:00	1	1	0	
EFM0142	7/8/2018 17:00	1	1	0	
EFM0142	7/8/2018 18:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2015 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	7/8/2018 19:00	1	1	0	
EFMD142	7/8/2018 20:00	1	1	0	
EFMD142	7/8/2018 21:00	1	1	0	
EFMD142	7/8/2018 22:00	1	1	0	
EFMD142	7/8/2018 23:00	1	1	0	
EFMD142	7/9/2018 0:00	1	1	0	
EFMD142	7/9/2018 1:00	1	1	0	
EFMD142	7/9/2018 2:00	1	1	0	
EFMD142	7/9/2018 3:00	1	1	0	
EFMD142	7/9/2018 4:00	1	1	0	
EFMD142	7/9/2018 5:00	1	1	0	
EFMD142	7/9/2018 6:00	1	1	0	
EFMD142	7/9/2018 7:00	1	1	0	
EFMD142	7/9/2018 8:00	1	1	0	
EFMD142	7/9/2018 9:00	1	1	0	
EFMD142	7/9/2018 10:00	1	1	0	
EFMD142	7/9/2018 11:00	1	1	0	
EFMD142	7/9/2018 12:00	1	1	0	
EFMD142	7/9/2018 13:00	1	1	0	
EFMD142	7/9/2018 14:00	1	1	0	
EFMD142	7/9/2018 15:00	1	1	0	
EFMD142	7/9/2018 16:00	1	1	0	
EFMD142	7/9/2018 17:00	1	1	0	
EFMD142	7/9/2018 18:00	1	1	0	
EFMD142	7/9/2018 19:00	1	1	0	
EFMD142	7/9/2018 20:00	1	1	0	
EFMD142	7/9/2018 21:00	1	1	0	
EFMD142	7/9/2018 22:00	1	1	0	
EFMD142	7/9/2018 23:00	1	1	0	
EFMD142	7/10/2018 0:00	1	1	0	
	7/10/2018 1:00				Missing data
	7/10/2018 2:00				Missing data
	7/10/2018 3:00				Missing data
	7/10/2018 4:00				Missing data
	7/10/2018 5:00				Missing data
	7/10/2018 6:00				Missing data
	7/10/2018 7:00				Missing data
	7/10/2018 8:00				Missing data
EFMD142	7/10/2018 9:00	1	1	0	
EFMD142	7/10/2018 10:00	1	1	0	
EFMD142	7/10/2018 11:00	1	1	0	
EFMD142	7/10/2018 12:00	1	1	0	
EFMD142	7/10/2018 13:00	1	1	0	
EFMD142	7/10/2018 14:00	1	1	0	
EFMD142	7/10/2018 15:00	1	1	0	
EFMD142	7/10/2018 16:00	1	1	0	
EFMD142	7/10/2018 17:00	1	1	0	
EFMD142	7/10/2018 18:00	1	1	0	
EFMD142	7/10/2018 19:00	1	1	0	
EFMD142	7/10/2018 20:00	1	1	0	
EFMD142	7/10/2018 21:00	1	1	0	
EFMD142	7/10/2018 22:00	1	1	0	
EFMD142	7/10/2018 23:00	1	1	0	
EFMD142	7/11/2018 0:00	1	1	0	
EFMD142	7/11/2018 1:00	1	1	0	
EFMD142	7/11/2018 2:00	1	1	0	
EFMD142	7/11/2018 3:00	1	1	0	
EFMD142	7/11/2018 4:00	1	1	0	
EFMD142	7/11/2018 5:00	1	1	0	
EFMD142	7/11/2018 6:00	0	0	0	
EFMD142	7/11/2018 7:00	0	0	0	
EFMD142	7/11/2018 8:00	1	1	0.104381	
EFMD142	7/11/2018 9:00	1	1	0.104381	
EFMD142	7/11/2018 10:00	1	1	0.104381	
EFMD142	7/11/2018 11:00	1	1	0.104381	
EFMD142	7/11/2018 12:00	1	1	0.104381	
EFMD142	7/11/2018 13:00	1	1	0.104381	
EFMD142	7/11/2018 14:00	1	1	0.104381	
EFMD142	7/11/2018 15:00	1	1	0.104381	
EFMD142	7/11/2018 16:00	1	1	0.104381	
EFMD142	7/11/2018 17:00	1	1	0.104381	
EFMD142	7/11/2018 18:00	1	1	0.104381	
EFMD142	7/11/2018 19:00	1	1	0.104381	
EFMD142	7/11/2018 20:00	1	1	0.104381	
EFMD142	7/11/2018 21:00	1	1	0.104381	
EFMD142	7/11/2018 22:00	1	1	0.104381	
EFMD142	7/11/2018 23:00	1	1	0.104381	
EFMD142	7/12/2018 0:00	1	1	0.104381	
EFMD142	7/12/2018 1:00	1	1	0.104381	
EFMD142	7/12/2018 2:00	1	1	0.104381	
EFMD142	7/12/2018 3:00	1	1	0.104381	
EFMD142	7/12/2018 4:00	1	1	0.104381	
EFMD142	7/12/2018 5:00	1	1	0.104381	
EFMD142	7/12/2018 6:00	1	1	0.104381	
EFMD142	7/12/2018 7:00	1	1	0.104381	
EFMD142	7/12/2018 8:00	1	1	0.104381	
EFMD142	7/12/2018 9:00	1	1	0.104381	
EFMD142	7/12/2018 10:00	1	1	0.104381	
EFMD142	7/12/2018 11:00	1	1	0.104381	
EFMD142	7/12/2018 12:00	1	1	0.104381	
EFMD142	7/12/2018 13:00	1	1	0.104381	
EFMD142	7/12/2018 14:00	1	1	0.104381	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					307 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	7/12/2018 15:00	1	1	0.104381	
EFM0142	7/12/2018 16:00	1	1	0.104381	
EFM0142	7/12/2018 17:00	1	1	0.104381	
EFM0142	7/12/2018 18:00	1	1	0.104381	
EFM0142	7/12/2018 19:00	1	1	0.104381	
EFM0142	7/12/2018 20:00	1	1	0.104381	
EFM0142	7/12/2018 21:00	1	1	0.104381	
EFM0142	7/12/2018 22:00	1	1	0.104381	
EFM0142	7/12/2018 23:00	1	1	0.104381	
EFM0142	7/13/2018 0:00	1	1	0.104381	
EFM0142	7/13/2018 1:00	1	1	0.104381	
EFM0142	7/13/2018 2:00	1	1	0.104381	
EFM0142	7/13/2018 3:00	1	1	0.104381	
EFM0142	7/13/2018 4:00	1	1	0.104381	
EFM0142	7/13/2018 5:00	1	1	0.104381	
EFM0142	7/13/2018 6:00	1	1	0.104381	
EFM0142	7/13/2018 7:00	1	1	0.104381	
EFM0142	7/13/2018 8:00	1	1	0.104381	
EFM0142	7/13/2018 9:00	1	1	0.104381	
EFM0142	7/13/2018 10:00	1	1	0.104381	
EFM0142	7/13/2018 11:00	1	1	0.104381	
EFM0142	7/13/2018 12:00	1	1	0.104381	
EFM0142	7/13/2018 13:00	1	1	0.104381	
EFM0142	7/13/2018 14:00	1	1	0.104381	
EFM0142	7/13/2018 15:00	1	1	0.104381	
EFM0142	7/13/2018 16:00	1	1	0.104381	
EFM0142	7/13/2018 17:00	1	1	0.104381	
EFM0142	7/13/2018 18:00	1	1	0.104381	
EFM0142	7/13/2018 19:00	1	1	0.104381	
EFM0142	7/13/2018 20:00	1	1	0.104381	
EFM0142	7/13/2018 21:00	1	1	0.104381	
EFM0142	7/13/2018 22:00	1	1	0.104381	
EFM0142	7/13/2018 23:00	1	1	0.104381	
EFM0142	7/14/2018 0:00	1	1	0.104381	
EFM0142	7/14/2018 1:00	1	1	0.104381	
EFM0142	7/14/2018 2:00	1	1	0.104381	
EFM0142	7/14/2018 3:00	1	1	0.104381	
EFM0142	7/14/2018 4:00	1	1	0.104381	
EFM0142	7/14/2018 5:00	1	1	0.104381	
EFM0142	7/14/2018 6:00	1	1	0.104381	
EFM0142	7/14/2018 7:00	1	1	0.104381	
EFM0142	7/14/2018 8:00	1	1	0.104381	
EFM0142	7/14/2018 9:00	1	1	0.104381	
EFM0142	7/14/2018 10:00	1	1	0.104381	
EFM0142	7/14/2018 11:00	1	1	0.104381	
EFM0142	7/14/2018 12:00	1	1	0.104381	
EFM0142	7/14/2018 13:00	1	1	0.104381	
EFM0142	7/14/2018 14:00	1	1	0.104381	
EFM0142	7/14/2018 15:00	1	1	0.104381	
EFM0142	7/14/2018 16:00	1	1	0.104381	
EFM0142	7/14/2018 17:00	1	1	0.104381	
EFM0142	7/14/2018 18:00	1	1	0.104381	
EFM0142	7/14/2018 19:00	1	1	0.104381	
EFM0142	7/14/2018 20:00	1	1	0.104381	
EFM0142	7/14/2018 21:00	1	1	0.104381	
EFM0142	7/14/2018 22:00	1	1	0.104381	
EFM0142	7/14/2018 23:00	1	1	0.104381	
EFM0142	7/15/2018 0:00	1	1	0.104381	
EFM0142	7/15/2018 1:00	1	1	0.104381	
EFM0142	7/15/2018 2:00	1	1	0.104381	
EFM0142	7/15/2018 3:00	1	1	0.104381	
EFM0142	7/15/2018 4:00	1	1	0.104381	
EFM0142	7/15/2018 5:00	1	1	0.104381	
EFM0142	7/15/2018 6:00	1	1	0.104381	
EFM0142	7/15/2018 7:00	1	1	0.104381	
EFM0142	7/15/2018 8:00	1	1	0.104381	
EFM0142	7/15/2018 9:00	1	1	0.104381	
EFM0142	7/15/2018 10:00	1	1	0.104381	
EFM0142	7/15/2018 11:00	1	1	0.104381	
EFM0142	7/15/2018 12:00	1	1	0.104381	
EFM0142	7/15/2018 13:00	1	1	0.104381	
EFM0142	7/15/2018 14:00	1	1	0.104381	
EFM0142	7/15/2018 15:00	1	1	0.104381	
EFM0142	7/15/2018 16:00	1	1	0.104381	
EFM0142	7/15/2018 17:00	1	1	0.104381	
EFM0142	7/15/2018 18:00	1	1	0.104381	
EFM0142	7/15/2018 19:00	1	1	0.104381	
EFM0142	7/15/2018 20:00	1	1	0.104381	
EFM0142	7/15/2018 21:00	1	1	0.104381	
EFM0142	7/15/2018 22:00	1	1	0.104381	
EFM0142	7/15/2018 23:00	1	1	0.104381	
EFM0142	7/16/2018 0:00	1	1	0.104381	
EFM0142	7/16/2018 1:00	1	1	0.104381	
EFM0142	7/16/2018 2:00	1	1	0.104381	
EFM0142	7/16/2018 3:00	1	1	0.104381	
EFM0142	7/16/2018 4:00	1	1	0.104381	
EFM0142	7/16/2018 5:00	1	1	0.104381	
EFM0142	7/16/2018 6:00	1	1	0.104381	
EFM0142	7/16/2018 7:00	1	1	0.104381	
EFM0142	7/16/2018 8:00	1	1	0.104381	
EFM0142	7/16/2018 9:00	1	1	0.104381	
EFM0142	7/16/2018 10:00	1	1	0.104381	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 3 hrs with compressor "on" 799 hrs with compressor "off"
EFM0142	7/16/2018 11:00	1	1	0.104381	
EFM0142	7/16/2018 12:00	1	1	0.104381	
EFM0142	7/16/2018 13:00	1	1	0.104381	
EFM0142	7/16/2018 14:00	1	1	0.104381	
EFM0142	7/16/2018 15:00	1	1	0.104381	
EFM0142	7/16/2018 16:00	1	1	0.104381	
EFM0142	7/16/2018 17:00	1	1	0.104381	
EFM0142	7/16/2018 18:00	1	1	0.104381	
EFM0142	7/16/2018 19:00	1	1	0.104381	
EFM0142	7/16/2018 20:00	1	1	0.104381	
EFM0142	7/16/2018 21:00	1	1	0.104381	
EFM0142	7/16/2018 22:00	1	1	0.104381	
EFM0142	7/16/2018 23:00	1	1	0.104381	
EFM0142	7/17/2018 0:00	1	1	0.104381	
EFM0142	7/17/2018 1:00	1	1	0.104381	
EFM0142	7/17/2018 2:00	1	1	0.104381	
EFM0142	7/17/2018 3:00	1	1	0.104381	
EFM0142	7/17/2018 4:00	1	1	0.104381	
EFM0142	7/17/2018 5:00	1	1	0.104381	
EFM0142	7/17/2018 6:00	1	1	0.104381	
EFM0142	7/17/2018 7:00	1	1	0.104381	
EFM0142	7/17/2018 8:00	1	1	0.104381	
EFM0142	7/17/2018 9:00	1	1	0.104381	
EFM0142	7/17/2018 10:00	1	1	0.104381	
EFM0142	7/17/2018 11:00	1	1	0.104381	
EFM0142	7/17/2018 12:00	1	1	0.104381	
EFM0142	7/17/2018 13:00	1	1	0.104381	
EFM0142	7/17/2018 14:00	1	1	0.104381	
EFM0142	7/17/2018 15:00	1	1	0.104381	
EFM0142	7/17/2018 16:00	1	1	0.104381	
EFM0142	7/17/2018 17:00	1	1	0.104381	
EFM0142	7/17/2018 18:00	1	1	0.104381	
EFM0142	7/17/2018 19:00	1	1	0.104381	
EFM0142	7/17/2018 20:00	1	1	0.104381	
EFM0142	7/17/2018 21:00	1	1	0.104381	
EFM0142	7/17/2018 22:00	1	1	0.104381	
EFM0142	7/17/2018 23:00	1	1	0.104381	
EFM0142	7/18/2018 0:00	1	1	0.104381	
	7/18/2018 1:00				Missing data
	7/18/2018 2:00				Missing data
	7/18/2018 3:00				Missing data
	7/18/2018 4:00				Missing data
	7/18/2018 5:00				Missing data
	7/18/2018 6:00				Missing data
	7/18/2018 7:00				Missing data
	7/18/2018 8:00				Missing data
EFM0142	7/18/2018 9:00	1	1	0.104381	
EFM0142	7/18/2018 10:00	1	1	0.104381	
EFM0142	7/18/2018 11:00	1	1	0.104381	
EFM0142	7/18/2018 12:00	1	1	0.104381	
EFM0142	7/18/2018 13:00	1	1	0.104381	
EFM0142	7/18/2018 14:00	1	1	0.104381	
EFM0142	7/18/2018 15:00	1	1	0.104381	
EFM0142	7/18/2018 16:00	1	1	0.104381	
EFM0142	7/18/2018 17:00	1	1	0.104381	
EFM0142	7/18/2018 18:00	1	1	0.104381	
EFM0142	7/18/2018 19:00	1	1	0.104381	
EFM0142	7/18/2018 20:00	1	1	0.104381	
EFM0142	7/18/2018 21:00	1	1	0.104381	
EFM0142	7/18/2018 22:00	1	1	0.104381	
EFM0142	7/18/2018 23:00	1	1	0.104381	
EFM0142	7/19/2018 0:00	1	1	0.104381	
EFM0142	7/19/2018 1:00	1	1	0.104381	
EFM0142	7/19/2018 2:00	1	1	0.104381	
EFM0142	7/19/2018 3:00	1	1	0.104381	
EFM0142	7/19/2018 4:00	1	1	0.104381	
EFM0142	7/19/2018 5:00	1	1	0.104381	
EFM0142	7/19/2018 6:00	1	1	0.104381	
EFM0142	7/19/2018 7:00	1	1	0.104381	
EFM0142	7/19/2018 8:00	1	1	0.104381	
EFM0142	7/19/2018 9:00	1	1	0.104381	
EFM0142	7/19/2018 10:00	1	1	0.104381	
EFM0142	7/19/2018 11:00	1	1	0.104381	
EFM0142	7/19/2018 12:00	1	1	0.104381	
EFM0142	7/19/2018 13:00	1	1	0.104381	
EFM0142	7/19/2018 14:00	1	1	0.104381	
EFM0142	7/19/2018 15:00	1	1	0.104381	
EFM0142	7/19/2018 16:00	1	1	0.104381	
EFM0142	7/19/2018 17:00	1	1	0.104381	
EFM0142	7/19/2018 18:00	1	1	0.104381	
EFM0142	7/19/2018 19:00	1	1	0.104381	
EFM0142	7/19/2018 20:00	1	1	0.104381	
EFM0142	7/19/2018 21:00	1	1	0.104381	
EFM0142	7/19/2018 22:00	1	1	0.104381	
EFM0142	7/19/2018 23:00	1	1	0.104381	
EFM0142	7/20/2018 0:00	1	1	0.104381	
	7/20/2018 1:00				Missing data
	7/20/2018 2:00				Missing data
	7/20/2018 3:00				Missing data
	7/20/2018 4:00				Missing data
	7/20/2018 5:00				Missing data
	7/20/2018 6:00				Missing data

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
	7/20/2018 7:00				Missing data
	7/20/2018 8:00				Missing data
EFM0142	7/20/2018 9:00	1	1	0.104381	
EFM0142	7/20/2018 10:00	1	1	0.104381	
EFM0142	7/20/2018 11:00	1	1	0.104381	
EFM0142	7/20/2018 12:00	1	1	0.104381	
EFM0142	7/20/2018 13:00	1	1	0.104381	
EFM0142	7/20/2018 14:00	1	1	0.104381	
EFM0142	7/20/2018 15:00	1	1	0.104381	
EFM0142	7/20/2018 16:00	1	1	0.104381	
EFM0142	7/20/2018 17:00	1	1	0.104381	
EFM0142	7/20/2018 18:00	1	1	0.104381	
EFM0142	7/20/2018 19:00	1	1	0.104381	
EFM0142	7/20/2018 20:00	1	1	0.104381	
EFM0142	7/20/2018 21:00	1	1	0.104381	
EFM0142	7/20/2018 22:00	1	1	0.104381	
EFM0142	7/20/2018 23:00	1	1	0.104381	
EFM0142	7/21/2018 0:00	1	1	0.104381	
EFM0142	7/21/2018 1:00	1	1	0.104381	
EFM0142	7/21/2018 2:00	1	1	0.104381	
EFM0142	7/21/2018 3:00	1	1	0.104381	
EFM0142	7/21/2018 4:00	1	1	0.104381	
EFM0142	7/21/2018 5:00	1	1	0.104381	
EFM0142	7/21/2018 6:00	1	1	0.104381	
EFM0142	7/21/2018 7:00	1	1	0.104381	
EFM0142	7/21/2018 8:00	1	1	0.104381	
EFM0142	7/21/2018 9:00	1	1	0.104381	
EFM0142	7/21/2018 10:00	1	1	0.104381	
EFM0142	7/21/2018 11:00	1	1	0.104381	
EFM0142	7/21/2018 12:00	1	1	0.104381	
EFM0142	7/21/2018 13:00	1	1	0.104381	
EFM0142	7/21/2018 14:00	1	1	0.104381	
EFM0142	7/21/2018 15:00	1	1	0.104381	
EFM0142	7/21/2018 16:00	1	1	0.104381	
EFM0142	7/21/2018 17:00	1	1	0.104381	
EFM0142	7/21/2018 18:00	1	1	0.104381	
EFM0142	7/21/2018 19:00	1	1	0.104381	
EFM0142	7/21/2018 20:00	1	1	0.104381	
EFM0142	7/21/2018 21:00	1	1	0.104381	
EFM0142	7/21/2018 22:00	1	1	0.104381	
EFM0142	7/21/2018 23:00	1	1	0.104381	
EFM0142	7/22/2018 0:00	1	1	0.104381	
EFM0142	7/22/2018 1:00	1	1	0.104381	
EFM0142	7/22/2018 2:00	1	1	0.104381	
EFM0142	7/22/2018 3:00	1	1	0.104381	
EFM0142	7/22/2018 4:00	1	1	0.104381	
EFM0142	7/22/2018 5:00	1	1	0.104381	
EFM0142	7/22/2018 6:00	1	1	0.104381	
EFM0142	7/22/2018 7:00	1	1	0.104381	
EFM0142	7/22/2018 8:00	1	1	0.104381	
	7/22/2018 9:00				Missing data
	7/22/2018 10:00				Missing data
	7/22/2018 11:00				Missing data
	7/22/2018 12:00				Missing data
	7/22/2018 13:00				Missing data
	7/22/2018 14:00				Missing data
	7/22/2018 15:00				Missing data
	7/22/2018 16:00				Missing data
EFM0142	7/22/2018 17:00	1	1	0.104381	
EFM0142	7/22/2018 18:00	1	1	0.104381	
EFM0142	7/22/2018 19:00	1	1	0.104381	
EFM0142	7/22/2018 20:00	1	1	0.104381	
EFM0142	7/22/2018 21:00	1	1	0.104381	
EFM0142	7/22/2018 22:00	1	1	0.104381	
EFM0142	7/22/2018 23:00	1	1	0.104381	
EFM0142	7/23/2018 0:00	1	1	0.104381	
EFM0142	7/23/2018 1:00	1	1	0.104381	
EFM0142	7/23/2018 2:00	1	1	0.104381	
EFM0142	7/23/2018 3:00	1	1	0.104381	
EFM0142	7/23/2018 4:00	1	1	0.104381	
EFM0142	7/23/2018 5:00	1	1	0.104381	
EFM0142	7/23/2018 6:00	1	1	0.104381	
EFM0142	7/23/2018 7:00	1	1	0.104381	
EFM0142	7/23/2018 8:00	1	1	0.104381	
	7/23/2018 9:00				Missing data
	7/23/2018 10:00				Missing data
	7/23/2018 11:00				Missing data
	7/23/2018 12:00				Missing data
	7/23/2018 13:00				Missing data
	7/23/2018 14:00				Missing data
	7/23/2018 15:00				Missing data
	7/23/2018 16:00				Missing data
EFM0142	7/23/2018 17:00	1	1	0.104381	
EFM0142	7/23/2018 18:00	1	1	0.104381	
EFM0142	7/23/2018 19:00	1	1	0.104381	
EFM0142	7/23/2018 20:00	1	1	0.104381	
EFM0142	7/23/2018 21:00	1	1	0.104381	
EFM0142	7/23/2018 22:00	1	1	0.104381	
EFM0142	7/23/2018 23:00	1	1	0.104381	
EFM0142	7/24/2018 0:00	1	1	0.104381	
EFM0142	7/24/2018 1:00	1	1	0.104381	
EFM0142	7/24/2018 2:00	1	1	0.104381	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 289 hrs with compressor "off"
EFM0142	7/24/2018 3:00	1	1	0.104381	
EFM0142	7/24/2018 4:00	1	1	0.104381	
EFM0142	7/24/2018 5:00	1	1	0.104381	
EFM0142	7/24/2018 6:00	1	1	0.104381	
EFM0142	7/24/2018 7:00	1	1	0.104381	
EFM0142	7/24/2018 8:00	1	1	0.104381	
EFM0142	7/24/2018 9:00	1	1	0.104381	
EFM0142	7/24/2018 10:00	1	1	0.104381	
EFM0142	7/24/2018 11:00	1	1	0.104381	
EFM0142	7/24/2018 12:00	1	1	0.104381	
EFM0142	7/24/2018 13:00	1	1	0.104381	
EFM0142	7/24/2018 14:00	1	1	0.104381	
EFM0142	7/24/2018 15:00	1	1	0.104381	
EFM0142	7/24/2018 16:00	1	1	0.104381	
EFM0142	7/24/2018 17:00	1	1	0.104381	
EFM0142	7/24/2018 18:00	1	1	0.104381	
EFM0142	7/24/2018 19:00	1	1	0.104381	
EFM0142	7/24/2018 20:00	1	1	0.104381	
EFM0142	7/24/2018 21:00	1	1	0.104381	
EFM0142	7/24/2018 22:00	1	1	0.104381	
EFM0142	7/24/2018 23:00	1	1	0.104381	
EFM0142	7/25/2018 0:00	1	1	0.104381	
EFM0142	7/25/2018 1:00	1	1	0.104381	
EFM0142	7/25/2018 2:00	1	1	0.104381	
EFM0142	7/25/2018 3:00	1	1	0.104381	
EFM0142	7/25/2018 4:00	1	1	0.104381	
EFM0142	7/25/2018 5:00	1	1	0.104381	
EFM0142	7/25/2018 6:00	1	1	0.104381	
EFM0142	7/25/2018 7:00	1	1	0.104381	
EFM0142	7/25/2018 8:00	1	1	0.104381	
EFM0142	7/25/2018 9:00	1	1	0.104381	
EFM0142	7/25/2018 10:00	1	1	0.104381	
EFM0142	7/25/2018 11:00	1	1	0.104381	
EFM0142	7/25/2018 12:00	1	1	0.104381	
EFM0142	7/25/2018 13:00	1	1	0.104381	
EFM0142	7/25/2018 14:00	1	1	0.104381	
EFM0142	7/25/2018 15:00	1	1	0.104381	
EFM0142	7/25/2018 16:00	1	1	0.104381	
EFM0142	7/25/2018 17:00	1	1	0.104381	
EFM0142	7/25/2018 18:00	1	1	0.104381	
EFM0142	7/25/2018 19:00	1	1	0.104381	
EFM0142	7/25/2018 20:00	1	1	0.104381	
EFM0142	7/25/2018 21:00	1	1	0.104381	
EFM0142	7/25/2018 22:00	1	1	0.104381	
EFM0142	7/25/2018 23:00	1	1	0.104381	
EFM0142	7/26/2018 0:00	1	1	0.104381	
EFM0142	7/26/2018 1:00	1	1	0.104381	
EFM0142	7/26/2018 2:00	1	1	0.104381	
EFM0142	7/26/2018 3:00	1	1	0.104381	
EFM0142	7/26/2018 4:00	1	1	0.104381	
EFM0142	7/26/2018 5:00	1	1	0.104381	
EFM0142	7/26/2018 6:00	1	1	0.104381	
EFM0142	7/26/2018 7:00	1	1	0.104381	
EFM0142	7/26/2018 8:00	1	1	0.104381	
EFM0142	7/26/2018 9:00	1	1	0.104381	
EFM0142	7/26/2018 10:00	1	1	0.104381	
EFM0142	7/26/2018 11:00	1	1	0.104381	
EFM0142	7/26/2018 12:00	1	1	0.104381	
EFM0142	7/26/2018 13:00	1	1	0.104381	
EFM0142	7/26/2018 14:00	1	1	0.104381	
EFM0142	7/26/2018 15:00	1	1	0.104381	
EFM0142	7/26/2018 16:00	1	1	0.104381	
EFM0142	7/26/2018 17:00	1	1	0.104381	
EFM0142	7/26/2018 18:00	1	1	0.104381	
EFM0142	7/26/2018 19:00	1	1	0.104381	
EFM0142	7/26/2018 20:00	1	1	0.104381	
EFM0142	7/26/2018 21:00	1	1	0.104381	
EFM0142	7/26/2018 22:00	1	1	0.104381	
EFM0142	7/26/2018 23:00	1	1	0.104381	
EFM0142	7/27/2018 0:00	1	1	0.104381	
EFM0142	7/27/2018 1:00	1	1	0.104381	
EFM0142	7/27/2018 2:00	1	1	0.104381	
EFM0142	7/27/2018 3:00	1	1	0.104381	
EFM0142	7/27/2018 4:00	1	1	0.104381	
EFM0142	7/27/2018 5:00	1	1	0.104381	
EFM0142	7/27/2018 6:00	1	1	0.104381	
EFM0142	7/27/2018 7:00	1	1	0.104381	
EFM0142	7/27/2018 8:00	1	1	0.104381	
EFM0142	7/27/2018 9:00	1	1	0.104381	
EFM0142	7/27/2018 10:00	1	1	0.104381	
EFM0142	7/27/2018 11:00	0	0	0.104381	
EFM0142	7/27/2018 12:00	1	0	0.743339	
EFM0142	7/27/2018 13:00	1	0	1.743389	
EFM0142	7/27/2018 14:00	1	0	2.743086	
EFM0142	7/27/2018 15:00	1	1	2.768126	
EFM0142	7/27/2018 16:00	1	1	2.768126	
EFM0142	7/27/2018 17:00	1	1	2.768126	
EFM0142	7/27/2018 18:00	1	1	2.768126	
EFM0142	7/27/2018 19:00	1	1	2.768126	
EFM0142	7/27/2018 20:00	1	1	2.768126	
EFM0142	7/27/2018 21:00	1	1	2.768126	
EFM0142	7/27/2018 22:00	1	1	2.768126	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Identity Bypass Time (hrs)	NOTES
					307 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	7/27/2018 23:00	1	1	2.768126	
EFM0142	7/28/2018 0:00	1	1	2.768126	
EFM0142	7/28/2018 1:00	1	1	2.768126	
EFM0142	7/28/2018 2:00	1	1	2.768126	
EFM0142	7/28/2018 3:00	1	1	2.768126	
EFM0142	7/28/2018 4:00	1	1	2.768126	
EFM0142	7/28/2018 5:00	1	1	2.768126	
EFM0142	7/28/2018 6:00	1	1	2.768126	
EFM0142	7/28/2018 7:00	1	1	2.768126	
EFM0142	7/28/2018 8:00	1	1	2.768126	
EFM0142	7/28/2018 9:00	1	1	2.768126	
EFM0142	7/28/2018 10:00	1	1	2.768126	
EFM0142	7/28/2018 11:00	1	1	2.768126	
EFM0142	7/28/2018 12:00	1	1	2.768126	
EFM0142	7/28/2018 13:00	1	1	2.768126	
EFM0142	7/28/2018 14:00	1	1	2.768126	
EFM0142	7/28/2018 15:00	1	1	2.768126	
EFM0142	7/28/2018 16:00	1	1	2.768126	
	7/28/2018 17:00				Missing data
	7/28/2018 18:00				Missing data
	7/28/2018 19:00				Missing data
	7/28/2018 20:00				Missing data
	7/28/2018 21:00				Missing data
	7/28/2018 22:00				Missing data
	7/28/2018 23:00				Missing data
	7/29/2018 0:00				Missing data
EFM0142	7/29/2018 1:00	1	1	2.768126	
EFM0142	7/29/2018 2:00	1	1	2.768126	
EFM0142	7/29/2018 3:00	1	1	2.768126	
EFM0142	7/29/2018 4:00	1	1	2.768126	
EFM0142	7/29/2018 5:00	1	1	2.768126	
EFM0142	7/29/2018 6:00	1	1	2.768126	
EFM0142	7/29/2018 7:00	1	1	2.768126	
EFM0142	7/29/2018 8:00	1	1	2.768126	
EFM0142	7/29/2018 9:00	1	1	2.768126	
EFM0142	7/29/2018 10:00	1	1	2.768126	
EFM0142	7/29/2018 11:00	1	1	2.768126	
EFM0142	7/29/2018 12:00	1	1	2.768126	
EFM0142	7/29/2018 13:00	1	1	2.768126	
EFM0142	7/29/2018 14:00	1	1	2.768126	
EFM0142	7/29/2018 15:00	1	1	2.768126	
EFM0142	7/29/2018 16:00	1	1	2.768126	
EFM0142	7/29/2018 17:00	1	1	2.768126	
EFM0142	7/29/2018 18:00	1	1	2.768126	
EFM0142	7/29/2018 19:00	1	1	2.768126	
EFM0142	7/29/2018 20:00	1	1	2.768126	
EFM0142	7/29/2018 21:00	1	1	2.768126	
EFM0142	7/29/2018 22:00	1	1	2.768126	
EFM0142	7/29/2018 23:00	1	1	2.768126	
EFM0142	7/30/2018 0:00	1	1	2.768126	
EFM0142	7/30/2018 1:00	1	1	2.768126	
EFM0142	7/30/2018 2:00	1	1	2.768126	
EFM0142	7/30/2018 3:00	1	1	2.768126	
EFM0142	7/30/2018 4:00	1	1	2.768126	
EFM0142	7/30/2018 5:00	1	1	2.768126	
EFM0142	7/30/2018 6:00	1	1	2.768126	
EFM0142	7/30/2018 7:00	1	1	2.768126	
EFM0142	7/30/2018 8:00	1	1	2.768126	
EFM0142	7/30/2018 9:00	1	1	2.768126	
EFM0142	7/30/2018 10:00	1	1	2.768126	
EFM0142	7/30/2018 11:00	1	1	2.768126	
EFM0142	7/30/2018 12:00	1	1	2.768126	
EFM0142	7/30/2018 13:00	1	1	2.768126	
EFM0142	7/30/2018 14:00	1	1	2.768126	
EFM0142	7/30/2018 15:00	1	1	2.768126	
EFM0142	7/30/2018 16:00	1	1	2.768126	
EFM0142	7/30/2018 17:00	1	1	2.768126	
EFM0142	7/30/2018 18:00	1	1	2.768126	
EFM0142	7/30/2018 19:00	1	1	2.768126	
EFM0142	7/30/2018 20:00	1	1	2.768126	
EFM0142	7/30/2018 21:00	1	1	2.768126	
EFM0142	7/30/2018 22:00	1	1	2.768126	
EFM0142	7/30/2018 23:00	1	1	2.768126	
EFM0142	7/31/2018 0:00	1	1	2.768126	
EFM0142	7/31/2018 1:00	1	1	2.768126	
EFM0142	7/31/2018 2:00	1	1	2.768126	
EFM0142	7/31/2018 3:00	1	1	2.768126	
EFM0142	7/31/2018 4:00	1	1	2.768126	
EFM0142	7/31/2018 5:00	1	1	2.768126	
EFM0142	7/31/2018 6:00	1	1	2.768126	
EFM0142	7/31/2018 7:00	1	1	2.768126	
EFM0142	7/31/2018 8:00	1	1	2.768126	
EFM0142	7/31/2018 9:00	1	1	2.768126	
EFM0142	7/31/2018 10:00	1	1	2.768126	
EFM0142	7/31/2018 11:00	1	1	2.768126	
EFM0142	7/31/2018 12:00	1	1	2.768126	
EFM0142	7/31/2018 13:00	1	1	2.768126	
EFM0142	7/31/2018 14:00	1	1	2.768126	
EFM0142	7/31/2018 15:00	1	1	2.768126	
EFM0142	7/31/2018 16:00	1	1	2.768126	
EFM0142	7/31/2018 17:00	1	1	2.768126	
EFM0142	7/31/2018 18:00	1	1	2.768126	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFMD142	7/31/2018 19:00	1	1	2,768:26	167 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 738 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	7/31/2018 20:00	1	1	2,768:26	
EFMD142	7/31/2018 21:00	1	1	2,768:26	
EFMD142	7/31/2018 22:00	1	1	2,768:26	
EFMD142	7/31/2018 23:00	1	1	2,768:26	
EFMD142	8/1/2018 0:00	1	1	2,768:26	
EFMD142	8/1/2018 1:00	1	1	0	
EFMD142	8/1/2018 2:00	1	1	0	
EFMD142	8/1/2018 3:00	1	1	0	
EFMD142	8/1/2018 4:00	1	1	0	
EFMD142	8/1/2018 5:00	1	1	0	
EFMD142	8/1/2018 6:00	1	1	0	
EFMD142	8/1/2018 7:00	1	1	0	
EFMD142	8/1/2018 8:00	1	1	0	
EFMD142	8/1/2018 9:00	1	1	0	
EFMD142	8/1/2018 10:00	1	1	0	
EFMD142	8/1/2018 11:00	1	1	0	
EFMD142	8/1/2018 12:00	1	1	0	
EFMD142	8/1/2018 13:00	1	1	0	
EFMD142	8/1/2018 14:00	1	1	0	
EFMD142	8/1/2018 15:00	1	1	0	
EFMD142	8/1/2018 16:00	1	1	0	
EFMD142	8/1/2018 17:00	1	1	0	
EFMD142	8/1/2018 18:00	1	1	0	
EFMD142	8/1/2018 19:00	1	1	0	
EFMD142	8/1/2018 20:00	1	1	0	
EFMD142	8/1/2018 21:00	1	1	0	
EFMD142	8/1/2018 22:00	1	1	0	
EFMD142	8/1/2018 23:00	1	1	0	
EFMD142	8/2/2018 0:00	1	1	0	
EFMD142	8/2/2018 1:00	1	1	0	
EFMD142	8/2/2018 2:00	1	1	0	
EFMD142	8/2/2018 3:00	1	1	0	
EFMD142	8/2/2018 4:00	1	1	0	
EFMD142	8/2/2018 5:00	1	1	0	
EFMD142	8/2/2018 6:00	1	1	0	
EFMD142	8/2/2018 7:00	1	1	0	
EFMD142	8/2/2018 8:00	1	1	0	
EFMD142	8/2/2018 9:00	1	1	0	
EFMD142	8/2/2018 10:00	1	1	0	
EFMD142	8/2/2018 11:00	1	1	0	
EFMD142	8/2/2018 12:00	1	1	0	
EFMD142	8/2/2018 13:00	1	1	0	
EFMD142	8/2/2018 14:00	1	1	0	
EFMD142	8/2/2018 15:00	1	1	0	
EFMD142	8/2/2018 16:00	1	1	0	
EFMD142	8/2/2018 17:00	1	1	0	
EFMD142	8/2/2018 18:00	1	1	0	
EFMD142	8/2/2018 19:00	1	1	0	
EFMD142	8/2/2018 20:00	1	1	0	
EFMD142	8/2/2018 21:00	1	1	0	
EFMD142	8/2/2018 22:00	1	1	0	
EFMD142	8/2/2018 23:00	1	1	0	
EFMD142	8/3/2018 0:00	1	1	0	
EFMD142	8/3/2018 1:00	1	1	0	
EFMD142	8/3/2018 2:00	1	1	0	
EFMD142	8/3/2018 3:00	1	1	0	
EFMD142	8/3/2018 4:00	1	1	0	
EFMD142	8/3/2018 5:00	1	1	0	
EFMD142	8/3/2018 6:00	1	1	0	
EFMD142	8/3/2018 7:00	1	1	0	
EFMD142	8/3/2018 8:00	1	1	0	
EFMD142	8/3/2018 9:00	1	1	0	
EFMD142	8/3/2018 10:00	1	1	0	
EFMD142	8/3/2018 11:00	1	1	0	
EFMD142	8/3/2018 12:00	1	1	0	
EFMD142	8/3/2018 13:00	1	1	0	
EFMD142	8/3/2018 14:00	1	1	0	
EFMD142	8/3/2018 15:00	1	1	0	
EFMD142	8/3/2018 16:00	1	1	0	
EFMD142	8/3/2018 17:00	1	1	0	
EFMD142	8/3/2018 18:00	1	1	0	
EFMD142	8/3/2018 19:00	1	1	0	
EFMD142	8/3/2018 20:00	1	1	0	
EFMD142	8/3/2018 21:00	1	1	0	
EFMD142	8/3/2018 22:00	1	1	0	
EFMD142	8/3/2018 23:00	1	1	0	
EFMD142	8/4/2018 0:00	1	1	0	
EFMD142	8/4/2018 1:00	1	1	0	
EFMD142	8/4/2018 2:00	1	1	0	
EFMD142	8/4/2018 3:00	1	1	0	
EFMD142	8/4/2018 4:00	1	1	0	
EFMD142	8/4/2018 5:00	1	1	0	
EFMD142	8/4/2018 6:00	1	1	0	
EFMD142	8/4/2018 7:00	1	1	0	
EFMD142	8/4/2018 8:00	1	1	0	
EFMD142	8/4/2018 9:00	1	1	0	
EFMD142	8/4/2018 10:00	1	1	0	
EFMD142	8/4/2018 11:00	1	1	0	
EFMD142	8/4/2018 12:00	1	1	0	
EFMD142	8/4/2018 13:00	1	1	0	
EFMD142	8/4/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					307 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 708 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	8/4/2018 15:00	1	1	0	
EFM0142	8/4/2018 16:00	1	1	0	
EFM0142	8/4/2018 17:00	1	1	0	
EFM0142	8/4/2018 18:00	1	1	0	
EFM0142	8/4/2018 19:00	1	1	0	
EFM0142	8/4/2018 20:00	1	1	0	
EFM0142	8/4/2018 21:00	1	1	0	
EFM0142	8/4/2018 22:00	1	1	0	
EFM0142	8/4/2018 23:00	1	1	0	
EFM0142	8/5/2018 0:00	1	1	0	
EFM0142	8/5/2018 1:00	1	1	0	
EFM0142	8/5/2018 2:00	1	1	0	
EFM0142	8/5/2018 3:00	1	1	0	
EFM0142	8/5/2018 4:00	1	1	0	
EFM0142	8/5/2018 5:00	1	1	0	
EFM0142	8/5/2018 6:00	1	1	0	
EFM0142	8/5/2018 7:00	1	1	0	
EFM0142	8/5/2018 8:00	1	1	0	
EFM0142	8/5/2018 9:00	1	1	0	
EFM0142	8/5/2018 10:00	1	1	0	
EFM0142	8/5/2018 11:00	1	1	0	
EFM0142	8/5/2018 12:00	1	1	0	
EFM0142	8/5/2018 13:00	1	1	0	
EFM0142	8/5/2018 14:00	1	1	0	
EFM0142	8/5/2018 15:00	1	1	0	
EFM0142	8/5/2018 16:00	1	1	0	
EFM0142	8/5/2018 17:00	1	1	0	
EFM0142	8/5/2018 18:00	1	1	0	
EFM0142	8/5/2018 19:00	1	1	0	
EFM0142	8/5/2018 20:00	1	1	0	
EFM0142	8/5/2018 21:00	1	1	0	
EFM0142	8/5/2018 22:00	1	1	0	
EFM0142	8/5/2018 23:00	1	1	0	
EFM0142	8/6/2018 0:00	1	1	0	
EFM0142	8/6/2018 1:00	1	1	0	
EFM0142	8/6/2018 2:00	1	1	0	
EFM0142	8/6/2018 3:00	1	1	0	
EFM0142	8/6/2018 4:00	1	1	0	
EFM0142	8/6/2018 5:00	1	1	0	
EFM0142	8/6/2018 6:00	1	1	0	
EFM0142	8/6/2018 7:00	1	1	0	
EFM0142	8/6/2018 8:00	1	1	0	
EFM0142	8/6/2018 9:00	1	1	0	
EFM0142	8/6/2018 10:00	1	1	0	
EFM0142	8/6/2018 11:00	1	1	0	
EFM0142	8/6/2018 12:00	1	1	0	
EFM0142	8/6/2018 13:00	1	1	0	
EFM0142	8/6/2018 14:00	1	1	0	
EFM0142	8/6/2018 15:00	1	1	0	
EFM0142	8/6/2018 16:00	1	1	0	
	8/6/2018 17:00				Missing data
	8/6/2018 18:00				Missing data
	8/6/2018 19:00				Missing data
	8/6/2018 20:00				Missing data
	8/6/2018 21:00				Missing data
	8/6/2018 22:00				Missing data
	8/6/2018 23:00				Missing data
	8/7/2018 0:00				Missing data
EFM0142	8/7/2018 1:00	1	1	0	
EFM0142	8/7/2018 2:00	1	1	0	
EFM0142	8/7/2018 3:00	1	1	0	
EFM0142	8/7/2018 4:00	1	1	0	
EFM0142	8/7/2018 5:00	1	1	0	
EFM0142	8/7/2018 6:00	1	1	0	
EFM0142	8/7/2018 7:00	1	1	0	
EFM0142	8/7/2018 8:00	1	1	0	
EFM0142	8/7/2018 9:00	1	1	0	
EFM0142	8/7/2018 10:00	1	1	0	
EFM0142	8/7/2018 11:00	1	1	0	
EFM0142	8/7/2018 12:00	1	1	0	
EFM0142	8/7/2018 13:00	1	1	0	
EFM0142	8/7/2018 14:00	1	1	0	
EFM0142	8/7/2018 15:00	1	1	0	
EFM0142	8/7/2018 16:00	1	1	0	
EFM0142	8/7/2018 17:00	1	1	0	
EFM0142	8/7/2018 18:00	1	1	0	
EFM0142	8/7/2018 19:00	1	1	0	
EFM0142	8/7/2018 20:00	1	1	0	
EFM0142	8/7/2018 21:00	1	1	0	
EFM0142	8/7/2018 22:00	1	1	0	
EFM0142	8/7/2018 23:00	1	1	0	
EFM0142	8/8/2018 0:00	1	1	0	
EFM0142	8/8/2018 1:00	1	1	0	
EFM0142	8/8/2018 2:00	1	1	0	
EFM0142	8/8/2018 3:00	1	1	0	
EFM0142	8/8/2018 4:00	1	1	0	
EFM0142	8/8/2018 5:00	1	1	0	
EFM0142	8/8/2018 6:00	1	1	0	
EFM0142	8/8/2018 7:00	1	1	0	
EFM0142	8/8/2018 8:00	1	1	0	
EFM0142	8/8/2018 9:00	1	1	0	
EFM0142	8/8/2018 10:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	8/8/2018 11:00	1	1	0	
EFM0142	8/8/2018 12:00	1	1	0	
EFM0142	8/8/2018 13:00	1	1	0	
EFM0142	8/8/2018 14:00	1	1	0	
EFM0142	8/8/2018 15:00	1	1	0	
EFM0142	8/8/2018 16:00	1	1	0	
EFM0142	8/8/2018 17:00	1	1	0	
EFM0142	8/8/2018 18:00	1	1	0	
EFM0142	8/8/2018 19:00	1	1	0	
EFM0142	8/8/2018 20:00	1	1	0	
EFM0142	8/8/2018 21:00	1	1	0	
EFM0142	8/8/2018 22:00	1	1	0	
EFM0142	8/8/2018 23:00	1	1	0	
EFM0142	8/9/2018 0:00	1	1	0	
EFM0142	8/9/2018 1:00	1	1	0	
EFM0142	8/9/2018 2:00	1	1	0	
EFM0142	8/9/2018 3:00	1	1	0	
EFM0142	8/9/2018 4:00	1	1	0	
EFM0142	8/9/2018 5:00	1	1	0	
EFM0142	8/9/2018 6:00	1	1	0	
EFM0142	8/9/2018 7:00	1	1	0	
EFM0142	8/9/2018 8:00	1	1	0	
EFM0142	8/9/2018 9:00	1	1	0	
EFM0142	8/9/2018 10:00	1	1	0	
EFM0142	8/9/2018 11:00	1	1	0	
EFM0142	8/9/2018 12:00	1	1	0	
EFM0142	8/9/2018 13:00	1	1	0	
EFM0142	8/9/2018 14:00	1	1	0	
EFM0142	8/9/2018 15:00	1	1	0	
EFM0142	8/9/2018 16:00	1	1	0	
EFM0142	8/9/2018 17:00	1	1	0	
EFM0142	8/9/2018 18:00	1	1	0	
EFM0142	8/9/2018 19:00	1	1	0	
EFM0142	8/9/2018 20:00	1	1	0	
EFM0142	8/9/2018 21:00	1	1	0	
EFM0142	8/9/2018 22:00	1	1	0	
EFM0142	8/9/2018 23:00	1	1	0	
EFM0142	8/10/2018 0:00	1	1	0	
EFM0142	8/10/2018 1:00	1	1	0	
EFM0142	8/10/2018 2:00	1	1	0	
EFM0142	8/10/2018 3:00	1	1	0	
EFM0142	8/10/2018 4:00	1	1	0	
EFM0142	8/10/2018 5:00	1	1	0	
EFM0142	8/10/2018 6:00	1	1	0	
EFM0142	8/10/2018 7:00	1	1	0	
EFM0142	8/10/2018 8:00	1	1	0	
EFM0142	8/10/2018 9:00	1	1	0	
EFM0142	8/10/2018 10:00	1	1	0	
EFM0142	8/10/2018 11:00	1	1	0	
EFM0142	8/10/2018 12:00	1	1	0	
EFM0142	8/10/2018 13:00	1	1	0	
EFM0142	8/10/2018 14:00	1	1	0	
EFM0142	8/10/2018 15:00	1	1	0	
EFM0142	8/10/2018 16:00	1	1	0	
	8/10/2018 17:00				Missing data
	8/10/2018 18:00				Missing data
	8/10/2018 19:00				Missing data
	8/10/2018 20:00				Missing data
	8/10/2018 21:00				Missing data
	8/10/2018 22:00				Missing data
	8/10/2018 23:00				Missing data
	8/11/2018 0:00				Missing data
EFM0142	8/11/2018 1:00	1	1	0	
EFM0142	8/11/2018 2:00	1	1	0	
EFM0142	8/11/2018 3:00	1	1	0	
EFM0142	8/11/2018 4:00	1	1	0	
EFM0142	8/11/2018 5:00	1	1	0	
EFM0142	8/11/2018 6:00	1	1	0	
EFM0142	8/11/2018 7:00	1	1	0	
EFM0142	8/11/2018 8:00	1	1	0	
EFM0142	8/11/2018 9:00	1	1	0	
EFM0142	8/11/2018 10:00	1	1	0	
EFM0142	8/11/2018 11:00	1	1	0	
EFM0142	8/11/2018 12:00	1	1	0	
EFM0142	8/11/2018 13:00	1	1	0	
EFM0142	8/11/2018 14:00	1	1	0	
EFM0142	8/11/2018 15:00	1	1	0	
EFM0142	8/11/2018 16:00	1	1	0	
EFM0142	8/11/2018 17:00	1	1	0	
EFM0142	8/11/2018 18:00	1	1	0	
EFM0142	8/11/2018 19:00	1	1	0	
EFM0142	8/11/2018 20:00	1	1	0	
EFM0142	8/11/2018 21:00	1	1	0	
EFM0142	8/11/2018 22:00	1	1	0	
EFM0142	8/11/2018 23:00	1	1	0	
EFM0142	8/12/2018 0:00	1	1	0	
EFM0142	8/12/2018 1:00	1	1	0	
EFM0142	8/12/2018 2:00	1	1	0	
EFM0142	8/12/2018 3:00	1	1	0	
EFM0142	8/12/2018 4:00	1	1	0	
EFM0142	8/12/2018 5:00	1	1	0	
EFM0142	8/12/2018 6:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					167 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off. 8 hrs with compressor "on" 790 hrs with compressor "off"
EFM0142	8/12/2018 7:00	1	1	0	
EFM0142	8/12/2018 8:00	1	1	0	
EFM0142	8/12/2018 9:00	1	1	0	
EFM0142	8/12/2018 10:00	1	1	0	
EFM0142	8/12/2018 11:00	1	1	0	
EFM0142	8/12/2018 12:00	1	1	0	
EFM0142	8/12/2018 13:00	1	1	0	
EFM0142	8/12/2018 14:00	1	1	0	
EFM0142	8/12/2018 15:00	1	1	0	
EFM0142	8/12/2018 16:00	1	1	0	
EFM0142	8/12/2018 17:00	1	1	0	
EFM0142	8/12/2018 18:00	1	1	0	
EFM0142	8/12/2018 19:00	1	1	0	
EFM0142	8/12/2018 20:00	1	1	0	
EFM0142	8/12/2018 21:00	1	1	0	
EFM0142	8/12/2018 22:00	1	1	0	
EFM0142	8/12/2018 23:00	1	1	0	
EFM0142	8/13/2018 0:00	1	1	0	
EFM0142	8/13/2018 1:00	1	1	0	
EFM0142	8/13/2018 2:00	1	1	0	
EFM0142	8/13/2018 3:00	1	1	0	
EFM0142	8/13/2018 4:00	1	1	0	
EFM0142	8/13/2018 5:00	1	1	0	
EFM0142	8/13/2018 6:00	1	1	0	
EFM0142	8/13/2018 7:00	1	1	0	
EFM0142	8/13/2018 8:00	1	1	0	
EFM0142	8/13/2018 9:00	1	1	0	
EFM0142	8/13/2018 10:00	1	1	0	
EFM0142	8/13/2018 11:00	1	1	0	
EFM0142	8/13/2018 12:00	1	1	0	
EFM0142	8/13/2018 13:00	1	1	0	
EFM0142	8/13/2018 14:00	1	1	0	
EFM0142	8/13/2018 15:00	1	1	0	
EFM0142	8/13/2018 16:00	1	1	0	
	8/13/2018 17:00				Missing data
	8/13/2018 18:00				Missing data
	8/13/2018 19:00				Missing data
	8/13/2018 20:00				Missing data
	8/13/2018 21:00				Missing data
	8/13/2018 22:00				Missing data
	8/13/2018 23:00				Missing data
	8/14/2018 0:00				Missing data
EFM0142	8/14/2018 1:00	1	1	0	
EFM0142	8/14/2018 2:00	1	1	0	
EFM0142	8/14/2018 3:00	1	1	0	
EFM0142	8/14/2018 4:00	1	1	0	
EFM0142	8/14/2018 5:00	1	1	0	
EFM0142	8/14/2018 6:00	1	1	0	
EFM0142	8/14/2018 7:00	1	1	0	
EFM0142	8/14/2018 8:00	1	1	0	
	8/14/2018 9:00				Missing data
	8/14/2018 10:00				Missing data
	8/14/2018 11:00				Missing data
	8/14/2018 12:00				Missing data
	8/14/2018 13:00				Missing data
	8/14/2018 14:00				Missing data
	8/14/2018 15:00				Missing data
	8/14/2018 16:00				Missing data
EFM0142	8/14/2018 17:00	1	1	0	
EFM0142	8/14/2018 18:00	1	1	0	
EFM0142	8/14/2018 19:00	1	1	0	
EFM0142	8/14/2018 20:00	1	1	0	
EFM0142	8/14/2018 21:00	1	1	0	
EFM0142	8/14/2018 22:00	1	1	0	
EFM0142	8/14/2018 23:00	1	1	0	
EFM0142	8/15/2018 0:00	1	1	0	
EFM0142	8/15/2018 1:00	1	1	0	
EFM0142	8/15/2018 2:00	1	1	0	
EFM0142	8/15/2018 3:00	1	1	0	
EFM0142	8/15/2018 4:00	1	1	0	
EFM0142	8/15/2018 5:00	1	1	0	
EFM0142	8/15/2018 6:00	1	1	0	
EFM0142	8/15/2018 7:00	1	1	0	
EFM0142	8/15/2018 8:00	1	1	0	
EFM0142	8/15/2018 9:00	1	1	0	
EFM0142	8/15/2018 10:00	1	1	0	
EFM0142	8/15/2018 11:00	1	1	0	
EFM0142	8/15/2018 12:00	1	1	0	
EFM0142	8/15/2018 13:00	1	1	0	
EFM0142	8/15/2018 14:00	1	1	0	
EFM0142	8/15/2018 15:00	1	1	0	
EFM0142	8/15/2018 16:00	1	1	0	
EFM0142	8/15/2018 17:00	1	1	0	
EFM0142	8/15/2018 18:00	1	1	0	
EFM0142	8/15/2018 19:00	1	1	0	
EFM0142	8/15/2018 20:00	1	1	0	
EFM0142	8/15/2018 21:00	1	1	0	
EFM0142	8/15/2018 22:00	1	1	0	
EFM0142	8/15/2018 23:00	1	1	0	
EFM0142	8/16/2018 0:00	1	1	0	
EFM0142	8/16/2018 1:00	1	1	0	
EFM0142	8/16/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Beyond Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	8/16/2018 3:00	1	1	0	
EFM0142	8/16/2018 4:00	1	1	0	
EFM0142	8/16/2018 5:00	1	1	0	
EFM0142	8/16/2018 6:00	1	1	0	
EFM0142	8/16/2018 7:00	1	1	0	
EFM0142	8/16/2018 8:00	1	1	0	
EFM0142	8/16/2018 9:00	1	1	0	
EFM0142	8/16/2018 10:00	1	1	0	
EFM0142	8/16/2018 11:00	1	1	0	
EFM0142	8/16/2018 12:00	1	1	0	
EFM0142	8/16/2018 13:00	1	1	0	
EFM0142	8/16/2018 14:00	1	1	0	
EFM0142	8/16/2018 15:00	1	1	0	
EFM0142	8/16/2018 16:00	1	1	0	
EFM0142	8/16/2018 17:00	1	1	0	
EFM0142	8/16/2018 18:00	1	1	0	
EFM0142	8/16/2018 19:00	1	1	0	
EFM0142	8/16/2018 20:00	1	1	0	
EFM0142	8/16/2018 21:00	1	1	0	
EFM0142	8/16/2018 22:00	1	1	0	
EFM0142	8/16/2018 23:00	1	1	0	
EFM0142	8/17/2018 0:00	1	1	0	
EFM0142	8/17/2018 1:00	1	1	0	
EFM0142	8/17/2018 2:00	1	1	0	
EFM0142	8/17/2018 3:00	1	1	0	
EFM0142	8/17/2018 4:00	1	1	0	
EFM0142	8/17/2018 5:00	1	1	0	
EFM0142	8/17/2018 6:00	1	1	0	
EFM0142	8/17/2018 7:00	1	1	0	
EFM0142	8/17/2018 8:00	1	1	0	
EFM0142	8/17/2018 9:00	1	1	0	
EFM0142	8/17/2018 10:00	1	1	0	
EFM0142	8/17/2018 11:00	1	1	0	
EFM0142	8/17/2018 12:00	1	1	0	
EFM0142	8/17/2018 13:00	1	1	0	
EFM0142	8/17/2018 14:00	1	1	0	
EFM0142	8/17/2018 15:00	1	1	0	
EFM0142	8/17/2018 16:00	1	1	0	
EFM0142	8/17/2018 17:00	1	1	0	
EFM0142	8/17/2018 18:00	1	1	0	
EFM0142	8/17/2018 19:00	1	1	0	
EFM0142	8/17/2018 20:00	1	1	0	
EFM0142	8/17/2018 21:00	1	1	0	
EFM0142	8/17/2018 22:00	1	1	0	
EFM0142	8/17/2018 23:00	1	1	0	
EFM0142	8/18/2018 0:00	1	1	0	
EFM0142	8/18/2018 1:00	1	1	0	
EFM0142	8/18/2018 2:00	1	1	0	
EFM0142	8/18/2018 3:00	1	1	0	
EFM0142	8/18/2018 4:00	1	1	0	
EFM0142	8/18/2018 5:00	1	1	0	
EFM0142	8/18/2018 6:00	1	1	0	
EFM0142	8/18/2018 7:00	1	1	0	
EFM0142	8/18/2018 8:00	1	1	0	
	8/18/2018 9:00				Missing data
	8/18/2018 10:00				Missing data
	8/18/2018 11:00				Missing data
	8/18/2018 12:00				Missing data
	8/18/2018 13:00				Missing data
	8/18/2018 14:00				Missing data
	8/18/2018 15:00				Missing data
	8/18/2018 16:00				Missing data
EFM0142	8/18/2018 17:00	1	1	0	
EFM0142	8/18/2018 18:00	1	1	0	
EFM0142	8/18/2018 19:00	1	1	0	
EFM0142	8/18/2018 20:00	1	1	0	
EFM0142	8/18/2018 21:00	1	1	0	
EFM0142	8/18/2018 22:00	1	1	0	
EFM0142	8/18/2018 23:00	1	1	0	
EFM0142	8/19/2018 0:00	1	1	0	
EFM0142	8/19/2018 1:00	1	1	0	
EFM0142	8/19/2018 2:00	1	1	0	
EFM0142	8/19/2018 3:00	1	1	0	
EFM0142	8/19/2018 4:00	1	1	0	
EFM0142	8/19/2018 5:00	1	1	0	
EFM0142	8/19/2018 6:00	1	1	0	
EFM0142	8/19/2018 7:00	1	1	0	
EFM0142	8/19/2018 8:00	1	1	0	
EFM0142	8/19/2018 9:00	1	1	0	
EFM0142	8/19/2018 10:00	1	1	0	
EFM0142	8/19/2018 11:00	1	1	0	
EFM0142	8/19/2018 12:00	1	1	0	
EFM0142	8/19/2018 13:00	1	1	0	
EFM0142	8/19/2018 14:00	1	1	0	
EFM0142	8/19/2018 15:00	1	1	0	
EFM0142	8/19/2018 16:00	1	1	0	
EFM0142	8/19/2018 17:00	1	1	0	
EFM0142	8/19/2018 18:00	1	1	0	
EFM0142	8/19/2018 19:00	1	1	0	
EFM0142	8/19/2018 20:00	1	1	0	
EFM0142	8/19/2018 21:00	1	1	0	
EFM0142	8/19/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					357 hrs missing during period 7/10/2018 - 7/9/2019. 4.2% of time 798 hrs with the pilot off. 3 hrs with compressor "on" 795 hrs with compressor "off"
EFM0142	8/19/2018 23:00	1	1	0	
EFM0142	8/20/2018 0:00	1	1	0	
EFM0142	8/20/2018 1:00	1	1	0	
EFM0142	8/20/2018 2:00	1	1	0	
EFM0142	8/20/2018 3:00	1	1	0	
EFM0142	8/20/2018 4:00	1	1	0	
EFM0142	8/20/2018 5:00	1	1	0	
EFM0142	8/20/2018 6:00	1	1	0	
EFM0142	8/20/2018 7:00	1	1	0	
EFM0142	8/20/2018 8:00	1	1	0	
EFM0142	8/20/2018 9:00	1	1	0	
EFM0142	8/20/2018 10:00	1	1	0	
EFM0142	8/20/2018 11:00	1	1	0	
EFM0142	8/20/2018 12:00	1	1	0	
EFM0142	8/20/2018 13:00	1	1	0	
EFM0142	8/20/2018 14:00	1	1	0	
EFM0142	8/20/2018 15:00	1	1	0	
EFM0142	8/20/2018 16:00	1	1	0	
EFM0142	8/20/2018 17:00	1	1	0	
EFM0142	8/20/2018 18:00	1	1	0	
EFM0142	8/20/2018 19:00	1	1	0	
EFM0142	8/20/2018 20:00	1	1	0	
EFM0142	8/20/2018 21:00	1	1	0	
EFM0142	8/20/2018 22:00	1	1	0	
EFM0142	8/20/2018 23:00	1	1	0	
EFM0142	8/21/2018 0:00	1	1	0	
EFM0142	8/21/2018 1:00	1	1	0	
EFM0142	8/21/2018 2:00	1	1	0	
EFM0142	8/21/2018 3:00	1	1	0	
EFM0142	8/21/2018 4:00	1	1	0	
EFM0142	8/21/2018 5:00	1	1	0	
EFM0142	8/21/2018 6:00	1	1	0	
EFM0142	8/21/2018 7:00	1	1	0	
EFM0142	8/21/2018 8:00	1	1	0	
	8/21/2018 9:00				Missing data
	8/21/2018 10:00				Missing data
	8/21/2018 11:00				Missing data
	8/21/2018 12:00				Missing data
	8/21/2018 13:00				Missing data
	8/21/2018 14:00				Missing data
	8/21/2018 15:00				Missing data
	8/21/2018 16:00				Missing data
EFM0142	8/21/2018 17:00	1	1	0	
EFM0142	8/21/2018 18:00	1	1	0	
EFM0142	8/21/2018 19:00	1	1	0	
EFM0142	8/21/2018 20:00	1	1	0	
EFM0142	8/21/2018 21:00	1	1	0	
EFM0142	8/21/2018 22:00	1	1	0	
EFM0142	8/21/2018 23:00	1	1	0	
EFM0142	8/22/2018 0:00	1	1	0	
EFM0142	8/22/2018 1:00	1	1	0	
EFM0142	8/22/2018 2:00	1	1	0	
EFM0142	8/22/2018 3:00	1	1	0	
EFM0142	8/22/2018 4:00	1	1	0	
EFM0142	8/22/2018 5:00	1	1	0	
EFM0142	8/22/2018 6:00	1	1	0	
EFM0142	8/22/2018 7:00	1	1	0	
EFM0142	8/22/2018 8:00	1	1	0	
EFM0142	8/22/2018 9:00	1	1	0	
EFM0142	8/22/2018 10:00	1	1	0	
EFM0142	8/22/2018 11:00	1	1	0	
EFM0142	8/22/2018 12:00	1	1	0	
EFM0142	8/22/2018 13:00	1	1	0	
EFM0142	8/22/2018 14:00	1	1	0	
EFM0142	8/22/2018 15:00	1	1	0	
EFM0142	8/22/2018 16:00	1	1	0	
EFM0142	8/22/2018 17:00	1	1	0	
EFM0142	8/22/2018 18:00	1	1	0	
EFM0142	8/22/2018 19:00	1	1	0	
EFM0142	8/22/2018 20:00	1	1	0	
EFM0142	8/22/2018 21:00	1	1	0	
EFM0142	8/22/2018 22:00	1	1	0	
EFM0142	8/22/2018 23:00	1	1	0	
EFM0142	8/23/2018 0:00	1	1	0	
EFM0142	8/23/2018 1:00	1	1	0	
EFM0142	8/23/2018 2:00	1	1	0	
EFM0142	8/23/2018 3:00	1	1	0	
EFM0142	8/23/2018 4:00	1	1	0	
EFM0142	8/23/2018 5:00	1	1	0	
EFM0142	8/23/2018 6:00	1	1	0	
EFM0142	8/23/2018 7:00	1	1	0	
EFM0142	8/23/2018 8:00	1	1	0	
EFM0142	8/23/2018 9:00	0	0	0.000333	
EFM0142	8/23/2018 10:00	0	0	0.000333	
EFM0142	8/23/2018 11:00	0	0	0.000333	
EFM0142	8/23/2018 12:00	0	0	0.000333	
EFM0142	8/23/2018 13:00	1	1	0.000333	
EFM0142	8/23/2018 14:00	1	1	0.000333	
EFM0142	8/23/2018 15:00	1	1	0.000333	
EFM0142	8/23/2018 16:00	1	1	0.000333	
EFM0142	8/23/2018 17:00	1	1	0.000333	
EFM0142	8/23/2018 18:00	1	1	0.000333	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/20/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	8/23/2018 19:00	1	1	0.000333	
EFM0142	8/23/2018 20:00	1	1	0.000333	
EFM0142	8/23/2018 21:00	1	1	0.000333	
EFM0142	8/23/2018 22:00	1	1	0.000333	
EFM0142	8/23/2018 23:00	1	1	0.000333	
EFM0142	8/24/2018 0:00	1	1	0.000333	
EFM0142	8/24/2018 1:00	1	1	0.000333	
EFM0142	8/24/2018 2:00	1	1	0.000333	
EFM0142	8/24/2018 3:00	0	0	0.000333	
EFM0142	8/24/2018 4:00	0	0	0.000333	
EFM0142	8/24/2018 5:00	0	0	0.000333	
EFM0142	8/24/2018 6:00	0	0	0.000333	
EFM0142	8/24/2018 7:00	0	1	0.063647	
EFM0142	8/24/2018 8:00	1	1	0.063647	
EFM0142	8/24/2018 9:00	1	1	0.063647	
EFM0142	8/24/2018 10:00	1	1	0.063647	
EFM0142	8/24/2018 11:00	1	1	0.063647	
EFM0142	8/24/2018 12:00	1	1	0.063647	
EFM0142	8/24/2018 13:00	1	1	0.063647	
EFM0142	8/24/2018 14:00	1	1	0.063647	
EFM0142	8/24/2018 15:00	1	1	0.063647	
EFM0142	8/24/2018 16:00	1	1	0.063647	
EFM0142	8/24/2018 17:00	1	1	0.063647	
EFM0142	8/24/2018 18:00	1	1	0.063647	
EFM0142	8/24/2018 19:00	1	1	0.063647	
EFM0142	8/24/2018 20:00	1	1	0.063647	
EFM0142	8/24/2018 21:00	1	1	0.063647	
EFM0142	8/24/2018 22:00	1	1	0.063647	
EFM0142	8/24/2018 23:00	1	1	0.063647	
EFM0142	8/25/2018 0:00	1	1	0.063647	
EFM0142	8/25/2018 1:00	1	1	0.063647	
EFM0142	8/25/2018 2:00	1	1	0.063647	
EFM0142	8/25/2018 3:00	1	1	0.063647	
EFM0142	8/25/2018 4:00	1	1	0.063647	
EFM0142	8/25/2018 5:00	1	1	0.063647	
EFM0142	8/25/2018 6:00	1	1	0.063647	
EFM0142	8/25/2018 7:00	1	1	0.063647	
EFM0142	8/25/2018 8:00	1	1	0.063647	
EFM0142	8/25/2018 9:00	1	1	0.063647	
EFM0142	8/25/2018 10:00	1	1	0.063647	
EFM0142	8/25/2018 11:00	1	1	0.063647	
EFM0142	8/25/2018 12:00	1	1	0.063647	
EFM0142	8/25/2018 13:00	1	1	0.063647	
EFM0142	8/25/2018 14:00	1	1	0.063647	
EFM0142	8/25/2018 15:00	1	1	0.063647	
EFM0142	8/25/2018 16:00	1	1	0.063647	
EFM0142	8/25/2018 17:00	1	1	0.063647	
EFM0142	8/25/2018 18:00	1	1	0.063647	
EFM0142	8/25/2018 19:00	1	1	0.063647	
EFM0142	8/25/2018 20:00	1	1	0.063647	
EFM0142	8/25/2018 21:00	1	1	0.063647	
EFM0142	8/25/2018 22:00	1	1	0.063647	
EFM0142	8/25/2018 23:00	1	1	0.063647	
EFM0142	8/26/2018 0:00	1	1	0.063647	
	8/26/2018 1:00				Missing data
	8/26/2018 2:00				Missing data
	8/26/2018 3:00				Missing data
	8/26/2018 4:00				Missing data
	8/26/2018 5:00				Missing data
	8/26/2018 6:00				Missing data
	8/26/2018 7:00				Missing data
	8/26/2018 8:00				Missing data
EFM0142	8/26/2018 9:00	1	1	0.063647	
EFM0142	8/26/2018 10:00	1	1	0.063647	
EFM0142	8/26/2018 11:00	1	1	0.063647	
EFM0142	8/26/2018 12:00	1	1	0.063647	
EFM0142	8/26/2018 13:00	1	1	0.063647	
EFM0142	8/26/2018 14:00	1	1	0.063647	
EFM0142	8/26/2018 15:00	1	1	0.063647	
EFM0142	8/26/2018 16:00	1	1	0.063647	
EFM0142	8/26/2018 17:00	1	1	0.063647	
EFM0142	8/26/2018 18:00	1	1	0.063647	
EFM0142	8/26/2018 19:00	1	1	0.063647	
EFM0142	8/26/2018 20:00	1	1	0.063647	
EFM0142	8/26/2018 21:00	1	1	0.063647	
EFM0142	8/26/2018 22:00	1	1	0.063647	
EFM0142	8/26/2018 23:00	1	1	0.063647	
EFM0142	8/27/2018 0:00	1	1	0.063647	
EFM0142	8/27/2018 1:00	1	1	0.063647	
EFM0142	8/27/2018 2:00	1	1	0.063647	
EFM0142	8/27/2018 3:00	1	1	0.063647	
EFM0142	8/27/2018 4:00	1	1	0.063647	
EFM0142	8/27/2018 5:00	1	1	0.063647	
EFM0142	8/27/2018 6:00	1	1	0.063647	
EFM0142	8/27/2018 7:00	1	1	0.063647	
EFM0142	8/27/2018 8:00	1	1	0.063647	
EFM0142	8/27/2018 9:00	1	1	0.063647	
EFM0142	8/27/2018 10:00	1	1	0.063647	
EFM0142	8/27/2018 11:00	1	1	0.063647	
EFM0142	8/27/2018 12:00	1	1	0.063647	
EFM0142	8/27/2018 13:00	1	1	0.063647	
EFM0142	8/27/2018 14:00	1	1	0.063647	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 1/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	8/27/2018 15:00	1	1	0.063647	
EFM0142	8/27/2018 16:00	1	1	0.063647	
EFM0142	8/27/2018 17:00	1	1	0.063647	
EFM0142	8/27/2018 18:00	1	1	0.063647	
EFM0142	8/27/2018 19:00	1	1	0.063647	
EFM0142	8/27/2018 20:00	1	1	0.063647	
EFM0142	8/27/2018 21:00	1	1	0.063647	
EFM0142	8/27/2018 22:00	1	1	0.063647	
EFM0142	8/27/2018 23:00	1	1	0.063647	
EFM0142	8/28/2018 0:00	1	1	0.063647	
EFM0142	8/28/2018 1:00	1	1	0.063647	
EFM0142	8/28/2018 2:00	1	1	0.063647	
EFM0142	8/28/2018 3:00	1	1	0.063647	
EFM0142	8/28/2018 4:00	1	1	0.063647	
EFM0142	8/28/2018 5:00	1	1	0.063647	
EFM0142	8/28/2018 6:00	1	1	0.063647	
EFM0142	8/28/2018 7:00	1	1	0.063647	
EFM0142	8/28/2018 8:00	1	1	0.063647	
EFM0142	8/28/2018 9:00	1	1	0.063647	
EFM0142	8/28/2018 10:00	1	1	0.063647	
EFM0142	8/28/2018 11:00	1	1	0.063647	
EFM0142	8/28/2018 12:00	1	1	0.063647	
EFM0142	8/28/2018 13:00	1	1	0.063647	
EFM0142	8/28/2018 14:00	1	1	0.063647	
EFM0142	8/28/2018 15:00	1	1	0.063647	
EFM0142	8/28/2018 16:00	1	1	0.063647	
EFM0142	8/28/2018 17:00	1	1	0.063647	
EFM0142	8/28/2018 18:00	1	1	0.063647	
EFM0142	8/28/2018 19:00	1	1	0.063647	
EFM0142	8/28/2018 20:00	1	1	0.063647	
EFM0142	8/28/2018 21:00	1	1	0.063647	
EFM0142	8/28/2018 22:00	1	1	0.063647	
EFM0142	8/28/2018 23:00	1	1	0.063647	
EFM0142	8/29/2018 0:00	1	1	0.063647	
EFM0142	8/29/2018 1:00	1	1	0.063647	
EFM0142	8/29/2018 2:00	1	1	0.063647	
EFM0142	8/29/2018 3:00	1	1	0.063647	
EFM0142	8/29/2018 4:00	1	1	0.063647	
EFM0142	8/29/2018 5:00	1	1	0.063647	
EFM0142	8/29/2018 6:00	1	1	0.063647	
EFM0142	8/29/2018 7:00	1	1	0.063647	
EFM0142	8/29/2018 8:00	1	1	0.063647	
EFM0142	8/29/2018 9:00	1	1	0.063647	
EFM0142	8/29/2018 10:00	1	1	0.063647	
EFM0142	8/29/2018 11:00	1	1	0.063647	
EFM0142	8/29/2018 12:00	1	1	0.063647	
EFM0142	8/29/2018 13:00	1	1	0.063647	
EFM0142	8/29/2018 14:00	1	1	0.063647	
EFM0142	8/29/2018 15:00	1	1	0.063647	
EFM0142	8/29/2018 16:00	1	1	0.063647	
EFM0142	8/29/2018 17:00	1	1	0.063647	
EFM0142	8/29/2018 18:00	1	1	0.063647	
EFM0142	8/29/2018 19:00	1	1	0.063647	
EFM0142	8/29/2018 20:00	1	1	0.063647	
EFM0142	8/29/2018 21:00	1	1	0.063647	
EFM0142	8/29/2018 22:00	1	1	0.063647	
EFM0142	8/29/2018 23:00	1	1	0.063647	
EFM0142	8/30/2018 0:00	1	1	0.063647	
EFM0142	8/30/2018 1:00	1	1	0.063647	
EFM0142	8/30/2018 2:00	1	1	0.063647	
EFM0142	8/30/2018 3:00	1	1	0.063647	
EFM0142	8/30/2018 4:00	1	1	0.063647	
EFM0142	8/30/2018 5:00	1	1	0.063647	
EFM0142	8/30/2018 6:00	1	1	0.063647	
EFM0142	8/30/2018 7:00	1	1	0.063647	
EFM0142	8/30/2018 8:00	1	1	0.063647	
EFM0142	8/30/2018 9:00	1	1	0.063647	
EFM0142	8/30/2018 10:00	1	1	0.063647	
EFM0142	8/30/2018 11:00	1	1	0.063647	
EFM0142	8/30/2018 12:00	1	1	0.063647	
EFM0142	8/30/2018 13:00	1	1	0.063647	
EFM0142	8/30/2018 14:00	1	1	0.063647	
EFM0142	8/30/2018 15:00	1	1	0.063647	
EFM0142	8/30/2018 16:00	1	1	0.063647	
EFM0142	8/30/2018 17:00	1	1	0.063647	
EFM0142	8/30/2018 18:00	1	1	0.063647	
EFM0142	8/30/2018 19:00	1	1	0.063647	
EFM0142	8/30/2018 20:00	1	1	0.063647	
EFM0142	8/30/2018 21:00	1	1	0.063647	
EFM0142	8/30/2018 22:00	1	1	0.063647	
EFM0142	8/30/2018 23:00	1	1	0.063647	
EFM0142	8/31/2018 0:00	1	1	0.063647	
EFM0142	8/31/2018 1:00	1	1	0.063647	
EFM0142	8/31/2018 2:00	1	1	0.063647	
EFM0142	8/31/2018 3:00	1	1	0.063647	
EFM0142	8/31/2018 4:00	1	1	0.063647	
EFM0142	8/31/2018 5:00	1	1	0.063647	
EFM0142	8/31/2018 6:00	1	1	0.063647	
EFM0142	8/31/2018 7:00	1	1	0.063647	
EFM0142	8/31/2018 8:00	1	1	0.063647	
EFM0142	8/31/2018 9:00	1	1	0.063647	
EFM0142	8/31/2018 10:00	1	1	0.063647	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Excess Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 3 hrs with compressor "on" 789 hrs with compressor "off"
EFMD042	8/31/2018 11:00	1	1	0.063647	
EFMD042	8/31/2018 12:00	1	1	0.063647	
EFMD042	8/31/2018 13:00	1	1	0.063647	
EFMD042	8/31/2018 14:00	1	1	0.063647	
EFMD042	8/31/2018 15:00	1	1	0.063647	
EFMD042	8/31/2018 16:00	1	1	0.063647	
EFMD042	8/31/2018 17:00	1	1	0.063647	
EFMD042	8/31/2018 18:00	1	1	0.063647	
EFMD042	8/31/2018 19:00	1	1	0.063647	
EFMD042	8/31/2018 20:00	1	1	0.063647	
EFMD042	8/31/2018 21:00	1	1	0.063647	
EFMD042	8/31/2018 22:00	1	1	0.063647	
EFMD042	8/31/2018 23:00	1	1	0.063647	
EFMD042	9/1/2018 0:00	1	1	0.063647	
EFMD042	9/1/2018 1:00	1	1	0.063647	
EFMD042	9/1/2018 2:00	1	1	0	
EFMD042	9/1/2018 3:00	1	1	0	
EFMD042	9/1/2018 4:00	1	1	0	
EFMD042	9/1/2018 5:00	1	1	0	
EFMD042	9/1/2018 6:00	1	1	0	
EFMD042	9/1/2018 7:00	1	1	0	
EFMD042	9/1/2018 8:00	1	1	0	
	9/1/2018 9:00				Missing data
	9/1/2018 10:00				Missing data
	9/1/2018 11:00				Missing data
	9/1/2018 12:00				Missing data
	9/1/2018 13:00				Missing data
	9/1/2018 14:00				Missing data
	9/1/2018 15:00				Missing data
	9/1/2018 16:00				Missing data
EFMD042	9/1/2018 17:00	1	1	0	
EFMD042	9/1/2018 18:00	1	1	0	
EFMD042	9/1/2018 19:00	1	1	0	
EFMD042	9/1/2018 20:00	1	1	0	
EFMD042	9/1/2018 21:00	1	1	0	
EFMD042	9/1/2018 22:00	1	1	0	
EFMD042	9/1/2018 23:00	1	1	0	
EFMD042	9/2/2018 0:00	1	1	0	
EFMD042	9/2/2018 1:00	1	1	0	
EFMD042	9/2/2018 2:00	1	1	0	
EFMD042	9/2/2018 3:00	1	1	0	
EFMD042	9/2/2018 4:00	1	1	0	
EFMD042	9/2/2018 5:00	1	1	0	
EFMD042	9/2/2018 6:00	1	1	0	
EFMD042	9/2/2018 7:00	1	1	0	
EFMD042	9/2/2018 8:00	1	1	0	
EFMD042	9/2/2018 9:00	1	1	0	
EFMD042	9/2/2018 10:00	1	1	0	
EFMD042	9/2/2018 11:00	1	1	0	
EFMD042	9/2/2018 12:00	1	1	0	
EFMD042	9/2/2018 13:00	1	1	0	
EFMD042	9/2/2018 14:00	1	1	0	
EFMD042	9/2/2018 15:00	1	1	0	
EFMD042	9/2/2018 16:00	1	1	0	
EFMD042	9/2/2018 17:00	1	1	0	
EFMD042	9/2/2018 18:00	1	1	0	
EFMD042	9/2/2018 19:00	1	1	0	
EFMD042	9/2/2018 20:00	1	1	0	
EFMD042	9/2/2018 21:00	1	1	0	
EFMD042	9/2/2018 22:00	1	1	0	
EFMD042	9/2/2018 23:00	1	1	0	
EFMD042	9/3/2018 0:00	1	1	0	
EFMD042	9/3/2018 1:00	1	1	0	
EFMD042	9/3/2018 2:00	1	1	0	
EFMD042	9/3/2018 3:00	1	1	0	
EFMD042	9/3/2018 4:00	1	1	0	
EFMD042	9/3/2018 5:00	1	1	0	
EFMD042	9/3/2018 6:00	1	1	0	
EFMD042	9/3/2018 7:00	1	1	0	
EFMD042	9/3/2018 8:00	1	1	0	
EFMD042	9/3/2018 9:00	1	1	0	
EFMD042	9/3/2018 10:00	1	1	0	
EFMD042	9/3/2018 11:00	1	1	0	
EFMD042	9/3/2018 12:00	1	1	0	
EFMD042	9/3/2018 13:00	1	1	0	
EFMD042	9/3/2018 14:00	1	1	0	
EFMD042	9/3/2018 15:00	1	1	0	
EFMD042	9/3/2018 16:00	1	1	0	
EFMD042	9/3/2018 17:00	1	1	0	
EFMD042	9/3/2018 18:00	1	1	0	
EFMD042	9/3/2018 19:00	1	1	0	
EFMD042	9/3/2018 20:00	1	1	0	
EFMD042	9/3/2018 21:00	1	1	0	
EFMD042	9/3/2018 22:00	1	1	0	
EFMD042	9/3/2018 23:00	1	1	0	
EFMD042	9/4/2018 0:00	1	1	0	
EFMD042	9/4/2018 1:00	1	1	0	
EFMD042	9/4/2018 2:00	1	1	0	
EFMD042	9/4/2018 3:00	1	1	0	
EFMD042	9/4/2018 4:00	1	1	0	
EFMD042	9/4/2018 5:00	1	1	0	
EFMD042	9/4/2018 6:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					167 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	9/4/2018 7:00	1	1	0	
EFM0142	9/4/2018 8:00	1	1	0	
EFM0142	9/4/2018 9:00	1	1	0	
EFM0142	9/4/2018 10:00	1	1	0	
EFM0142	9/4/2018 11:00	1	1	0	
EFM0142	9/4/2018 12:00	1	1	0	
EFM0142	9/4/2018 13:00	1	1	0	
EFM0142	9/4/2018 14:00	1	1	0	
EFM0142	9/4/2018 15:00	1	1	0	
EFM0142	9/4/2018 16:00	1	1	0	
EFM0142	9/4/2018 17:00	1	1	0	
EFM0142	9/4/2018 18:00	1	1	0	
EFM0142	9/4/2018 19:00	1	1	0	
EFM0142	9/4/2018 20:00	1	1	0	
EFM0142	9/4/2018 21:00	1	1	0	
EFM0142	9/4/2018 22:00	1	1	0	
EFM0142	9/4/2018 23:00	1	1	0	
EFM0142	9/5/2018 0:00	1	1	0	
	9/5/2018 1:00				Missing data
	9/5/2018 2:00				Missing data
	9/5/2018 3:00				Missing data
	9/5/2018 4:00				Missing data
	9/5/2018 5:00				Missing data
	9/5/2018 6:00				Missing data
	9/5/2018 7:00				Missing data
	9/5/2018 8:00				Missing data
EFM0142	9/5/2018 9:00	1	1	0	
EFM0142	9/5/2018 10:00	1	1	0	
EFM0142	9/5/2018 11:00	1	1	0	
EFM0142	9/5/2018 12:00	1	1	0	
EFM0142	9/5/2018 13:00	1	1	0	
EFM0142	9/5/2018 14:00	1	1	0	
EFM0142	9/5/2018 15:00	1	1	0	
EFM0142	9/5/2018 16:00	1	1	0	
EFM0142	9/5/2018 17:00	1	1	0	
EFM0142	9/5/2018 18:00	1	1	0	
EFM0142	9/5/2018 19:00	1	1	0	
EFM0142	9/5/2018 20:00	1	1	0	
EFM0142	9/5/2018 21:00	1	1	0	
EFM0142	9/5/2018 22:00	1	1	0	
EFM0142	9/5/2018 23:00	1	1	0	
EFM0142	9/6/2018 0:00	1	1	0	
EFM0142	9/6/2018 1:00	1	1	0	
EFM0142	9/6/2018 2:00	1	1	0	
EFM0142	9/6/2018 3:00	1	1	0	
EFM0142	9/6/2018 4:00	1	1	0	
EFM0142	9/6/2018 5:00	1	1	0	
EFM0142	9/6/2018 6:00	1	1	0	
EFM0142	9/6/2018 7:00	1	1	0	
EFM0142	9/6/2018 8:00	1	1	0	
EFM0142	9/6/2018 9:00	1	1	0	
EFM0142	9/6/2018 10:00	1	1	0	
EFM0142	9/6/2018 11:00	1	1	0	
EFM0142	9/6/2018 12:00	1	1	0	
EFM0142	9/6/2018 13:00	1	1	0	
EFM0142	9/6/2018 14:00	1	1	0	
EFM0142	9/6/2018 15:00	1	1	0	
EFM0142	9/6/2018 16:00	1	1	0	
EFM0142	9/6/2018 17:00	1	1	0	
EFM0142	9/6/2018 18:00	1	1	0	
EFM0142	9/6/2018 19:00	1	1	0	
EFM0142	9/6/2018 20:00	1	1	0	
EFM0142	9/6/2018 21:00	1	1	0	
EFM0142	9/6/2018 22:00	1	1	0	
EFM0142	9/6/2018 23:00	1	1	0	
EFM0142	9/7/2018 0:00	1	1	0	
EFM0142	9/7/2018 1:00	1	1	0	
EFM0142	9/7/2018 2:00	1	1	0	
EFM0142	9/7/2018 3:00	1	1	0	
EFM0142	9/7/2018 4:00	1	1	0	
EFM0142	9/7/2018 5:00	1	1	0	
EFM0142	9/7/2018 6:00	1	1	0	
EFM0142	9/7/2018 7:00	1	1	0	
EFM0142	9/7/2018 8:00	1	1	0	
EFM0142	9/7/2018 9:00	1	1	0	
EFM0142	9/7/2018 10:00	1	1	0	
EFM0142	9/7/2018 11:00	1	1	0	
EFM0142	9/7/2018 12:00	1	1	0	
EFM0142	9/7/2018 13:00	1	1	0	
EFM0142	9/7/2018 14:00	1	1	0	
EFM0142	9/7/2018 15:00	1	1	0	
EFM0142	9/7/2018 16:00	1	1	0	
EFM0142	9/7/2018 17:00	1	1	0	
EFM0142	9/7/2018 18:00	1	1	0	
EFM0142	9/7/2018 19:00	1	1	0	
EFM0142	9/7/2018 20:00	1	1	0	
EFM0142	9/7/2018 21:00	1	1	0	
EFM0142	9/7/2018 22:00	1	1	0	
EFM0142	9/7/2018 23:00	1	1	0	
EFM0142	9/8/2018 0:00	1	1	0	
EFM0142	9/8/2018 1:00	1	1	0	
EFM0142	9/8/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Startup Time (hrs)	NOTES
EFM0142	9/8/2018 3:00	1	1	0	367 hrs missing during period 1/10/2018 - 1/9/2018. 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	9/8/2018 4:00	1	1	0	
EFM0142	9/8/2018 5:00	1	1	0	
EFM0142	9/8/2018 6:00	1	1	0	
EFM0142	9/8/2018 7:00	1	1	0	
EFM0142	9/8/2018 8:00	1	1	0	
EFM0142	9/8/2018 9:00	1	1	0	
EFM0142	9/8/2018 10:00	1	1	0	
EFM0142	9/8/2018 11:00	1	1	0	
EFM0142	9/8/2018 12:00	1	1	0	
EFM0142	9/8/2018 13:00	1	1	0	
EFM0142	9/8/2018 14:00	1	1	0	
EFM0142	9/8/2018 15:00	1	1	0	
EFM0142	9/8/2018 16:00	1	1	0	
EFM0142	9/8/2018 17:00	1	1	0	
EFM0142	9/8/2018 18:00	1	1	0	
EFM0142	9/8/2018 19:00	1	1	0	
EFM0142	9/8/2018 20:00	1	1	0	
EFM0142	9/8/2018 21:00	1	1	0	
EFM0142	9/8/2018 22:00	1	1	0	
EFM0142	9/8/2018 23:00	1	1	0	
EFM0142	9/9/2018 0:00	1	1	0	
EFM0142	9/9/2018 1:00	1	1	0	
EFM0142	9/9/2018 2:00	1	1	0	
EFM0142	9/9/2018 3:00	1	1	0	
EFM0142	9/9/2018 4:00	1	1	0	
EFM0142	9/9/2018 5:00	1	1	0	
EFM0142	9/9/2018 6:00	1	1	0	
EFM0142	9/9/2018 7:00	1	1	0	
EFM0142	9/9/2018 8:00	1	1	0	
EFM0142	9/9/2018 9:00	1	1	0	
EFM0142	9/9/2018 10:00	1	1	0	
EFM0142	9/9/2018 11:00	1	1	0	
EFM0142	9/9/2018 12:00	1	1	0	
EFM0142	9/9/2018 13:00	1	1	0	
EFM0142	9/9/2018 14:00	1	1	0	
EFM0142	9/9/2018 15:00	1	1	0	
EFM0142	9/9/2018 16:00	1	1	0	
EFM0142	9/9/2018 17:00	1	1	0	
EFM0142	9/9/2018 18:00	1	1	0	
EFM0142	9/9/2018 19:00	1	1	0	
EFM0142	9/9/2018 20:00	1	1	0	
EFM0142	9/9/2018 21:00	1	1	0	
EFM0142	9/9/2018 22:00	1	1	0	
EFM0142	9/9/2018 23:00	1	1	0	
EFM0142	9/10/2018 0:00	1	1	0	
EFM0142	9/10/2018 1:00	1	1	0	
EFM0142	9/10/2018 2:00	1	1	0	
EFM0142	9/10/2018 3:00	1	1	0	
EFM0142	9/10/2018 4:00	1	1	0	
EFM0142	9/10/2018 5:00	1	1	0	
EFM0142	9/10/2018 6:00	1	1	0	
EFM0142	9/10/2018 7:00	1	1	0	
EFM0142	9/10/2018 8:00	1	1	0	
EFM0142	9/10/2018 9:00	1	1	0	
EFM0142	9/10/2018 10:00	1	1	0	
EFM0142	9/10/2018 11:00	1	1	0	
EFM0142	9/10/2018 12:00	1	1	0	
EFM0142	9/10/2018 13:00	1	1	0	
EFM0142	9/10/2018 14:00	1	1	0	
EFM0142	9/10/2018 15:00	1	1	0	
EFM0142	9/10/2018 16:00	1	1	0	
EFM0142	9/10/2018 17:00	1	1	0	
EFM0142	9/10/2018 18:00	1	1	0	
EFM0142	9/10/2018 19:00	1	1	0	
EFM0142	9/10/2018 20:00	1	1	0	
EFM0142	9/10/2018 21:00	1	1	0	
EFM0142	9/10/2018 22:00	1	1	0	
EFM0142	9/10/2018 23:00	1	1	0	
EFM0142	9/11/2018 0:00	1	1	0	
EFM0142	9/11/2018 1:00	1	1	0	
EFM0142	9/11/2018 2:00	1	1	0	
EFM0142	9/11/2018 3:00	1	1	0	
EFM0142	9/11/2018 4:00	1	1	0	
EFM0142	9/11/2018 5:00	1	1	0	
EFM0142	9/11/2018 6:00	1	1	0	
EFM0142	9/11/2018 7:00	1	1	0	
EFM0142	9/11/2018 8:00	1	1	0	
EFM0142	9/11/2018 9:00	1	1	0	
EFM0142	9/11/2018 10:00	1	1	0	
EFM0142	9/11/2018 11:00	1	1	0	
EFM0142	9/11/2018 12:00	1	1	0	
EFM0142	9/11/2018 13:00	1	1	0	
EFM0142	9/11/2018 14:00	1	1	0	
EFM0142	9/11/2018 15:00	1	1	0	
EFM0142	9/11/2018 16:00	1	1	0	
EFM0142	9/11/2018 17:00	1	1	0	
EFM0142	9/11/2018 18:00	1	1	0	
EFM0142	9/11/2018 19:00	1	1	0	
EFM0142	9/11/2018 20:00	1	1	0	
EFM0142	9/11/2018 21:00	1	1	0	
EFM0142	9/11/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Runtime Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	9/11/2018 23:00	1	1	0	
EFM0142	9/12/2018 0:00	1	1	0	
EFM0142	9/12/2018 1:00	1	1	0	
EFM0142	9/12/2018 2:00	1	1	0	
EFM0142	9/12/2018 3:00	1	1	0	
EFM0142	9/12/2018 4:00	1	1	0	
EFM0142	9/12/2018 5:00	1	1	0	
EFM0142	9/12/2018 6:00	1	1	0	
EFM0142	9/12/2018 7:00	1	1	0	
EFM0142	9/12/2018 8:00	1	1	0	
EFM0142	9/12/2018 9:00	1	1	0	
EFM0142	9/12/2018 10:00	1	1	0	
EFM0142	9/12/2018 11:00	1	1	0	
EFM0142	9/12/2018 12:00	1	1	0	
EFM0142	9/12/2018 13:00	1	1	0	
EFM0142	9/12/2018 14:00	1	1	0	
EFM0142	9/12/2018 15:00	1	1	0	
EFM0142	9/12/2018 16:00	1	1	0	
EFM0142	9/12/2018 17:00	1	1	0	
EFM0142	9/12/2018 18:00	1	1	0	
EFM0142	9/12/2018 19:00	1	1	0	
EFM0142	9/12/2018 20:00	1	1	0	
EFM0142	9/12/2018 21:00	1	1	0	
EFM0142	9/12/2018 22:00	1	1	0	
EFM0142	9/12/2018 23:00	1	1	0	
EFM0142	9/13/2018 0:00	1	1	0	
EFM0142	9/13/2018 1:00	1	1	0	
EFM0142	9/13/2018 2:00	1	1	0	
EFM0142	9/13/2018 3:00	1	1	0	
EFM0142	9/13/2018 4:00	1	1	0	
EFM0142	9/13/2018 5:00	1	1	0	
EFM0142	9/13/2018 6:00	1	1	0	
EFM0142	9/13/2018 7:00	1	1	0	
EFM0142	9/13/2018 8:00	1	1	0	
EFM0142	9/13/2018 9:00	1	1	0	
EFM0142	9/13/2018 10:00	1	1	0	
EFM0142	9/13/2018 11:00	1	1	0	
EFM0142	9/13/2018 12:00	1	1	0	
EFM0142	9/13/2018 13:00	1	1	0	
EFM0142	9/13/2018 14:00	1	1	0	
EFM0142	9/13/2018 15:00	1	1	0	
EFM0142	9/13/2018 16:00	1	1	0	
EFM0142	9/13/2018 17:00	1	1	0	
EFM0142	9/13/2018 18:00	1	1	0	
EFM0142	9/13/2018 19:00	1	1	0	
EFM0142	9/13/2018 20:00	1	1	0	
EFM0142	9/13/2018 21:00	1	1	0	
EFM0142	9/13/2018 22:00	1	1	0	
EFM0142	9/13/2018 23:00	1	1	0	
EFM0142	9/14/2018 0:00	1	1	0	
EFM0142	9/14/2018 1:00	1	1	0	
EFM0142	9/14/2018 2:00	1	1	0	
EFM0142	9/14/2018 3:00	1	1	0	
EFM0142	9/14/2018 4:00	1	1	0	
EFM0142	9/14/2018 5:00	1	1	0	
EFM0142	9/14/2018 6:00	1	1	0	
EFM0142	9/14/2018 7:00	1	1	0	
EFM0142	9/14/2018 8:00	1	1	0	
EFM0142	9/14/2018 9:00	1	1	0	
EFM0142	9/14/2018 10:00	1	1	0	
EFM0142	9/14/2018 11:00	1	1	0	
EFM0142	9/14/2018 12:00	1	1	0	
EFM0142	9/14/2018 13:00	1	1	0	
EFM0142	9/14/2018 14:00	1	1	0	
EFM0142	9/14/2018 15:00	1	1	0	
EFM0142	9/14/2018 16:00	1	1	0	
EFM0142	9/14/2018 17:00	1	1	0	
EFM0142	9/14/2018 18:00	1	1	0	
EFM0142	9/14/2018 19:00	1	1	0	
EFM0142	9/14/2018 20:00	1	1	0	
EFM0142	9/14/2018 21:00	1	1	0	
EFM0142	9/14/2018 22:00	1	1	0	
EFM0142	9/14/2018 23:00	1	1	0	
EFM0142	9/15/2018 0:00	1	1	0	
EFM0142	9/15/2018 1:00	1	1	0	
EFM0142	9/15/2018 2:00	1	1	0	
EFM0142	9/15/2018 3:00	1	1	0	
EFM0142	9/15/2018 4:00	1	1	0	
EFM0142	9/15/2018 5:00	1	1	0	
EFM0142	9/15/2018 6:00	1	1	0	
EFM0142	9/15/2018 7:00	1	1	0	
EFM0142	9/15/2018 8:00	1	1	0	
EFM0142	9/15/2018 9:00	1	1	0	
EFM0142	9/15/2018 10:00	1	1	0	
EFM0142	9/15/2018 11:00	1	1	0	
EFM0142	9/15/2018 12:00	1	1	0	
EFM0142	9/15/2018 13:00	1	1	0	
EFM0142	9/15/2018 14:00	1	1	0	
EFM0142	9/15/2018 15:00	1	1	0	
EFM0142	9/15/2018 16:00	1	1	0	
EFM0142	9/15/2018 17:00	1	1	0	
EFM0142	9/15/2018 18:00	1	1	0	

**Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring**

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly System Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 3/9/2018. 4.2% of time 708 hrs with the pilot off. 8 hrs with compressor "on" 790 hrs with compressor "off"
EFMD142	9/15/2018 19:00	1	1	0	
EFMD142	9/15/2018 20:00	1	1	0	
EFMD142	9/15/2018 21:00	1	1	0	
EFMD142	9/15/2018 22:00	1	1	0	
EFMD142	9/15/2018 23:00	1	1	0	
EFMD142	9/16/2018 0:00	1	1	0	
EFMD142	9/16/2018 1:00	1	1	0	
EFMD142	9/16/2018 2:00	1	1	0	
EFMD142	9/16/2018 3:00	1	1	0	
EFMD142	9/16/2018 4:00	1	1	0	
EFMD142	9/16/2018 5:00	1	1	0	
EFMD142	9/16/2018 6:00	1	1	0	
EFMD142	9/16/2018 7:00	1	1	0	
EFMD142	9/16/2018 8:00	1	1	0	
EFMD142	9/16/2018 9:00	1	1	0	
EFMD142	9/16/2018 10:00	1	1	0	
EFMD142	9/16/2018 11:00	1	1	0	
EFMD142	9/16/2018 12:00	1	1	0	
EFMD142	9/16/2018 13:00	1	1	0	
EFMD142	9/16/2018 14:00	1	1	0	
EFMD142	9/16/2018 15:00	1	1	0	
EFMD142	9/16/2018 16:00	1	1	0	
EFMD142	9/16/2018 17:00	1	1	0	
EFMD142	9/16/2018 18:00	1	1	0	
EFMD142	9/16/2018 19:00	1	1	0	
EFMD142	9/16/2018 20:00	1	1	0	
EFMD142	9/16/2018 21:00	1	1	0	
EFMD142	9/16/2018 22:00	1	1	0	
EFMD142	9/16/2018 23:00	1	1	0	
EFMD142	9/17/2018 0:00	1	1	0	
EFMD142	9/17/2018 1:00	1	1	0	
EFMD142	9/17/2018 2:00	1	1	0	
EFMD142	9/17/2018 3:00	1	1	0	
EFMD142	9/17/2018 4:00	1	1	0	
EFMD142	9/17/2018 5:00	1	1	0	
EFMD142	9/17/2018 6:00	1	1	0	
EFMD142	9/17/2018 7:00	1	1	0	
EFMD142	9/17/2018 8:00	1	1	0	
EFMD142	9/17/2018 9:00	1	1	0	
EFMD142	9/17/2018 10:00	1	1	0	
EFMD142	9/17/2018 11:00	1	1	0	
EFMD142	9/17/2018 12:00	1	1	0	
EFMD142	9/17/2018 13:00	1	1	0	
EFMD142	9/17/2018 14:00	1	1	0	
EFMD142	9/17/2018 15:00	1	1	0	
EFMD142	9/17/2018 16:00	1	1	0	
EFMD142	9/17/2018 17:00	1	1	0	
EFMD142	9/17/2018 18:00	1	1	0	
EFMD142	9/17/2018 19:00	1	1	0	
EFMD142	9/17/2018 20:00	1	1	0	
EFMD142	9/17/2018 21:00	1	1	0	
EFMD142	9/17/2018 22:00	1	1	0	
EFMD142	9/17/2018 23:00	1	1	0	
EFMD142	9/18/2018 0:00	1	1	0	
EFMD142	9/18/2018 1:00	1	1	0	
EFMD142	9/18/2018 2:00	1	1	0	
EFMD142	9/18/2018 3:00	1	1	0	
EFMD142	9/18/2018 4:00	1	1	0	
EFMD142	9/18/2018 5:00	1	1	0	
EFMD142	9/18/2018 6:00	1	1	0	
EFMD142	9/18/2018 7:00	1	1	0	
EFMD142	9/18/2018 8:00	1	1	0	
EFMD142	9/18/2018 9:00	1	1	0	
EFMD142	9/18/2018 10:00	1	1	0	
EFMD142	9/18/2018 11:00	1	1	0	
EFMD142	9/18/2018 12:00	1	1	0	
EFMD142	9/18/2018 13:00	1	1	0	
EFMD142	9/18/2018 14:00	1	1	0	
EFMD142	9/18/2018 15:00	1	1	0	
EFMD142	9/18/2018 16:00	1	1	0	
EFMD142	9/18/2018 17:00	1	1	0	
EFMD142	9/18/2018 18:00	1	1	0	
EFMD142	9/18/2018 19:00	1	1	0	
EFMD142	9/18/2018 20:00	1	1	0	
EFMD142	9/18/2018 21:00	1	1	0	
EFMD142	9/18/2018 22:00	1	1	0	
EFMD142	9/18/2018 23:00	1	1	0	
EFMD142	9/19/2018 0:00	1	1	0	
EFMD142	9/19/2018 1:00	1	1	0	
EFMD142	9/19/2018 2:00	1	1	0	
EFMD142	9/19/2018 3:00	1	1	0	
EFMD142	9/19/2018 4:00	1	1	0	
EFMD142	9/19/2018 5:00	1	1	0	
EFMD142	9/19/2018 6:00	1	1	0	
EFMD142	9/19/2018 7:00	1	1	0	
EFMD142	9/19/2018 8:00	1	1	0	
EFMD142	9/19/2018 9:00	1	1	0	
EFMD142	9/19/2018 10:00	1	1	0	
EFMD142	9/19/2018 11:00	1	1	0	
EFMD142	9/19/2018 12:00	1	1	0.035722	
EFMD142	9/19/2018 13:00	1	1	0.035722	
EFMD142	9/19/2018 14:00	1	1	0.035722	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Startup Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	9/19/2018 15:00	1	1	0.035722	
EFM0142	9/19/2018 16:00	1	1	0.035722	
EFM0142	9/19/2018 17:00	1	1	0.035722	
EFM0142	9/19/2018 18:00	1	1	0.035722	
EFM0142	9/19/2018 19:00	1	1	0.035722	
EFM0142	9/19/2018 20:00	1	1	0.035722	
EFM0142	9/19/2018 21:00	1	1	0.035722	
EFM0142	9/19/2018 22:00	1	1	0.035722	
EFM0142	9/19/2018 23:00	1	1	0.035722	
EFM0142	9/20/2018 0:00	1	1	0.035722	
EFM0142	9/20/2018 1:00	1	1	0.035722	
EFM0142	9/20/2018 2:00	1	1	0.035722	
EFM0142	9/20/2018 3:00	1	1	0.035722	
EFM0142	9/20/2018 4:00	1	1	0.035722	
EFM0142	9/20/2018 5:00	1	1	0.035722	
EFM0142	9/20/2018 6:00	1	1	0.035722	
EFM0142	9/20/2018 7:00	1	1	0.035722	
EFM0142	9/20/2018 8:00	1	1	0.035722	
EFM0142	9/20/2018 9:00	1	1	0.035722	
EFM0142	9/20/2018 10:00	1	1	0.035722	
EFM0142	9/20/2018 11:00	1	1	0.035722	
EFM0142	9/20/2018 12:00	1	1	0.035722	
EFM0142	9/20/2018 13:00	1	1	0.035722	
EFM0142	9/20/2018 14:00	1	1	0.035722	
EFM0142	9/20/2018 15:00	1	1	0.035722	
EFM0142	9/20/2018 16:00	1	1	0.035722	
EFM0142	9/20/2018 17:00	1	1	0.035722	
EFM0142	9/20/2018 18:00	1	1	0.035722	
EFM0142	9/20/2018 19:00	1	1	0.035722	
EFM0142	9/20/2018 20:00	1	1	0.035722	
EFM0142	9/20/2018 21:00	1	1	0.035722	
EFM0142	9/20/2018 22:00	1	1	0.035722	
EFM0142	9/20/2018 23:00	1	1	0.035722	
EFM0142	9/21/2018 0:00	1	1	0.035722	
EFM0142	9/21/2018 1:00	1	1	0.035722	
EFM0142	9/21/2018 2:00	1	1	0.035722	
EFM0142	9/21/2018 3:00	1	1	0.035722	
EFM0142	9/21/2018 4:00	1	1	0.035722	
EFM0142	9/21/2018 5:00	1	1	0.035722	
EFM0142	9/21/2018 6:00	1	1	0.035722	
EFM0142	9/21/2018 7:00	1	1	0.035722	
EFM0142	9/21/2018 8:00	1	1	0.035722	
EFM0142	9/21/2018 9:00	1	1	0.035722	
EFM0142	9/21/2018 10:00	1	1	0.035722	
EFM0142	9/21/2018 11:00	1	1	0.035722	
EFM0142	9/21/2018 12:00	1	1	0.035722	
EFM0142	9/21/2018 13:00	1	1	0.035722	
EFM0142	9/21/2018 14:00	1	1	0.035722	
EFM0142	9/21/2018 15:00	1	1	0.035722	
EFM0142	9/21/2018 16:00	1	1	0.035722	
EFM0142	9/21/2018 17:00	1	1	0.035722	
EFM0142	9/21/2018 18:00	1	1	0.035722	
EFM0142	9/21/2018 19:00	1	1	0.035722	
EFM0142	9/21/2018 20:00	1	1	0.035722	
EFM0142	9/21/2018 21:00	1	1	0.035722	
EFM0142	9/21/2018 22:00	1	1	0.035722	
EFM0142	9/21/2018 23:00	1	1	0.035722	
EFM0142	9/22/2018 0:00	1	1	0.035722	
EFM0142	9/22/2018 1:00	1	1	0.035722	
EFM0142	9/22/2018 2:00	1	1	0.035722	
EFM0142	9/22/2018 3:00	1	1	0.035722	
EFM0142	9/22/2018 4:00	1	1	0.035722	
EFM0142	9/22/2018 5:00	1	1	0.035722	
EFM0142	9/22/2018 6:00	1	1	0.035722	
EFM0142	9/22/2018 7:00	1	1	0.035722	
EFM0142	9/22/2018 8:00	1	1	0.035722	
EFM0142	9/22/2018 9:00	1	1	0.035722	
EFM0142	9/22/2018 10:00	1	1	0.035722	
EFM0142	9/22/2018 11:00	1	1	0.035722	
EFM0142	9/22/2018 12:00	1	1	0.035722	
EFM0142	9/22/2018 13:00	1	1	0.035722	
EFM0142	9/22/2018 14:00	1	1	0.035722	
EFM0142	9/22/2018 15:00	1	1	0.035722	
EFM0142	9/22/2018 16:00	1	1	0.035722	
EFM0142	9/22/2018 17:00	1	1	0.035722	
EFM0142	9/22/2018 18:00	1	1	0.035722	
EFM0142	9/22/2018 19:00	1	1	0.035722	
EFM0142	9/22/2018 20:00	1	1	0.035722	
EFM0142	9/22/2018 21:00	1	1	0.035722	
EFM0142	9/22/2018 22:00	1	1	0.035722	
EFM0142	9/22/2018 23:00	1	1	0.035722	
EFM0142	9/23/2018 0:00	1	1	0.035722	
EFM0142	9/23/2018 1:00	1	1	0.035722	
EFM0142	9/23/2018 2:00	1	1	0.035722	
EFM0142	9/23/2018 3:00	1	1	0.035722	
EFM0142	9/23/2018 4:00	1	1	0.035722	
EFM0142	9/23/2018 5:00	1	1	0.035722	
EFM0142	9/23/2018 6:00	1	1	0.035722	
EFM0142	9/23/2018 7:00	1	1	0.035722	
EFM0142	9/23/2018 8:00	1	1	0.035722	
EFM0142	9/23/2018 9:00	1	1	0.035722	
EFM0142	9/23/2018 10:00	1	1	0.035722	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	9/23/2018 11:00	1	1	0.035722	
EFM0142	9/23/2018 12:00	1	1	0.035722	
EFM0142	9/23/2018 13:00	1	1	0.035722	
EFM0142	9/23/2018 14:00	1	1	0.035722	
EFM0142	9/23/2018 15:00	1	1	0.035722	
EFM0142	9/23/2018 16:00	1	1	0.035722	
	9/23/2018 17:00				Missing data
	9/23/2018 18:00				Missing data
	9/23/2018 19:00				Missing data
	9/23/2018 20:00				Missing data
	9/23/2018 21:00				Missing data
EFM0142	9/23/2018 22:00	1	1	0.035722	
EFM0142	9/23/2018 23:00	1	1	0.035722	
EFM0142	9/24/2018 0:00	1	1	0.035722	
EFM0142	9/24/2018 1:00	1	1	0.035722	
EFM0142	9/24/2018 2:00	1	1	0.035722	
EFM0142	9/24/2018 3:00	1	1	0.035722	
EFM0142	9/24/2018 4:00	1	1	0.035722	
EFM0142	9/24/2018 5:00	1	1	0.035722	
EFM0142	9/24/2018 6:00	1	1	0.035722	
EFM0142	9/24/2018 7:00	1	1	0.035722	
EFM0142	9/24/2018 8:00	1	1	0.035722	
EFM0142	9/24/2018 9:00	1	1	0.035722	
EFM0142	9/24/2018 10:00	1	1	0.035722	
EFM0142	9/24/2018 11:00	1	1	0.035722	
EFM0142	9/24/2018 12:00	1	1	0.035722	
EFM0142	9/24/2018 13:00	1	1	0.035722	
EFM0142	9/24/2018 14:00	1	1	0.035722	
EFM0142	9/24/2018 15:00	1	1	0.035722	
EFM0142	9/24/2018 16:00	1	1	0.035722	
EFM0142	9/24/2018 17:00	1	1	0.035722	
EFM0142	9/24/2018 18:00	1	1	0.035722	
EFM0142	9/24/2018 19:00	1	1	0.035722	
EFM0142	9/24/2018 20:00	1	1	0.035722	
EFM0142	9/24/2018 21:00	1	1	0.035722	
EFM0142	9/24/2018 22:00	1	1	0.035722	
EFM0142	9/24/2018 23:00	1	1	0.035722	
EFM0142	9/25/2018 0:00	1	1	0.035722	
EFM0142	9/25/2018 1:00	1	1	0.035722	
EFM0142	9/25/2018 2:00	1	1	0.035722	
EFM0142	9/25/2018 3:00	1	1	0.035722	
EFM0142	9/25/2018 4:00	1	1	0.035722	
EFM0142	9/25/2018 5:00	1	1	0.035722	
EFM0142	9/25/2018 6:00	1	1	0.035722	
EFM0142	9/25/2018 7:00	1	1	0.035722	
EFM0142	9/25/2018 8:00	1	1	0.035722	
EFM0142	9/25/2018 9:00	1	1	0.035722	
EFM0142	9/25/2018 10:00	1	1	0.035722	
EFM0142	9/25/2018 11:00	1	1	0.035722	
EFM0142	9/25/2018 12:00	1	1	0.035722	
EFM0142	9/25/2018 13:00	1	1	0.035722	
EFM0142	9/25/2018 14:00	1	1	0.035722	
EFM0142	9/25/2018 15:00	1	1	0.035722	
EFM0142	9/25/2018 16:00	1	1	0.035722	
EFM0142	9/25/2018 17:00	1	1	0.035722	
EFM0142	9/25/2018 18:00	1	1	0.035722	
EFM0142	9/25/2018 19:00	1	1	0.035722	
EFM0142	9/25/2018 20:00	1	1	0.035722	
EFM0142	9/25/2018 21:00	1	1	0.035722	
EFM0142	9/25/2018 22:00	1	1	0.035722	
EFM0142	9/25/2018 23:00	1	1	0.035722	
EFM0142	9/26/2018 0:00	1	1	0.035722	
EFM0142	9/26/2018 1:00	1	1	0.035722	
EFM0142	9/26/2018 2:00	1	1	0.035722	
EFM0142	9/26/2018 3:00	1	1	0.035722	
EFM0142	9/26/2018 4:00	1	1	0.035722	
EFM0142	9/26/2018 5:00	1	1	0.035722	
EFM0142	9/26/2018 6:00	1	1	0.035722	
EFM0142	9/26/2018 7:00	1	1	0.035722	
EFM0142	9/26/2018 8:00	1	1	0.035722	
EFM0142	9/26/2018 9:00	1	1	0.035722	
EFM0142	9/26/2018 10:00	1	1	0.035722	
EFM0142	9/26/2018 11:00	1	1	0.035722	
EFM0142	9/26/2018 12:00	1	1	0.035722	
EFM0142	9/26/2018 13:00	1	1	0.035722	
EFM0142	9/26/2018 14:00	1	1	0.035722	
EFM0142	9/26/2018 15:00	1	1	0.035722	
EFM0142	9/26/2018 16:00	1	1	0.035722	
EFM0142	9/26/2018 17:00	1	1	0.035722	
EFM0142	9/26/2018 18:00	1	1	0.035722	
EFM0142	9/26/2018 19:00	1	1	0.035722	
EFM0142	9/26/2018 20:00	1	1	0.035722	
EFM0142	9/26/2018 21:00	1	1	0.035722	
EFM0142	9/26/2018 22:00	1	1	0.035722	
EFM0142	9/26/2018 23:00	1	1	0.035722	
EFM0142	9/27/2018 0:00	1	1	0.035722	
EFM0142	9/27/2018 1:00	1	1	0.035722	
EFM0142	9/27/2018 2:00	1	1	0.035722	
EFM0142	9/27/2018 3:00	1	1	0.035722	
EFM0142	9/27/2018 4:00	1	1	0.035722	
EFM0142	9/27/2018 5:00	1	1	0.035722	
EFM0142	9/27/2018 6:00	1	1	0.035722	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					957 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time
					798 hrs with the pilot off
					9 hrs with compressor "on"
					789 hrs with compressor "off"
EFM0142	9/27/2018 7:00	1	1	0.035722	
EFM0142	9/27/2018 8:00	1	1	0.035722	
EFM0142	9/27/2018 9:00	1	1	0.035722	
EFM0142	9/27/2018 10:00	1	1	0.035722	
EFM0142	9/27/2018 11:00	1	1	0.035722	
EFM0142	9/27/2018 12:00	1	1	0.035722	
EFM0142	9/27/2018 13:00	1	1	0.035722	
EFM0142	9/27/2018 14:00	1	1	0.035722	
EFM0142	9/27/2018 15:00	1	1	0.035722	
EFM0142	9/27/2018 16:00	1	1	0.035722	
EFM0142	9/27/2018 17:00	1	1	0.035722	
EFM0142	9/27/2018 18:00	1	1	0.035722	
EFM0142	9/27/2018 19:00	1	1	0.035722	
EFM0142	9/27/2018 20:00	1	1	0.035722	
EFM0142	9/27/2018 21:00	1	1	0.035722	
EFM0142	9/27/2018 22:00	1	1	0.035722	
EFM0142	9/27/2018 23:00	1	1	0.035722	
EFM0142	9/28/2018 0:00	1	1	0.035722	
EFM0142	9/28/2018 1:00	1	1	0.035722	
EFM0142	9/28/2018 2:00	1	1	0.035722	
EFM0142	9/28/2018 3:00	1	1	0.035722	
EFM0142	9/28/2018 4:00	1	1	0.035722	
EFM0142	9/28/2018 5:00	1	1	0.035722	
EFM0142	9/28/2018 6:00	1	1	0.035722	
EFM0142	9/28/2018 7:00	1	1	0.035722	
EFM0142	9/28/2018 8:00	1	1	0.035722	
EFM0142	9/28/2018 9:00	1	1	0.035722	
EFM0142	9/28/2018 10:00	1	1	0.035722	
EFM0142	9/28/2018 11:00	1	1	0.035722	
EFM0142	9/28/2018 12:00	1	1	0.035722	
EFM0142	9/28/2018 13:00	1	1	0.035722	
EFM0142	9/28/2018 14:00	1	1	0.035722	
EFM0142	9/28/2018 15:00	1	1	0.035722	
EFM0142	9/28/2018 16:00	1	1	0.035722	
EFM0142	9/28/2018 17:00	1	1	0.035722	
EFM0142	9/28/2018 18:00	1	1	0.035722	
EFM0142	9/28/2018 19:00	1	1	0.035722	
EFM0142	9/28/2018 20:00	1	1	0.035722	
EFM0142	9/28/2018 21:00	1	1	0.035722	
EFM0142	9/28/2018 22:00	1	1	0.035722	
EFM0142	9/28/2018 23:00	1	1	0.035722	
EFM0142	9/29/2018 0:00	1	1	0.035722	
EFM0142	9/29/2018 1:00	1	1	0.035722	
EFM0142	9/29/2018 2:00	1	1	0.035722	
EFM0142	9/29/2018 3:00	1	1	0.035722	
EFM0142	9/29/2018 4:00	1	1	0.035722	
EFM0142	9/29/2018 5:00	1	1	0.035722	
EFM0142	9/29/2018 6:00	1	1	0.035722	
EFM0142	9/29/2018 7:00	1	1	0.035722	
EFM0142	9/29/2018 8:00	1	1	0.035722	
EFM0142	9/29/2018 9:00	1	1	0.035722	
EFM0142	9/29/2018 10:00	1	1	0.035722	
EFM0142	9/29/2018 11:00	1	1	0.035722	
EFM0142	9/29/2018 12:00	1	1	0.035722	
EFM0142	9/29/2018 13:00	1	1	0.035722	
EFM0142	9/29/2018 14:00	1	1	0.035722	
EFM0142	9/29/2018 15:00	1	1	0.035722	
EFM0142	9/29/2018 16:00	1	1	0.035722	
EFM0142	9/29/2018 17:00	1	1	0.035722	
EFM0142	9/29/2018 18:00	1	1	0.035722	
EFM0142	9/29/2018 19:00	1	1	0.035722	
EFM0142	9/29/2018 20:00	1	1	0.035722	
EFM0142	9/29/2018 21:00	1	1	0.035722	
EFM0142	9/29/2018 22:00	1	1	0.035722	
EFM0142	9/29/2018 23:00	1	1	0.035722	
EFM0142	9/30/2018 0:00	1	1	0.035722	
EFM0142	9/30/2018 1:00	1	1	0.035722	
EFM0142	9/30/2018 2:00	1	1	0.035722	
EFM0142	9/30/2018 3:00	0	0	0.035722	
EFM0142	9/30/2018 4:00	0	0	0.035722	
EFM0142	9/30/2018 5:00	1	1	0.233767	
EFM0142	9/30/2018 6:00	1	1	0.233767	
EFM0142	9/30/2018 7:00	1	1	0.233767	
EFM0142	9/30/2018 8:00	1	1	0.233767	
EFM0142	9/30/2018 9:00	1	1	0.233767	
EFM0142	9/30/2018 10:00	1	1	0.233767	
EFM0142	9/30/2018 11:00	1	1	0.233767	
EFM0142	9/30/2018 12:00	1	1	0.233767	
EFM0142	9/30/2018 13:00	1	1	0.233767	
EFM0142	9/30/2018 14:00	1	1	0.233767	
EFM0142	9/30/2018 15:00	1	1	0.233767	
EFM0142	9/30/2018 16:00	1	1	0.233767	
EFM0142	9/30/2018 17:00	1	1	0.233767	
EFM0142	9/30/2018 18:00	1	1	0.233767	
EFM0142	9/30/2018 19:00	1	1	0.233767	
EFM0142	9/30/2018 20:00	1	1	0.233767	
EFM0142	9/30/2018 21:00	1	1	0.233767	
EFM0142	9/30/2018 22:00	1	1	0.233767	
EFM0142	9/30/2018 23:00	1	1	0.233767	
EFM0142	10/1/2018 0:00	1	1	0.233767	
	10/1/2018 1:00				Missing data
	10/1/2018 2:00				Missing data

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 795 hrs with the pilot off. 3 hrs with compressor "on" 789 hrs with compressor "off"
	10/1/2018 3:00				Missing data
	10/1/2018 4:00				Missing data
	10/1/2018 5:00				Missing data
	10/1/2018 6:00				Missing data
	10/1/2018 7:00				Missing data
	10/1/2018 8:00				Missing data
EFM0142	10/1/2018 9:00	1	1	0	
EFM0142	10/1/2018 10:00	1	1	0	
EFM0142	10/1/2018 11:00	1	1	0	
EFM0142	10/1/2018 12:00	1	1	0	
EFM0142	10/1/2018 13:00	1	1	0	
EFM0142	10/1/2018 14:00	1	1	0	
EFM0142	10/1/2018 15:00	1	1	0	
EFM0142	10/1/2018 16:00	1	1	0	
EFM0142	10/1/2018 17:00	1	1	0	
EFM0142	10/1/2018 18:00	1	1	0	
EFM0142	10/1/2018 19:00	1	1	0	
EFM0142	10/1/2018 20:00	1	1	0	
EFM0142	10/1/2018 21:00	1	1	0	
EFM0142	10/1/2018 22:00	1	1	0	
EFM0142	10/1/2018 23:00	1	1	0	
EFM0142	10/2/2018 0:00	1	1	0	
EFM0142	10/2/2018 1:00	1	1	0	
EFM0142	10/2/2018 2:00	1	1	0	
EFM0142	10/2/2018 3:00	1	1	0	
EFM0142	10/2/2018 4:00	1	1	0	
EFM0142	10/2/2018 5:00	1	1	0	
EFM0142	10/2/2018 6:00	1	1	0	
EFM0142	10/2/2018 7:00	1	1	0	
EFM0142	10/2/2018 8:00	1	1	0	
EFM0142	10/2/2018 9:00	1	1	0	
EFM0142	10/2/2018 10:00	1	1	0	
EFM0142	10/2/2018 11:00	1	1	0	
EFM0142	10/2/2018 12:00	1	1	0	
EFM0142	10/2/2018 13:00	1	1	0	
EFM0142	10/2/2018 14:00	1	1	0	
EFM0142	10/2/2018 15:00	1	1	0	
EFM0142	10/2/2018 16:00	1	1	0	
EFM0142	10/2/2018 17:00	1	1	0	
EFM0142	10/2/2018 18:00	1	1	0	
EFM0142	10/2/2018 19:00	1	1	0	
EFM0142	10/2/2018 20:00	1	1	0	
EFM0142	10/2/2018 21:00	1	1	0	
EFM0142	10/2/2018 22:00	1	1	0	
EFM0142	10/2/2018 23:00	1	1	0	
EFM0142	10/3/2018 0:00	1	1	0	
EFM0142	10/3/2018 1:00	1	1	0	
EFM0142	10/3/2018 2:00	1	1	0	
EFM0142	10/3/2018 3:00	1	1	0	
EFM0142	10/3/2018 4:00	1	1	0	
EFM0142	10/3/2018 5:00	1	1	0	
EFM0142	10/3/2018 6:00	1	1	0	
EFM0142	10/3/2018 7:00	1	1	0	
EFM0142	10/3/2018 8:00	1	1	0	
EFM0142	10/3/2018 9:00	1	1	0	
EFM0142	10/3/2018 10:00	1	1	0	
EFM0142	10/3/2018 11:00	1	1	0	
EFM0142	10/3/2018 12:00	1	1	0	
EFM0142	10/3/2018 13:00	1	1	0	
EFM0142	10/3/2018 14:00	1	1	0	
EFM0142	10/3/2018 15:00	1	1	0	
EFM0142	10/3/2018 16:00	1	1	0	
EFM0142	10/3/2018 17:00	1	1	0	
EFM0142	10/3/2018 18:00	1	1	0	
EFM0142	10/3/2018 19:00	1	1	0	
EFM0142	10/3/2018 20:00	1	1	0	
EFM0142	10/3/2018 21:00	1	1	0	
EFM0142	10/3/2018 22:00	1	1	0	
EFM0142	10/3/2018 23:00	1	1	0	
EFM0142	10/4/2018 0:00	1	1	0	
EFM0142	10/4/2018 1:00	1	1	0	
EFM0142	10/4/2018 2:00	1	1	0	
EFM0142	10/4/2018 3:00	1	1	0	
EFM0142	10/4/2018 4:00	1	1	0	
EFM0142	10/4/2018 5:00	1	1	0	
EFM0142	10/4/2018 6:00	1	1	0	
EFM0142	10/4/2018 7:00	1	1	0	
EFM0142	10/4/2018 8:00	1	1	0	
EFM0142	10/4/2018 9:00	1	1	0	
EFM0142	10/4/2018 10:00	1	1	0	
EFM0142	10/4/2018 11:00	1	1	0	
EFM0142	10/4/2018 12:00	1	1	0	
EFM0142	10/4/2018 13:00	1	1	0	
EFM0142	10/4/2018 14:00	1	1	0	
EFM0142	10/4/2018 15:00	1	1	0	
EFM0142	10/4/2018 16:00	1	1	0	
EFM0142	10/4/2018 17:00	1	1	0	
EFM0142	10/4/2018 18:00	1	1	0	
EFM0142	10/4/2018 19:00	1	1	0	
EFM0142	10/4/2018 20:00	1	1	0	
EFM0142	10/4/2018 21:00	1	1	0	
EFM0142	10/4/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	10/4/2018 23:00	1	1	0	
EFM0142	10/5/2018 0:00	1	1	0	
EFM0142	10/5/2018 1:00	1	1	0	
EFM0142	10/5/2018 2:00	1	1	0	
EFM0142	10/5/2018 3:00	1	1	0	
EFM0142	10/5/2018 4:00	1	1	0	
EFM0142	10/5/2018 5:00	1	1	0	
EFM0142	10/5/2018 6:00	1	1	0	
EFM0142	10/5/2018 7:00	1	1	0	
EFM0142	10/5/2018 8:00	1	1	0	
EFM0142	10/5/2018 9:00	1	1	0	
EFM0142	10/5/2018 10:00	1	1	0	
EFM0142	10/5/2018 11:00	1	1	0	
EFM0142	10/5/2018 12:00	1	1	0	
EFM0142	10/5/2018 13:00	1	1	0	
EFM0142	10/5/2018 14:00	1	1	0	
EFM0142	10/5/2018 15:00	1	1	0	
EFM0142	10/5/2018 16:00	1	1	0	
EFM0142	10/5/2018 17:00	1	1	0	
EFM0142	10/5/2018 18:00	1	1	0	
EFM0142	10/5/2018 19:00	1	1	0	
EFM0142	10/5/2018 20:00	1	1	0	
EFM0142	10/5/2018 21:00	1	1	0	
EFM0142	10/5/2018 22:00	1	1	0	
EFM0142	10/5/2018 23:00	1	1	0	
EFM0142	10/6/2018 0:00	1	1	0	
EFM0142	10/6/2018 1:00	1	1	0	
EFM0142	10/6/2018 2:00	1	1	0	
EFM0142	10/6/2018 3:00	1	1	0	
EFM0142	10/6/2018 4:00	1	1	0	
EFM0142	10/6/2018 5:00	1	1	0	
EFM0142	10/6/2018 6:00	1	1	0	
EFM0142	10/6/2018 7:00	1	1	0	
EFM0142	10/6/2018 8:00	1	1	0	
EFM0142	10/6/2018 9:00	1	1	0	
EFM0142	10/6/2018 10:00	1	1	0	
EFM0142	10/6/2018 11:00	1	1	0	
EFM0142	10/6/2018 12:00	1	1	0	
EFM0142	10/6/2018 13:00	1	1	0	
EFM0142	10/6/2018 14:00	1	1	0	
EFM0142	10/6/2018 15:00	1	1	0	
EFM0142	10/6/2018 16:00	1	1	0	
EFM0142	10/6/2018 17:00	1	1	0	
EFM0142	10/6/2018 18:00	1	1	0	
EFM0142	10/6/2018 19:00	1	1	0	
EFM0142	10/6/2018 20:00	1	1	0	
EFM0142	10/6/2018 21:00	1	1	0	
EFM0142	10/6/2018 22:00	1	1	0	
EFM0142	10/6/2018 23:00	1	1	0	
EFM0142	10/7/2018 0:00	1	1	0	
EFM0142	10/7/2018 1:00	1	1	0	
EFM0142	10/7/2018 2:00	1	1	0	
EFM0142	10/7/2018 3:00	1	1	0	
EFM0142	10/7/2018 4:00	1	1	0	
EFM0142	10/7/2018 5:00	1	1	0	
EFM0142	10/7/2018 6:00	1	1	0	
EFM0142	10/7/2018 7:00	1	1	0	
EFM0142	10/7/2018 8:00	1	1	0	
EFM0142	10/7/2018 9:00	1	1	0	
EFM0142	10/7/2018 10:00	1	1	0	
EFM0142	10/7/2018 11:00	1	1	0	
EFM0142	10/7/2018 12:00	1	1	0	
EFM0142	10/7/2018 13:00	1	1	0	
EFM0142	10/7/2018 14:00	1	1	0	
EFM0142	10/7/2018 15:00	1	1	0	
EFM0142	10/7/2018 16:00	1	1	0	
EFM0142	10/7/2018 17:00	1	1	0	
EFM0142	10/7/2018 18:00	1	1	0	
EFM0142	10/7/2018 19:00	1	1	0	
EFM0142	10/7/2018 20:00	1	1	0	
EFM0142	10/7/2018 21:00	1	1	0	
EFM0142	10/7/2018 22:00	1	1	0	
EFM0142	10/7/2018 23:00	1	1	0	
EFM0142	10/8/2018 0:00	1	1	0	
EFM0142	10/8/2018 1:00	1	1	0	
EFM0142	10/8/2018 2:00	1	1	0	
EFM0142	10/8/2018 3:00	1	1	0	
EFM0142	10/8/2018 4:00	1	1	0	
EFM0142	10/8/2018 5:00	1	1	0	
EFM0142	10/8/2018 6:00	1	1	0	
EFM0142	10/8/2018 7:00	1	1	0	
EFM0142	10/8/2018 8:00	1	1	0	
EFM0142	10/8/2018 9:00	1	1	0	
EFM0142	10/8/2018 10:00	1	1	0	
EFM0142	10/8/2018 11:00	1	1	0	
EFM0142	10/8/2018 12:00	1	1	0	
EFM0142	10/8/2018 13:00	1	1	0	
EFM0142	10/8/2018 14:00	1	1	0	
EFM0142	10/8/2018 15:00	1	1	0	
EFM0142	10/8/2018 16:00	1	1	0	
EFM0142	10/8/2018 17:00	1	1	0	
EFM0142	10/8/2018 18:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	10/8/2018 19:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	10/8/2018 20:00	1	1	0	
EFM0142	10/8/2018 21:00	1	1	0	
EFM0142	10/8/2018 22:00	1	1	0	
EFM0142	10/8/2018 23:00	1	1	0	
EFM0142	10/9/2018 0:00	1	1	0	
EFM0142	10/9/2018 1:00	1	1	0	
EFM0142	10/9/2018 2:00	1	1	0	
EFM0142	10/9/2018 3:00	1	1	0	
EFM0142	10/9/2018 4:00	1	1	0	
EFM0142	10/9/2018 5:00	1	1	0	
EFM0142	10/9/2018 6:00	1	1	0	
EFM0142	10/9/2018 7:00	1	1	0	
EFM0142	10/9/2018 8:00	1	1	0	
EFM0142	10/9/2018 9:00	1	1	0	
EFM0142	10/9/2018 10:00	1	1	0	
EFM0142	10/9/2018 11:00	1	1	0	
EFM0142	10/9/2018 12:00	1	1	0	
EFM0142	10/9/2018 13:00	1	1	0	
EFM0142	10/9/2018 14:00	1	1	0	
EFM0142	10/9/2018 15:00	1	1	0	
EFM0142	10/9/2018 16:00	1	1	0	
EFM0142	10/9/2018 17:00	1	1	0	
EFM0142	10/9/2018 18:00	1	1	0	
EFM0142	10/9/2018 19:00	1	1	0	
EFM0142	10/9/2018 20:00	1	1	0	
EFM0142	10/9/2018 21:00	1	1	0	
EFM0142	10/9/2018 22:00	1	1	0	
EFM0142	10/9/2018 23:00	1	1	0	
EFM0142	10/10/2018 0:00	1	1	0	
EFM0142	10/10/2018 1:00	1	1	0	
EFM0142	10/10/2018 2:00	1	1	0	
EFM0142	10/10/2018 3:00	1	1	0	
EFM0142	10/10/2018 4:00	1	1	0	
EFM0142	10/10/2018 5:00	1	1	0	
EFM0142	10/10/2018 6:00	1	1	0	
EFM0142	10/10/2018 7:00	1	1	0	
EFM0142	10/10/2018 8:00	1	1	0	
EFM0142	10/10/2018 9:00	1	1	0	
EFM0142	10/10/2018 10:00	1	1	0	
EFM0142	10/10/2018 11:00	1	1	0	
EFM0142	10/10/2018 12:00	1	1	0	
EFM0142	10/10/2018 13:00	1	1	0	
EFM0142	10/10/2018 14:00	1	1	0	
EFM0142	10/10/2018 15:00	1	1	0	
EFM0142	10/10/2018 16:00	1	1	0	
EFM0142	10/10/2018 17:00	1	1	0	
EFM0142	10/10/2018 18:00	1	1	0	
EFM0142	10/10/2018 19:00	1	1	0	
EFM0142	10/10/2018 20:00	1	1	0	
EFM0142	10/10/2018 21:00	1	1	0	
EFM0142	10/10/2018 22:00	1	1	0	
EFM0142	10/10/2018 23:00	1	1	0	
EFM0142	10/11/2018 0:00	1	1	0	
EFM0142	10/11/2018 1:00	1	1	0	
EFM0142	10/11/2018 2:00	1	1	0	
EFM0142	10/11/2018 3:00	1	1	0	
EFM0142	10/11/2018 4:00	1	1	0	
EFM0142	10/11/2018 5:00	1	1	0	
EFM0142	10/11/2018 6:00	1	1	0	
EFM0142	10/11/2018 7:00	1	1	0	
EFM0142	10/11/2018 8:00	1	1	0	
EFM0142	10/11/2018 9:00	1	1	0	
EFM0142	10/11/2018 10:00	1	1	0	
EFM0142	10/11/2018 11:00	1	1	0	
EFM0142	10/11/2018 12:00	1	1	0	
EFM0142	10/11/2018 13:00	1	1	0	
EFM0142	10/11/2018 14:00	1	1	0	
EFM0142	10/11/2018 15:00	1	1	0	
EFM0142	10/11/2018 16:00	1	1	0	
EFM0142	10/11/2018 17:00	1	1	0	
EFM0142	10/11/2018 18:00	1	1	0	
EFM0142	10/11/2018 19:00	1	1	0	
EFM0142	10/11/2018 20:00	1	1	0	
EFM0142	10/11/2018 21:00	1	1	0	
EFM0142	10/11/2018 22:00	1	1	0	
EFM0142	10/11/2018 23:00	1	1	0	
EFM0142	10/12/2018 0:00	1	1	0	
EFM0142	10/12/2018 1:00	1	1	0	
EFM0142	10/12/2018 2:00	1	1	0	
EFM0142	10/12/2018 3:00	1	1	0	
EFM0142	10/12/2018 4:00	1	1	0	
EFM0142	10/12/2018 5:00	1	1	0	
EFM0142	10/12/2018 6:00	1	1	0	
EFM0142	10/12/2018 7:00	1	1	0	
EFM0142	10/12/2018 8:00	1	1	0	
EFM0142	10/12/2018 9:00	1	1	0	
EFM0142	10/12/2018 10:00	1	1	0	
EFM0142	10/12/2018 11:00	1	1	0	
EFM0142	10/12/2018 12:00	1	1	0	
EFM0142	10/12/2018 13:00	1	1	0	
EFM0142	10/12/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	10/12/2018 15:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	10/12/2018 16:00	1	1	0	
EFM0142	10/12/2018 17:00	1	1	0	
EFM0142	10/12/2018 18:00	1	1	0	
EFM0142	10/12/2018 19:00	1	1	0	
EFM0142	10/12/2018 20:00	1	1	0	
EFM0142	10/12/2018 21:00	1	1	0	
EFM0142	10/12/2018 22:00	1	1	0	
EFM0142	10/12/2018 23:00	1	1	0	
EFM0142	10/13/2018 0:00	1	1	0	
EFM0142	10/13/2018 1:00	1	1	0	
EFM0142	10/13/2018 2:00	1	1	0	
EFM0142	10/13/2018 3:00	1	1	0	
EFM0142	10/13/2018 4:00	1	1	0	
EFM0142	10/13/2018 5:00	1	1	0	
EFM0142	10/13/2018 6:00	1	1	0	
EFM0142	10/13/2018 7:00	1	1	0	
EFM0142	10/13/2018 8:00	1	1	0	
EFM0142	10/13/2018 9:00	1	1	0	
EFM0142	10/13/2018 10:00	1	1	0	
EFM0142	10/13/2018 11:00	1	1	0	
EFM0142	10/13/2018 12:00	1	1	0	
EFM0142	10/13/2018 13:00	1	1	0	
EFM0142	10/13/2018 14:00	1	1	0	
EFM0142	10/13/2018 15:00	1	1	0	
EFM0142	10/13/2018 16:00	1	1	0	
EFM0142	10/13/2018 17:00	1	1	0	
EFM0142	10/13/2018 18:00	1	1	0	
EFM0142	10/13/2018 19:00	1	1	0	
EFM0142	10/13/2018 20:00	1	1	0	
EFM0142	10/13/2018 21:00	1	1	0	
EFM0142	10/13/2018 22:00	1	1	0	
EFM0142	10/13/2018 23:00	1	1	0	
EFM0142	10/14/2018 0:00	1	1	0	
EFM0142	10/14/2018 1:00	1	1	0	
EFM0142	10/14/2018 2:00	1	1	0	
EFM0142	10/14/2018 3:00	1	1	0	
EFM0142	10/14/2018 4:00	1	1	0	
EFM0142	10/14/2018 5:00	1	1	0	
EFM0142	10/14/2018 6:00	1	1	0	
EFM0142	10/14/2018 7:00	1	1	0	
EFM0142	10/14/2018 8:00	1	1	0	
EFM0142	10/14/2018 9:00	1	1	0	
EFM0142	10/14/2018 10:00	1	1	0	
EFM0142	10/14/2018 11:00	1	1	0	
EFM0142	10/14/2018 12:00	1	1	0	
EFM0142	10/14/2018 13:00	1	1	0	
EFM0142	10/14/2018 14:00	1	1	0	
EFM0142	10/14/2018 15:00	1	1	0	
EFM0142	10/14/2018 16:00	1	1	0	
EFM0142	10/14/2018 17:00	1	1	0	
EFM0142	10/14/2018 18:00	1	1	0	
EFM0142	10/14/2018 19:00	1	1	0	
EFM0142	10/14/2018 20:00	1	1	0	
EFM0142	10/14/2018 21:00	1	1	0	
EFM0142	10/14/2018 22:00	1	1	0	
EFM0142	10/14/2018 23:00	1	1	0	
EFM0142	10/15/2018 0:00	1	1	0	
EFM0142	10/15/2018 1:00	1	1	0	
EFM0142	10/15/2018 2:00	1	1	0	
EFM0142	10/15/2018 3:00	1	1	0	
EFM0142	10/15/2018 4:00	1	1	0	
EFM0142	10/15/2018 5:00	1	1	0	
EFM0142	10/15/2018 6:00	1	1	0	
EFM0142	10/15/2018 7:00	1	1	0	
EFM0142	10/15/2018 8:00	1	1	0	
EFM0142	10/15/2018 9:00	1	1	0	
EFM0142	10/15/2018 10:00	1	1	0	
EFM0142	10/15/2018 11:00	1	1	0	
EFM0142	10/15/2018 12:00	1	1	0	
EFM0142	10/15/2018 13:00	1	1	0	
EFM0142	10/15/2018 14:00	1	1	0	
EFM0142	10/15/2018 15:00	1	1	0	
EFM0142	10/15/2018 16:00	1	1	0	
EFM0142	10/15/2018 17:00	1	1	0	
EFM0142	10/15/2018 18:00	1	1	0	
EFM0142	10/15/2018 19:00	1	1	0	
EFM0142	10/15/2018 20:00	1	1	0	
EFM0142	10/15/2018 21:00	1	1	0	
EFM0142	10/15/2018 22:00	1	1	0	
EFM0142	10/15/2018 23:00	1	1	0	
EFM0142	10/16/2018 0:00	1	1	0	
EFM0142	10/16/2018 1:00	1	1	0	
EFM0142	10/16/2018 2:00	1	1	0	
EFM0142	10/16/2018 3:00	1	1	0	
EFM0142	10/16/2018 4:00	1	1	0	
EFM0142	10/16/2018 5:00	1	1	0	
EFM0142	10/16/2018 6:00	1	1	0	
EFM0142	10/16/2018 7:00	1	1	0	
EFM0142	10/16/2018 8:00	1	1	0	
EFM0142	10/16/2018 9:00	1	1	0	
EFM0142	10/16/2018 10:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time
					798 hrs with the pilot off:
					9 hrs with compressor "on"
					789 hrs with compressor "off"
EFM0142	10/16/2018 11:00	1	1	0	
EFM0142	10/16/2018 12:00	1	1	0	
EFM0142	10/16/2018 13:00	1	1	0	
EFM0142	10/16/2018 14:00	1	1	0	
EFM0142	10/16/2018 15:00	1	1	0	
EFM0142	10/16/2018 16:00	1	1	0	
EFM0142	10/16/2018 17:00	1	1	0	
EFM0142	10/16/2018 18:00	1	1	0	
EFM0142	10/16/2018 19:00	1	1	0	
EFM0142	10/16/2018 20:00	1	1	0	
EFM0142	10/16/2018 21:00	1	1	0	
EFM0142	10/16/2018 22:00	1	1	0	
EFM0142	10/16/2018 23:00	1	1	0	
EFM0142	10/17/2018 0:00	1	1	0	
EFM0142	10/17/2018 1:00	1	1	0	
EFM0142	10/17/2018 2:00	1	1	0	
EFM0142	10/17/2018 3:00	1	1	0	
EFM0142	10/17/2018 4:00	1	1	0	
EFM0142	10/17/2018 5:00	1	1	0	
EFM0142	10/17/2018 6:00	1	1	0	
EFM0142	10/17/2018 7:00	1	1	0	
EFM0142	10/17/2018 8:00	1	1	0	
EFM0142	10/17/2018 9:00	1	1	0	
EFM0142	10/17/2018 10:00	1	1	0	
EFM0142	10/17/2018 11:00	1	1	0	
EFM0142	10/17/2018 12:00	1	1	0	
EFM0142	10/17/2018 13:00	1	1	0	
EFM0142	10/17/2018 14:00	1	1	0	
EFM0142	10/17/2018 15:00	1	1	0	
EFM0142	10/17/2018 16:00	1	1	0	
EFM0142	10/17/2018 17:00	1	1	0	
EFM0142	10/17/2018 18:00	1	1	0	
EFM0142	10/17/2018 19:00	1	1	0	
EFM0142	10/17/2018 20:00	1	1	0	
EFM0142	10/17/2018 21:00	1	1	0	
EFM0142	10/17/2018 22:00	1	1	0	
EFM0142	10/17/2018 23:00	1	1	0	
EFM0142	10/18/2018 0:00	1	1	0	
EFM0142	10/18/2018 1:00	1	1	0	
EFM0142	10/18/2018 2:00	1	1	0	
EFM0142	10/18/2018 3:00	1	1	0	
EFM0142	10/18/2018 4:00	1	1	0	
EFM0142	10/18/2018 5:00	1	1	0	
EFM0142	10/18/2018 6:00	1	1	0	
EFM0142	10/18/2018 7:00	1	1	0	
EFM0142	10/18/2018 8:00	1	1	0	
EFM0142	10/18/2018 9:00	1	1	0	
EFM0142	10/18/2018 10:00	1	1	0	
EFM0142	10/18/2018 11:00	1	1	0	
EFM0142	10/18/2018 12:00	1	1	0	
EFM0142	10/18/2018 13:00	1	1	0	
EFM0142	10/18/2018 14:00	1	1	0	
EFM0142	10/18/2018 15:00	1	1	0	
EFM0142	10/18/2018 16:00	1	1	0	
EFM0142	10/18/2018 17:00	1	1	0	
EFM0142	10/18/2018 18:00	1	1	0	
EFM0142	10/18/2018 19:00	1	1	0	
EFM0142	10/18/2018 20:00	1	1	0	
EFM0142	10/18/2018 21:00	1	1	0	
EFM0142	10/18/2018 22:00	1	1	0	
EFM0142	10/18/2018 23:00	1	1	0	
EFM0142	10/19/2018 0:00	1	1	0	
EFM0142	10/19/2018 1:00	1	1	0	
EFM0142	10/19/2018 2:00	1	1	0	
EFM0142	10/19/2018 3:00	1	1	0	
EFM0142	10/19/2018 4:00	1	1	0	
EFM0142	10/19/2018 5:00	1	1	0	
EFM0142	10/19/2018 6:00	1	1	0	
EFM0142	10/19/2018 7:00	1	1	0	
EFM0142	10/19/2018 8:00	1	1	0	
EFM0142	10/19/2018 9:00	1	1	0	
EFM0142	10/19/2018 10:00	1	1	0	
EFM0142	10/19/2018 11:00	1	1	0	
EFM0142	10/19/2018 12:00	1	1	0	
EFM0142	10/19/2018 13:00	1	1	0	
EFM0142	10/19/2018 14:00	1	1	0	
EFM0142	10/19/2018 15:00	1	1	0	
EFM0142	10/19/2018 16:00	1	1	0	
EFM0142	10/19/2018 17:00	1	1	0	
EFM0142	10/19/2018 18:00	1	1	0	
EFM0142	10/19/2018 19:00	1	1	0	
EFM0142	10/19/2018 20:00	1	1	0	
EFM0142	10/19/2018 21:00	1	1	0	
EFM0142	10/19/2018 22:00	1	1	0	
EFM0142	10/19/2018 23:00	1	1	0	
EFM0142	10/20/2018 0:00	1	1	0	
EFM0142	10/20/2018 1:00	1	1	0	
EFM0142	10/20/2018 2:00	1	1	0	
EFM0142	10/20/2018 3:00	1	1	0	
EFM0142	10/20/2018 4:00	1	1	0	
EFM0142	10/20/2018 5:00	1	1	0	
EFM0142	10/20/2018 6:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	10/20/2018 7:00	1	1	0	
EFM0142	10/20/2018 8:00	1	1	0	
EFM0142	10/20/2018 9:00	1	1	0	
EFM0142	10/20/2018 10:00	1	1	0	
EFM0142	10/20/2018 11:00	1	1	0	
EFM0142	10/20/2018 12:00	1	1	0	
EFM0142	10/20/2018 13:00	1	1	0	
EFM0142	10/20/2018 14:00	1	1	0	
EFM0142	10/20/2018 15:00	1	1	0	
EFM0142	10/20/2018 16:00	1	1	0	
EFM0142	10/20/2018 17:00	1	1	0	
EFM0142	10/20/2018 18:00	1	1	0	
EFM0142	10/20/2018 19:00	1	1	0	
EFM0142	10/20/2018 20:00	1	1	0	
EFM0142	10/20/2018 21:00	1	1	0	
EFM0142	10/20/2018 22:00	1	1	0	
EFM0142	10/20/2018 23:00	1	1	0	
EFM0142	10/21/2018 0:00	1	1	0	
EFM0142	10/21/2018 1:00	1	1	0	
EFM0142	10/21/2018 2:00	1	1	0	
EFM0142	10/21/2018 3:00	1	1	0	
EFM0142	10/21/2018 4:00	1	1	0	
EFM0142	10/21/2018 5:00	1	1	0	
EFM0142	10/21/2018 6:00	1	1	0	
EFM0142	10/21/2018 7:00	1	1	0	
EFM0142	10/21/2018 8:00	1	1	0	
EFM0142	10/21/2018 9:00	1	1	0	
EFM0142	10/21/2018 10:00	1	1	0	
EFM0142	10/21/2018 11:00	1	1	0	
EFM0142	10/21/2018 12:00	1	1	0	
EFM0142	10/21/2018 13:00	1	1	0	
EFM0142	10/21/2018 14:00	1	1	0	
EFM0142	10/21/2018 15:00	1	1	0	
EFM0142	10/21/2018 16:00	1	1	0	
EFM0142	10/21/2018 17:00	1	1	0	
EFM0142	10/21/2018 18:00	1	1	0	
EFM0142	10/21/2018 19:00	1	1	0	
EFM0142	10/21/2018 20:00	1	1	0	
EFM0142	10/21/2018 21:00	1	1	0	
EFM0142	10/21/2018 22:00	1	1	0	
EFM0142	10/21/2018 23:00	1	1	0	
EFM0142	10/22/2018 0:00	1	1	0	
EFM0142	10/22/2018 1:00	1	1	0	
EFM0142	10/22/2018 2:00	1	1	0	
EFM0142	10/22/2018 3:00	1	1	0	
EFM0142	10/22/2018 4:00	1	1	0	
EFM0142	10/22/2018 5:00	1	1	0	
EFM0142	10/22/2018 6:00	1	1	0	
EFM0142	10/22/2018 7:00	1	1	0	
EFM0142	10/22/2018 8:00	1	1	0	
EFM0142	10/22/2018 9:00	1	1	0	
EFM0142	10/22/2018 10:00	1	1	0	
EFM0142	10/22/2018 11:00	1	1	0	
EFM0142	10/22/2018 12:00	1	1	0	
EFM0142	10/22/2018 13:00	1	1	0	
EFM0142	10/22/2018 14:00	1	1	0	
EFM0142	10/22/2018 15:00	1	1	0	
EFM0142	10/22/2018 16:00	1	1	0	
EFM0142	10/22/2018 17:00	1	1	0	
EFM0142	10/22/2018 18:00	1	1	0	
EFM0142	10/22/2018 19:00	1	1	0	
EFM0142	10/22/2018 20:00	1	1	0	
EFM0142	10/22/2018 21:00	1	1	0	
EFM0142	10/22/2018 22:00	1	1	0	
EFM0142	10/22/2018 23:00	1	1	0	
EFM0142	10/23/2018 0:00	1	1	0	
	10/23/2018 1:00				Missing data
	10/23/2018 2:00				Missing data
	10/23/2018 3:00				Missing data
	10/23/2018 4:00				Missing data
	10/23/2018 5:00				Missing data
	10/23/2018 6:00				Missing data
	10/23/2018 7:00				Missing data
	10/23/2018 8:00				Missing data
EFM0142	10/23/2018 9:00	1	1	0	
EFM0142	10/23/2018 10:00	1	1	0	
EFM0142	10/23/2018 11:00	1	1	0	
EFM0142	10/23/2018 12:00	1	1	0	
EFM0142	10/23/2018 13:00	1	1	0	
EFM0142	10/23/2018 14:00	1	1	0	
EFM0142	10/23/2018 15:00	1	1	0	
EFM0142	10/23/2018 16:00	1	1	0	
EFM0142	10/23/2018 17:00	1	1	0	
EFM0142	10/23/2018 18:00	1	1	0	
EFM0142	10/23/2018 19:00	1	1	0	
EFM0142	10/23/2018 20:00	1	1	0	
EFM0142	10/23/2018 21:00	1	1	0	
EFM0142	10/23/2018 22:00	1	1	0	
EFM0142	10/23/2018 23:00	1	1	0	
EFM0142	10/24/2018 0:00	1	1	0	
EFM0142	10/24/2018 1:00	1	1	0	
EFM0142	10/24/2018 2:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	10/24/2018 3:00	1	1	0	
EFM0142	10/24/2018 4:00	1	1	0	
EFM0142	10/24/2018 5:00	1	1	0	
EFM0142	10/24/2018 6:00	1	1	0	
EFM0142	10/24/2018 7:00	1	1	0	
EFM0142	10/24/2018 8:00	1	1	0	
EFM0142	10/24/2018 9:00	1	1	0	
EFM0142	10/24/2018 10:00	1	1	0	
EFM0142	10/24/2018 11:00	1	1	0	
EFM0142	10/24/2018 12:00	1	1	0	
EFM0142	10/24/2018 13:00	1	1	0	
EFM0142	10/24/2018 14:00	1	1	0	
EFM0142	10/24/2018 15:00	1	1	0	
EFM0142	10/24/2018 16:00	1	1	0	
EFM0142	10/24/2018 17:00	1	1	0	
EFM0142	10/24/2018 18:00	1	1	0	
EFM0142	10/24/2018 19:00	1	1	0	
EFM0142	10/24/2018 20:00	1	1	0	
EFM0142	10/24/2018 21:00	1	1	0	
EFM0142	10/24/2018 22:00	1	1	0	
EFM0142	10/24/2018 23:00	1	1	0	
EFM0142	10/25/2018 0:00	1	1	0	
EFM0142	10/25/2018 1:00	1	1	0	
EFM0142	10/25/2018 2:00	1	1	0	
EFM0142	10/25/2018 3:00	1	1	0	
EFM0142	10/25/2018 4:00	1	1	0	
EFM0142	10/25/2018 5:00	1	1	0	
EFM0142	10/25/2018 6:00	1	1	0	
EFM0142	10/25/2018 7:00	1	1	0	
EFM0142	10/25/2018 8:00	1	1	0	
EFM0142	10/25/2018 9:00	1	1	0	
EFM0142	10/25/2018 10:00	1	1	0	
EFM0142	10/25/2018 11:00	1	1	0	
EFM0142	10/25/2018 12:00	1	1	0	
EFM0142	10/25/2018 13:00	1	1	0	
EFM0142	10/25/2018 14:00	1	1	0	
EFM0142	10/25/2018 15:00	1	1	0	
EFM0142	10/25/2018 16:00	1	1	0	
EFM0142	10/25/2018 17:00	1	1	0	
EFM0142	10/25/2018 18:00	1	1	0	
EFM0142	10/25/2018 19:00	1	1	0	
EFM0142	10/25/2018 20:00	1	1	0	
EFM0142	10/25/2018 21:00	1	1	0	
EFM0142	10/25/2018 22:00	1	1	0	
EFM0142	10/25/2018 23:00	1	1	0	
EFM0142	10/26/2018 0:00	1	1	0	
EFM0142	10/26/2018 1:00	1	1	0	
EFM0142	10/26/2018 2:00	1	1	0	
EFM0142	10/26/2018 3:00	1	1	0	
EFM0142	10/26/2018 4:00	1	1	0	
EFM0142	10/26/2018 5:00	1	1	0	
EFM0142	10/26/2018 6:00	1	1	0	
EFM0142	10/26/2018 7:00	1	1	0	
EFM0142	10/26/2018 8:00	1	1	0	
EFM0142	10/26/2018 9:00	1	1	0	
EFM0142	10/26/2018 10:00	1	1	0	
EFM0142	10/26/2018 11:00	1	1	0	
EFM0142	10/26/2018 12:00	1	1	0	
EFM0142	10/26/2018 13:00	1	1	0	
EFM0142	10/26/2018 14:00	1	1	0	
EFM0142	10/26/2018 15:00	1	1	0	
EFM0142	10/26/2018 16:00	1	1	0	
EFM0142	10/26/2018 17:00	1	1	0	
EFM0142	10/26/2018 18:00	1	1	0	
EFM0142	10/26/2018 19:00	1	1	0	
EFM0142	10/26/2018 20:00	1	1	0	
EFM0142	10/26/2018 21:00	1	1	0	
EFM0142	10/26/2018 22:00	1	1	0	
EFM0142	10/26/2018 23:00	1	1	0	
EFM0142	10/27/2018 0:00	1	1	0	
EFM0142	10/27/2018 1:00	1	1	0	
EFM0142	10/27/2018 2:00	1	1	0	
EFM0142	10/27/2018 3:00	1	1	0	
EFM0142	10/27/2018 4:00	1	1	0	
EFM0142	10/27/2018 5:00	1	1	0	
EFM0142	10/27/2018 6:00	1	1	0	
EFM0142	10/27/2018 7:00	1	1	0	
EFM0142	10/27/2018 8:00	1	1	0	
EFM0142	10/27/2018 9:00	1	1	0	
EFM0142	10/27/2018 10:00	1	1	0	
EFM0142	10/27/2018 11:00	1	1	0	
EFM0142	10/27/2018 12:00	1	1	0	
EFM0142	10/27/2018 13:00	1	1	0	
EFM0142	10/27/2018 14:00	1	1	0	
EFM0142	10/27/2018 15:00	1	1	0	
EFM0142	10/27/2018 16:00	1	1	0	
EFM0142	10/27/2018 17:00	1	1	0	
EFM0142	10/27/2018 18:00	1	1	0	
EFM0142	10/27/2018 19:00	1	1	0	
EFM0142	10/27/2018 20:00	1	1	0	
EFM0142	10/27/2018 21:00	1	1	0	
EFM0142	10/27/2018 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Local Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time
					798 hrs with the pilot off
					9 hrs with compressor "on"
					789 hrs with compressor "off"
EFM0142	10/27/2018 23:00	1	1	0	
EFM0142	10/28/2018 0:00	1	1	0	
EFM0142	10/28/2018 1:00	1	1	0	
EFM0142	10/28/2018 2:00	1	1	0	
EFM0142	10/28/2018 3:00	1	1	0	
EFM0142	10/28/2018 4:00	1	1	0	
EFM0142	10/28/2018 5:00	1	1	0	
EFM0142	10/28/2018 6:00	1	1	0	
EFM0142	10/28/2018 7:00	1	1	0	
EFM0142	10/28/2018 8:00	1	1	0	
EFM0142	10/28/2018 9:00	1	1	0	
EFM0142	10/28/2018 10:00	1	1	0	
EFM0142	10/28/2018 11:00	1	1	0	
EFM0142	10/28/2018 12:00	1	1	0	
EFM0142	10/28/2018 13:00	1	1	0	
EFM0142	10/28/2018 14:00	1	1	0	
EFM0142	10/28/2018 15:00	1	1	0	
EFM0142	10/28/2018 16:00	1	1	0	
EFM0142	10/28/2018 17:00	1	1	0	
EFM0142	10/28/2018 18:00	1	1	0	
EFM0142	10/28/2018 19:00	1	1	0	
EFM0142	10/28/2018 20:00	1	1	0	
EFM0142	10/28/2018 21:00	1	1	0	
EFM0142	10/28/2018 22:00	1	1	0	
EFM0142	10/28/2018 23:00	1	1	0	
EFM0142	10/29/2018 0:00	1	1	0	
EFM0142	10/29/2018 1:00	1	1	0	
EFM0142	10/29/2018 2:00	1	1	0	
EFM0142	10/29/2018 3:00	1	1	0	
EFM0142	10/29/2018 4:00	1	1	0	
EFM0142	10/29/2018 5:00	1	1	0	
EFM0142	10/29/2018 6:00	1	1	0	
EFM0142	10/29/2018 7:00	1	1	0	
EFM0142	10/29/2018 8:00	1	1	0	
EFM0142	10/29/2018 9:00	1	1	0	
EFM0142	10/29/2018 10:00	1	1	0	
EFM0142	10/29/2018 11:00	1	1	0	
EFM0142	10/29/2018 12:00	1	1	0	
EFM0142	10/29/2018 13:00	1	1	0	
EFM0142	10/29/2018 14:00	1	1	0	
EFM0142	10/29/2018 15:00	1	1	0	
EFM0142	10/29/2018 16:00	1	1	0	
EFM0142	10/29/2018 17:00	1	1	0	
EFM0142	10/29/2018 18:00	1	1	0	
EFM0142	10/29/2018 19:00	1	1	0	
EFM0142	10/29/2018 20:00	1	1	0	
EFM0142	10/29/2018 21:00	1	1	0	
EFM0142	10/29/2018 22:00	1	1	0	
EFM0142	10/29/2018 23:00	1	1	0	
EFM0142	10/30/2018 0:00	1	1	0	
EFM0142	10/30/2018 1:00	1	1	0	
EFM0142	10/30/2018 2:00	1	1	0	
EFM0142	10/30/2018 3:00	1	1	0	
EFM0142	10/30/2018 4:00	1	1	0	
EFM0142	10/30/2018 5:00	1	1	0	
EFM0142	10/30/2018 6:00	1	1	0	
EFM0142	10/30/2018 7:00	1	1	0	
EFM0142	10/30/2018 8:00	1	1	0	
EFM0142	10/30/2018 9:00	1	1	0	
EFM0142	10/30/2018 10:00	1	1	0	
EFM0142	10/30/2018 11:00	1	1	0	
EFM0142	10/30/2018 12:00	1	1	0	
EFM0142	10/30/2018 13:00	1	1	0	
EFM0142	10/30/2018 14:00	1	1	0	
EFM0142	10/30/2018 15:00	1	1	0	
EFM0142	10/30/2018 16:00	1	1	0	
EFM0142	10/30/2018 17:00	1	1	0	
EFM0142	10/30/2018 18:00	1	1	0	
EFM0142	10/30/2018 19:00	1	1	0	
EFM0142	10/30/2018 20:00	1	1	0	
EFM0142	10/30/2018 21:00	1	1	0	
EFM0142	10/30/2018 22:00	1	1	0	
EFM0142	10/30/2018 23:00	1	1	0	
EFM0142	10/31/2018 0:00	1	1	0	
EFM0142	10/31/2018 1:00	1	1	0	
EFM0142	10/31/2018 2:00	1	1	0	
EFM0142	10/31/2018 3:00	1	1	0	
EFM0142	10/31/2018 4:00	1	1	0	
EFM0142	10/31/2018 5:00	1	1	0	
EFM0142	10/31/2018 6:00	1	1	0	
EFM0142	10/31/2018 7:00	1	1	0	
EFM0142	10/31/2018 8:00	1	1	0	
EFM0142	10/31/2018 9:00	1	1	0	
EFM0142	10/31/2018 10:00	1	1	0	
EFM0142	10/31/2018 11:00	1	1	0	
EFM0142	10/31/2018 12:00	1	1	0	
EFM0142	10/31/2018 13:00	1	1	0	
EFM0142	10/31/2018 14:00	1	1	0	
EFM0142	10/31/2018 15:00	0	0	0	
EFM0142	10/31/2018 16:00	1	1	0.149169	
EFM0142	10/31/2018 17:00	1	1	0.149169	
EFM0142	10/31/2018 18:00	1	1	0.149169	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	10/31/2018 19:00	1	1	0.149169	
EFMD142	10/31/2018 20:00	1	1	0.149169	
EFMD142	10/31/2018 21:00	1	1	0.149169	
EFMD142	10/31/2018 22:00	1	1	0.149169	
EFMD142	10/31/2018 23:00	1	1	0.149169	
EFMD142	11/1/2018 0:00	1	1	0.149169	
EFMD142	11/1/2018 1:00	1	1	0	
EFMD142	11/1/2018 2:00	1	1	0	
EFMD142	11/1/2018 3:00	1	1	0	
EFMD142	11/1/2018 4:00	1	1	0	
EFMD142	11/1/2018 5:00	1	1	0	
EFMD142	11/1/2018 6:00	1	1	0	
EFMD142	11/1/2018 7:00	1	1	0	
EFMD142	11/1/2018 8:00	1	1	0	
	11/1/2018 9:00				Missing data
	11/1/2018 10:00				Missing data
	11/1/2018 11:00				Missing data
	11/1/2018 12:00				Missing data
	11/1/2018 13:00				Missing data
	11/1/2018 14:00				Missing data
	11/1/2018 15:00				Missing data
	11/1/2018 16:00				Missing data
EFMD142	11/1/2018 17:00	1	1	0	
EFMD142	11/1/2018 18:00	1	1	0	
EFMD142	11/1/2018 19:00	1	1	0	
EFMD142	11/1/2018 20:00	1	1	0	
EFMD142	11/1/2018 21:00	1	1	0	
EFMD142	11/1/2018 22:00	1	1	0	
EFMD142	11/1/2018 23:00	1	1	0	
EFMD142	11/2/2018 0:00	1	1	0	
EFMD142	11/2/2018 1:00	1	1	0	
EFMD142	11/2/2018 2:00	1	1	0	
EFMD142	11/2/2018 3:00	1	1	0	
EFMD142	11/2/2018 4:00	1	1	0	
EFMD142	11/2/2018 5:00	1	1	0	
EFMD142	11/2/2018 6:00	1	1	0	
EFMD142	11/2/2018 7:00	1	1	0	
EFMD142	11/2/2018 8:00	1	1	0	
EFMD142	11/2/2018 9:00	1	1	0	
EFMD142	11/2/2018 10:00	1	1	0	
EFMD142	11/2/2018 11:00	1	1	0	
EFMD142	11/2/2018 12:00	1	1	0	
EFMD142	11/2/2018 13:00	1	1	0	
EFMD142	11/2/2018 14:00	1	1	0	
EFMD142	11/2/2018 15:00	1	1	0	
EFMD142	11/2/2018 16:00	1	1	0	
EFMD142	11/2/2018 17:00	1	1	0	
EFMD142	11/2/2018 18:00	1	1	0	
EFMD142	11/2/2018 19:00	1	1	0	
EFMD142	11/2/2018 20:00	1	1	0	
EFMD142	11/2/2018 21:00	1	1	0	
EFMD142	11/2/2018 22:00	1	1	0	
EFMD142	11/2/2018 23:00	1	1	0	
EFMD142	11/3/2018 0:00	1	1	0	
EFMD142	11/3/2018 1:00	1	1	0	
EFMD142	11/3/2018 2:00	1	1	0	
EFMD142	11/3/2018 3:00	1	1	0	
EFMD142	11/3/2018 4:00	1	1	0	
EFMD142	11/3/2018 5:00	1	1	0	
EFMD142	11/3/2018 6:00	1	1	0	
EFMD142	11/3/2018 7:00	1	1	0	
EFMD142	11/3/2018 8:00	1	1	0	
EFMD142	11/3/2018 9:00	1	1	0	
EFMD142	11/3/2018 10:00	1	1	0	
EFMD142	11/3/2018 11:00	1	1	0	
EFMD142	11/3/2018 12:00	1	1	0	
EFMD142	11/3/2018 13:00	1	1	0	
EFMD142	11/3/2018 14:00	1	1	0	
EFMD142	11/3/2018 15:00	1	1	0	
EFMD142	11/3/2018 16:00	1	1	0	
EFMD142	11/3/2018 17:00	1	1	0	
EFMD142	11/3/2018 18:00	1	1	0	
EFMD142	11/3/2018 19:00	1	1	0	
EFMD142	11/3/2018 20:00	1	1	0	
EFMD142	11/3/2018 21:00	1	1	0	
EFMD142	11/3/2018 22:00	1	1	0	
EFMD142	11/3/2018 23:00	1	1	0	
EFMD142	11/4/2018 0:00	1	1	0	
EFMD142	11/4/2018 1:00	1	1	0	
EFMD142	11/4/2018 2:00	1	1	0	
EFMD142	11/4/2018 3:00	1	1	0	
EFMD142	11/4/2018 4:00	1	1	0	
EFMD142	11/4/2018 5:00	1	1	0	
EFMD142	11/4/2018 6:00	1	1	0	
EFMD142	11/4/2018 7:00	1	1	0	
EFMD142	11/4/2018 8:00	1	1	0	
EFMD142	11/4/2018 9:00	1	1	0	
EFMD142	11/4/2018 10:00	1	1	0	
EFMD142	11/4/2018 11:00	0	0	0	
EFMD142	11/4/2018 12:00	1	1	0	
EFMD142	11/4/2018 13:00	1	1	0	
EFMD142	11/4/2018 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2015 - 2/9/2015; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	11/4/2018 15:00	1	1	0	
EFMD142	11/4/2018 16:00	1	1	0	
EFMD142	11/4/2018 17:00	1	1	0	
EFMD142	11/4/2018 18:00	1	1	0	
EFMD142	11/4/2018 19:00	1	1	0	
EFMD142	11/4/2018 20:00	1	1	0	
EFMD142	11/4/2018 21:00	1	1	0	
EFMD142	11/4/2018 22:00	1	1	0	
EFMD142	11/4/2018 23:00	1	1	0	
EFMD142	11/5/2018 0:00	1	1	0	
EFMD142	11/5/2018 1:00	1	1	0	
EFMD142	11/5/2018 2:00	1	1	0	
EFMD142	11/5/2018 3:00	1	1	0	
EFMD142	11/5/2018 4:00	1	1	0	
EFMD142	11/5/2018 5:00	1	1	0	
EFMD142	11/5/2018 6:00	1	1	0	
EFMD142	11/5/2018 7:00	1	1	0	
EFMD142	11/5/2018 8:00	1	1	0	
EFMD142	11/5/2018 9:00	1	1	0	
EFMD142	11/5/2018 10:00	1	1	0	
EFMD142	11/5/2018 11:00	1	1	0	
EFMD142	11/5/2018 12:00	1	1	0	
EFMD142	11/5/2018 13:00	1	1	0	
EFMD142	11/5/2018 14:00	1	1	0	
EFMD142	11/5/2018 15:00	1	1	0	
EFMD142	11/5/2018 16:00	1	1	0	
EFMD142	11/5/2018 17:00	1	1	0	
EFMD142	11/5/2018 18:00	1	1	0	
EFMD142	11/5/2018 19:00	1	1	0	
EFMD142	11/5/2018 20:00	1	1	0	
EFMD142	11/5/2018 21:00	1	1	0	
EFMD142	11/5/2018 22:00	1	1	0	
EFMD142	11/5/2018 23:00	1	1	0	
EFMD142	11/6/2018 0:00	1	1	0	
EFMD142	11/6/2018 1:00	1	1	0	
EFMD142	11/6/2018 2:00	1	1	0	
EFMD142	11/6/2018 3:00	1	1	0	
EFMD142	11/6/2018 4:00	1	1	0	
EFMD142	11/6/2018 5:00	1	1	0	
EFMD142	11/6/2018 6:00	1	1	0	
EFMD142	11/6/2018 7:00	1	1	0	
EFMD142	11/6/2018 8:00	1	1	0	
EFMD142	11/6/2018 9:00	1	1	0	
EFMD142	11/6/2018 10:00	0	0	0	
EFMD142	11/6/2018 11:00	0	0	0	
EFMD142	11/6/2018 12:00	0	0	0	
EFMD142	11/6/2018 13:00	0	0	0	
EFMD142	11/6/2018 14:00	0	0	0	
EFMD142	11/6/2018 15:00	0	0	0	
EFMD142	11/6/2018 16:00	1	0	0.004683	
EFMD142	11/6/2018 17:00	1	1	0.210626	
EFMD142	11/6/2018 18:00	1	1	0.210626	
EFMD142	11/6/2018 19:00	1	1	0.210626	
EFMD142	11/6/2018 20:00	1	1	0.210626	
EFMD142	11/6/2018 21:00	1	1	0.210626	
EFMD142	11/6/2018 22:00	1	1	0.210626	
EFMD142	11/6/2018 23:00	1	1	0.210626	
EFMD142	11/7/2018 0:00	1	1	0.210626	
EFMD142	11/7/2018 1:00	1	1	0.210626	
EFMD142	11/7/2018 2:00	1	1	0.210626	
EFMD142	11/7/2018 3:00	1	1	0.210626	
EFMD142	11/7/2018 4:00	1	1	0.210626	
EFMD142	11/7/2018 5:00	1	1	0.210626	
EFMD142	11/7/2018 6:00	1	1	0.210626	
EFMD142	11/7/2018 7:00	1	1	0.210626	
EFMD142	11/7/2018 8:00	1	1	0.210626	
EFMD142	11/7/2018 9:00	1	1	0.210626	
EFMD142	11/7/2018 10:00	1	1	0.210626	
EFMD142	11/7/2018 11:00	1	1	0.210626	
EFMD142	11/7/2018 12:00	1	1	0.210626	
EFMD142	11/7/2018 13:00	1	1	0.210626	
EFMD142	11/7/2018 14:00	1	1	0.210626	
EFMD142	11/7/2018 15:00	1	1	0.210626	
EFMD142	11/7/2018 16:00	1	1	0.210626	
EFMD142	11/7/2018 17:00	1	1	0.210626	
EFMD142	11/7/2018 18:00	1	1	0.210626	
EFMD142	11/7/2018 19:00	1	1	0.210626	
EFMD142	11/7/2018 20:00	1	1	0.210626	
EFMD142	11/7/2018 21:00	1	1	0.210626	
EFMD142	11/7/2018 22:00	1	1	0.210626	
EFMD142	11/7/2018 23:00	1	1	0.210626	
EFMD142	11/8/2018 0:00	1	1	0.210626	
	11/8/2018 1:00				Missing data
	11/8/2018 2:00				Missing data
	11/8/2018 3:00				Missing data
	11/8/2018 4:00				Missing data
	11/8/2018 5:00				Missing data
	11/8/2018 6:00				Missing data
	11/8/2018 7:00				Missing data
	11/8/2018 8:00				Missing data
EFMD142	11/8/2018 9:00	1	1	0.210626	
EFMD142	11/8/2018 10:00	1	1	0.210626	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/8/2018 11:00	1	1	0.210626	
EFM0142	11/8/2018 12:00	1	1	0.210626	
EFM0142	11/8/2018 13:00	1	1	0.210626	
EFM0142	11/8/2018 14:00	1	1	0.210626	
EFM0142	11/8/2018 15:00	1	1	0.210626	
EFM0142	11/8/2018 16:00	1	1	0.210626	
EFM0142	11/8/2018 17:00	0	0	0.210626	
EFM0142	11/8/2018 18:00	0	0	0.340487	
EFM0142	11/8/2018 19:00	0	0	0.340487	
EFM0142	11/8/2018 20:00	0	0	0.340487	
EFM0142	11/8/2018 21:00	0	0	0.340487	
EFM0142	11/8/2018 22:00	0	0	0.340487	
EFM0142	11/8/2018 23:00	0	0	0.340487	
EFM0142	11/9/2018 0:00	0	0	0.340487	
EFM0142	11/9/2018 1:00	0	0	0.340487	
EFM0142	11/9/2018 2:00	0	0	0.340487	
EFM0142	11/9/2018 3:00	0	0	0.340487	
EFM0142	11/9/2018 4:00	0	0	0.340487	
EFM0142	11/9/2018 5:00	0	0	0.340487	
EFM0142	11/9/2018 6:00	0	0	0.340487	
EFM0142	11/9/2018 7:00	0	0	0.340487	
EFM0142	11/9/2018 8:00	0	0	0.340487	
EFM0142	11/9/2018 9:00	0	0	0.340487	
EFM0142	11/9/2018 10:00	0	0	0.340487	
EFM0142	11/9/2018 11:00	0	0	0.340487	
EFM0142	11/9/2018 12:00	1	0	0.464988	
EFM0142	11/9/2018 13:00	0	0	0.607821	
EFM0142	11/9/2018 14:00	0	0	0.607821	
EFM0142	11/9/2018 15:00	0	0	0.607821	
EFM0142	11/9/2018 16:00	0	0	0.607821	
EFM0142	11/9/2018 17:00	0	0	0.607821	
EFM0142	11/9/2018 18:00	0	0	0.607821	
EFM0142	11/9/2018 19:00	0	0	0.607821	
EFM0142	11/9/2018 20:00	0	0	0.607821	
EFM0142	11/9/2018 21:00	0	0	0.607821	
EFM0142	11/9/2018 22:00	0	0	0.607821	
EFM0142	11/9/2018 23:00	0	0	0.607821	
EFM0142	11/10/2018 0:00	0	0	0.607821	
EFM0142	11/10/2018 1:00	0	0	0.607821	
EFM0142	11/10/2018 2:00	0	0	0.607821	
EFM0142	11/10/2018 3:00	0	0	0.607821	
EFM0142	11/10/2018 4:00	0	0	0.607821	
EFM0142	11/10/2018 5:00	0	0	0.607821	
EFM0142	11/10/2018 6:00	0	0	0.607821	
EFM0142	11/10/2018 7:00	0	0	0.607821	
EFM0142	11/10/2018 8:00	0	0	0.607821	
EFM0142	11/10/2018 9:00	0	0	0.607821	
EFM0142	11/10/2018 10:00	0	0	0.607821	
EFM0142	11/10/2018 11:00	0	0	0.607821	
EFM0142	11/10/2018 12:00	0	0	0.607821	
EFM0142	11/10/2018 13:00	0	0	0.607821	
EFM0142	11/10/2018 14:00	0	0	0.607821	
EFM0142	11/10/2018 15:00	0	0	0.607821	
EFM0142	11/10/2018 16:00	0	0	0.607821	
EFM0142	11/10/2018 17:00	0	0	0.607821	
EFM0142	11/10/2018 18:00	0	0	0.607821	
EFM0142	11/10/2018 19:00	0	0	0.607821	
EFM0142	11/10/2018 20:00	0	0	0.607821	
EFM0142	11/10/2018 21:00	0	0	0.607821	
EFM0142	11/10/2018 22:00	0	0	0.607821	
EFM0142	11/10/2018 23:00	0	0	0.607821	
EFM0142	11/11/2018 0:00	0	0	0.607821	
EFM0142	11/11/2018 1:00	0	0	0.607821	
EFM0142	11/11/2018 2:00	0	0	0.607821	
EFM0142	11/11/2018 3:00	0	0	0.607821	
EFM0142	11/11/2018 4:00	0	0	0.607821	
EFM0142	11/11/2018 5:00	0	0	0.607821	
EFM0142	11/11/2018 6:00	0	0	0.607821	
EFM0142	11/11/2018 7:00	0	0	0.607821	
EFM0142	11/11/2018 8:00	0	0	0.607821	
EFM0142	11/11/2018 9:00	0	0	0.607821	
EFM0142	11/11/2018 10:00	0	0	0.607821	
EFM0142	11/11/2018 11:00	0	0	0.607821	
EFM0142	11/11/2018 12:00	0	0	0.607821	
EFM0142	11/11/2018 13:00	0	0	0.607821	
EFM0142	11/11/2018 14:00	0	0	0.607821	
EFM0142	11/11/2018 15:00	0	0	0.607821	
EFM0142	11/11/2018 16:00	0	0	0.607821	
EFM0142	11/11/2018 17:00	0	0	0.607821	
EFM0142	11/11/2018 18:00	0	0	0.607821	
EFM0142	11/11/2018 19:00	0	0	0.607821	
EFM0142	11/11/2018 20:00	0	0	0.607821	
EFM0142	11/11/2018 21:00	0	0	0.607821	
EFM0142	11/11/2018 22:00	0	0	0.607821	
EFM0142	11/11/2018 23:00	0	0	0.607821	
EFM0142	11/12/2018 0:00	0	0	0.607821	
EFM0142	11/12/2018 1:00	0	0	0.607821	
EFM0142	11/12/2018 2:00	0	0	0.607821	
EFM0142	11/12/2018 3:00	0	0	0.607821	
EFM0142	11/12/2018 4:00	0	0	0.607821	
EFM0142	11/12/2018 5:00	0	0	0.607821	
EFM0142	11/12/2018 6:00	0	0	0.607821	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 738 hrs with the pilot off; 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/12/2018 7:00	0	0	0.607821	
EFM0142	11/12/2018 8:00	0	0	0.607821	
EFM0142	11/12/2018 9:00	0	0	0.607821	
EFM0142	11/12/2018 10:00	0	0	0.607821	
EFM0142	11/12/2018 11:00	0	0	0.607821	
EFM0142	11/12/2018 12:00	0	0	0.607821	
EFM0142	11/12/2018 13:00	0	0	0.607821	
EFM0142	11/12/2018 14:00	0	0	0.607821	
EFM0142	11/12/2018 15:00	0	0	0.607821	
EFM0142	11/12/2018 16:00	0	0	0.607821	
EFM0142	11/12/2018 17:00	0	0	0.607821	
EFM0142	11/12/2018 18:00	0	0	0.607821	
EFM0142	11/12/2018 19:00	0	0	0.607821	
EFM0142	11/12/2018 20:00	0	0	0.607821	
EFM0142	11/12/2018 21:00	0	0	0.607821	
EFM0142	11/12/2018 22:00	0	0	0.607821	
EFM0142	11/12/2018 23:00	0	0	0.607821	
EFM0142	11/13/2018 0:00	0	0	0.607821	
EFM0142	11/13/2018 1:00	0	0	0.607821	
EFM0142	11/13/2018 2:00	0	0	0.607821	
EFM0142	11/13/2018 3:00	0	0	0.607821	
EFM0142	11/13/2018 4:00	0	0	0.607821	
EFM0142	11/13/2018 5:00	0	0	0.607821	
EFM0142	11/13/2018 6:00	0	0	0.607821	
EFM0142	11/13/2018 7:00	0	0	0.607821	
EFM0142	11/13/2018 8:00	0	0	0.607821	
EFM0142	11/13/2018 9:00	0	0	0.607821	
EFM0142	11/13/2018 10:00	0	0	0.607821	
EFM0142	11/13/2018 11:00	0	0	0.607821	
EFM0142	11/13/2018 12:00	0	0	0.607821	
EFM0142	11/13/2018 13:00	0	0	0.607821	
EFM0142	11/13/2018 14:00	0	0	0.607821	
EFM0142	11/13/2018 15:00	0	0	0.607821	
EFM0142	11/13/2018 16:00	0	0	0.607821	
EFM0142	11/13/2018 17:00	0	0	0.607821	
EFM0142	11/13/2018 18:00	0	0	0.607821	
EFM0142	11/13/2018 19:00	0	0	0.607821	
EFM0142	11/13/2018 20:00	0	0	0.607821	
EFM0142	11/13/2018 21:00	0	0	0.607821	
EFM0142	11/13/2018 22:00	0	0	0.607821	
EFM0142	11/13/2018 23:00	0	0	0.607821	
EFM0142	11/14/2018 0:00	0	0	0.607821	
EFM0142	11/14/2018 1:00	0	0	0.607821	
EFM0142	11/14/2018 2:00	0	0	0.607821	
EFM0142	11/14/2018 3:00	0	0	0.607821	
EFM0142	11/14/2018 4:00	0	0	0.607821	
EFM0142	11/14/2018 5:00	0	0	0.607821	
EFM0142	11/14/2018 6:00	0	0	0.607821	
EFM0142	11/14/2018 7:00	0	0	0.607821	
EFM0142	11/14/2018 8:00	0	0	0.607821	
EFM0142	11/14/2018 9:00	0	0	0.607821	
EFM0142	11/14/2018 10:00	0	0	0.607821	
EFM0142	11/14/2018 11:00	0	0	0.607821	
EFM0142	11/14/2018 12:00	0	0	0.607821	
EFM0142	11/14/2018 13:00	0	0	0.607821	
EFM0142	11/14/2018 14:00	0	0	0.607821	
EFM0142	11/14/2018 15:00	0	0	0.607821	
EFM0142	11/14/2018 16:00	0	0	0.607821	
EFM0142	11/14/2018 17:00	0	0	0.607821	
EFM0142	11/14/2018 18:00	0	0	0.607821	
EFM0142	11/14/2018 19:00	0	0	0.607821	
EFM0142	11/14/2018 20:00	0	0	0.607821	
EFM0142	11/14/2018 21:00	0	0	0.607821	
EFM0142	11/14/2018 22:00	0	0	0.607821	
EFM0142	11/14/2018 23:00	0	0	0.607821	
EFM0142	11/15/2018 0:00	0	0	0.607821	
EFM0142	11/15/2018 1:00	0	0	0.607821	
EFM0142	11/15/2018 2:00	0	0	0.607821	
EFM0142	11/15/2018 3:00	0	0	0.607821	
EFM0142	11/15/2018 4:00	0	0	0.607821	
EFM0142	11/15/2018 5:00	0	0	0.607821	
EFM0142	11/15/2018 6:00	0	0	0.607821	
EFM0142	11/15/2018 7:00	0	0	0.607821	
EFM0142	11/15/2018 8:00	0	0	0.607821	
EFM0142	11/15/2018 9:00	0	0	0.607821	
EFM0142	11/15/2018 10:00	0	0	0.607821	
EFM0142	11/15/2018 11:00	0	0	0.607821	
EFM0142	11/15/2018 12:00	0	0	0.607821	
EFM0142	11/15/2018 13:00	0	0	0.607821	
EFM0142	11/15/2018 14:00	0	0	0.607821	
EFM0142	11/15/2018 15:00	0	0	0.607821	
EFM0142	11/15/2018 16:00	0	0	0.607821	
EFM0142	11/15/2018 17:00	0	0	0.607821	
EFM0142	11/15/2018 18:00	0	0	0.607821	
EFM0142	11/15/2018 19:00	0	0	0.607821	
EFM0142	11/15/2018 20:00	0	0	0.607821	
EFM0142	11/15/2018 21:00	0	0	0.607821	
EFM0142	11/15/2018 22:00	0	0	0.607821	
EFM0142	11/15/2018 23:00	0	0	0.607821	
EFM0142	11/16/2018 0:00	0	0	0.607821	
EFM0142	11/16/2018 1:00	0	0	0.607821	
EFM0142	11/16/2018 2:00	0	0	0.607821	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/16/2018 3:00	0	0	0.607821	
EFM0142	11/16/2018 4:00	0	0	0.607821	
EFM0142	11/16/2018 5:00	0	0	0.607821	
EFM0142	11/16/2018 6:00	0	0	0.607821	
EFM0142	11/16/2018 7:00	0	0	0.607821	
EFM0142	11/16/2018 8:00	0	0	0.607821	
EFM0142	11/16/2018 9:00	0	0	0.607821	
EFM0142	11/16/2018 10:00	0	0	0.607821	
EFM0142	11/16/2018 11:00	0	0	0.607821	
EFM0142	11/16/2018 12:00	0	0	0.607821	
EFM0142	11/16/2018 13:00	0	0	0.607821	
EFM0142	11/16/2018 14:00	0	0	0.607821	
EFM0142	11/16/2018 15:00	0	0	0.607821	
EFM0142	11/16/2018 16:00	0	0	0.607821	
EFM0142	11/16/2018 17:00	0	0	0.607821	
EFM0142	11/16/2018 18:00	0	0	0.607821	
EFM0142	11/16/2018 19:00	0	0	0.607821	
EFM0142	11/16/2018 20:00	0	0	0.607821	
EFM0142	11/16/2018 21:00	0	0	0.607821	
EFM0142	11/16/2018 22:00	0	0	0.607821	
EFM0142	11/16/2018 23:00	0	0	0.607821	
EFM0142	11/17/2018 0:00	0	0	0.607821	
EFM0142	11/17/2018 1:00	0	0	0.607821	
EFM0142	11/17/2018 2:00	0	0	0.607821	
EFM0142	11/17/2018 3:00	0	0	0.607821	
EFM0142	11/17/2018 4:00	0	0	0.607821	
EFM0142	11/17/2018 5:00	0	0	0.607821	
EFM0142	11/17/2018 6:00	0	0	0.607821	
EFM0142	11/17/2018 7:00	0	0	0.607821	
EFM0142	11/17/2018 8:00	0	0	0.607821	
EFM0142	11/17/2018 9:00	0	0	0.607821	
EFM0142	11/17/2018 10:00	0	0	0.607821	
EFM0142	11/17/2018 11:00	0	0	0.607821	
EFM0142	11/17/2018 12:00	0	0	0.607821	
EFM0142	11/17/2018 13:00	0	0	0.607821	
EFM0142	11/17/2018 14:00	0	0	0.607821	
EFM0142	11/17/2018 15:00	0	0	0.607821	
EFM0142	11/17/2018 16:00	0	0	0.607821	
EFM0142	11/17/2018 17:00	0	0	0.607821	
EFM0142	11/17/2018 18:00	0	0	0.607821	
EFM0142	11/17/2018 19:00	0	0	0.607821	
EFM0142	11/17/2018 20:00	0	0	0.607821	
EFM0142	11/17/2018 21:00	0	0	0.607821	
EFM0142	11/17/2018 22:00	0	0	0.607821	
EFM0142	11/17/2018 23:00	0	0	0.607821	
EFM0142	11/18/2018 0:00	0	0	0.607821	
EFM0142	11/18/2018 1:00	0	0	0.607821	
EFM0142	11/18/2018 2:00	0	0	0.607821	
EFM0142	11/18/2018 3:00	0	0	0.607821	
EFM0142	11/18/2018 4:00	0	0	0.607821	
EFM0142	11/18/2018 5:00	0	0	0.607821	
EFM0142	11/18/2018 6:00	0	0	0.607821	
EFM0142	11/18/2018 7:00	0	0	0.607821	
EFM0142	11/18/2018 8:00	0	0	0.607821	
EFM0142	11/18/2018 9:00				Missing data
EFM0142	11/18/2018 10:00				Missing data
EFM0142	11/18/2018 11:00				Missing data
EFM0142	11/18/2018 12:00				Missing data
EFM0142	11/18/2018 13:00				Missing data
EFM0142	11/18/2018 14:00				Missing data
EFM0142	11/18/2018 15:00				Missing data
EFM0142	11/18/2018 16:00				Missing data
EFM0142	11/18/2018 17:00	0	0	0.607821	
EFM0142	11/18/2018 18:00	0	0	0.607821	
EFM0142	11/18/2018 19:00	0	0	0.607821	
EFM0142	11/18/2018 20:00	0	0	0.607821	
EFM0142	11/18/2018 21:00	0	0	0.607821	
EFM0142	11/18/2018 22:00	0	0	0.607821	
EFM0142	11/19/2018 0:00	0	0	0.607821	
EFM0142	11/19/2018 1:00	0	0	0.607821	
EFM0142	11/19/2018 2:00	0	0	0.607821	
EFM0142	11/19/2018 3:00	0	0	0.607821	
EFM0142	11/19/2018 4:00	0	0	0.607821	
EFM0142	11/19/2018 5:00	0	0	0.607821	
EFM0142	11/19/2018 6:00	0	0	0.607821	
EFM0142	11/19/2018 7:00	0	0	0.607821	
EFM0142	11/19/2018 8:00	0	0	0.607821	
EFM0142	11/19/2018 9:00	0	0	0.607821	
EFM0142	11/19/2018 10:00	0	0	0.607821	
EFM0142	11/19/2018 11:00	0	0	0.607821	
EFM0142	11/19/2018 12:00	0	0	0.607821	
EFM0142	11/19/2018 13:00	0	0	0.607821	
EFM0142	11/19/2018 14:00	0	0	0.607821	
EFM0142	11/19/2018 15:00	0	0	0.607821	
EFM0142	11/19/2018 16:00	0	0	0.607821	
EFM0142	11/19/2018 17:00	0	0	0.607821	
EFM0142	11/19/2018 18:00	0	0	0.607821	
EFM0142	11/19/2018 19:00	0	0	0.607821	
EFM0142	11/19/2018 20:00	0	0	0.607821	
EFM0142	11/19/2018 21:00	0	0	0.607821	
EFM0142	11/19/2018 22:00	0	0	0.607821	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/19/2018 23:00	0	0	0.607821	
EFM0142	11/20/2018 0:00	0	0	0.607821	
EFM0142	11/20/2018 1:00	0	0	0.607821	
EFM0142	11/20/2018 2:00	0	0	0.607821	
EFM0142	11/20/2018 3:00	0	0	0.607821	
EFM0142	11/20/2018 4:00	0	0	0.607821	
EFM0142	11/20/2018 5:00	0	0	0.607821	
EFM0142	11/20/2018 6:00	0	0	0.607821	
EFM0142	11/20/2018 7:00	0	0	0.607821	
EFM0142	11/20/2018 8:00	0	0	0.607821	
EFM0142	11/20/2018 9:00	0	0	0.607821	
EFM0142	11/20/2018 10:00	0	0	0.607821	
EFM0142	11/20/2018 11:00	0	0	0.607821	
EFM0142	11/20/2018 12:00	0	0	0.607821	
EFM0142	11/20/2018 13:00	0	0	0.607821	
EFM0142	11/20/2018 14:00	0	0	0.607821	
EFM0142	11/20/2018 15:00	0	0	0.607821	
EFM0142	11/20/2018 16:00	0	0	0.607821	
EFM0142	11/20/2018 17:00	0	0	0.607821	
EFM0142	11/20/2018 18:00	0	0	0.607821	
EFM0142	11/20/2018 19:00	0	0	0.607821	
EFM0142	11/20/2018 20:00	0	0	0.607821	
EFM0142	11/20/2018 21:00	0	0	0.607821	
EFM0142	11/20/2018 22:00	0	0	0.607821	
EFM0142	11/20/2018 23:00	0	0	0.607821	
EFM0142	11/21/2018 0:00	0	0	0.607821	
EFM0142	11/21/2018 1:00	0	0	0.607821	
EFM0142	11/21/2018 2:00	0	0	0.607821	
EFM0142	11/21/2018 3:00	0	0	0.607821	
EFM0142	11/21/2018 4:00	0	0	0.607821	
EFM0142	11/21/2018 5:00	0	0	0.607821	
EFM0142	11/21/2018 6:00	0	0	0.607821	
EFM0142	11/21/2018 7:00	0	0	0.607821	
EFM0142	11/21/2018 8:00	0	0	0.607821	
EFM0142	11/21/2018 9:00	0	0	0.607821	
EFM0142	11/21/2018 10:00	0	0	0.607821	
EFM0142	11/21/2018 11:00	0	0	0.607821	
EFM0142	11/21/2018 12:00	0	0	0.607821	
EFM0142	11/21/2018 13:00	0	0	0.607821	
EFM0142	11/21/2018 14:00	0	0	0.607821	
EFM0142	11/21/2018 15:00	0	0	0.607821	
EFM0142	11/21/2018 16:00	0	0	0.607821	
EFM0142	11/21/2018 17:00	0	0	0.607821	
EFM0142	11/21/2018 18:00	0	0	0.607821	
EFM0142	11/21/2018 19:00	0	0	0.607821	
EFM0142	11/21/2018 20:00	0	0	0.607821	
EFM0142	11/21/2018 21:00	0	0	0.607821	
EFM0142	11/21/2018 22:00	0	0	0.607821	
EFM0142	11/21/2018 23:00	0	0	0.607821	
EFM0142	11/22/2018 0:00	0	0	0.607821	
EFM0142	11/22/2018 1:00	0	0	0.607821	
EFM0142	11/22/2018 2:00	0	0	0.607821	
EFM0142	11/22/2018 3:00	0	0	0.607821	
EFM0142	11/22/2018 4:00	0	0	0.607821	
EFM0142	11/22/2018 5:00	0	0	0.607821	
EFM0142	11/22/2018 6:00	0	0	0.607821	
EFM0142	11/22/2018 7:00	0	0	0.607821	
EFM0142	11/22/2018 8:00	0	0	0.607821	
EFM0142	11/22/2018 9:00	0	0	0.607821	
EFM0142	11/22/2018 10:00	0	0	0.607821	
EFM0142	11/22/2018 11:00	0	0	0.607821	
EFM0142	11/22/2018 12:00	0	0	0.607821	
EFM0142	11/22/2018 13:00	0	0	0.607821	
EFM0142	11/22/2018 14:00	0	0	0.607821	
EFM0142	11/22/2018 15:00	0	0	0.607821	
EFM0142	11/22/2018 16:00	0	0	0.607821	
EFM0142	11/22/2018 17:00	0	0	0.607821	
EFM0142	11/22/2018 18:00	0	0	0.607821	
EFM0142	11/22/2018 19:00	0	0	0.607821	
EFM0142	11/22/2018 20:00	0	0	0.607821	
EFM0142	11/22/2018 21:00	0	0	0.607821	
EFM0142	11/22/2018 22:00	0	0	0.607821	
EFM0142	11/22/2018 23:00	0	0	0.607821	
EFM0142	11/23/2018 0:00	0	0	0.607821	
	11/23/2018 1:00				Missing data
	11/23/2018 2:00				Missing data
	11/23/2018 3:00				Missing data
	11/23/2018 4:00				Missing data
	11/23/2018 5:00				Missing data
	11/23/2018 6:00				Missing data
	11/23/2018 7:00				Missing data
	11/23/2018 8:00				Missing data
EFM0142	11/23/2018 9:00	0	0	0.607821	
EFM0142	11/23/2018 10:00	0	0	0.607821	
EFM0142	11/23/2018 11:00	0	0	0.607821	
EFM0142	11/23/2018 12:00	0	0	0.607821	
EFM0142	11/23/2018 13:00	0	0	0.607821	
EFM0142	11/23/2018 14:00	0	0	0.607821	
EFM0142	11/23/2018 15:00	0	0	0.607821	
EFM0142	11/23/2018 16:00	0	0	0.607821	
EFM0142	11/23/2018 17:00	0	0	0.607821	
EFM0142	11/23/2018 18:00	0	0	0.607821	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Wyeass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 756 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/23/2018 19:00	0	0	0.607821	
EFM0142	11/23/2018 20:00	0	0	0.607821	
EFM0142	11/23/2018 21:00	0	0	0.607821	
EFM0142	11/23/2018 22:00	0	0	0.607821	
EFM0142	11/23/2018 23:00	0	0	0.607821	
EFM0142	11/24/2018 0:00	0	0	0.607821	
EFM0142	11/24/2018 1:00	0	0	0.607821	
EFM0142	11/24/2018 2:00	0	0	0.607821	
EFM0142	11/24/2018 3:00	0	0	0.607821	
EFM0142	11/24/2018 4:00	0	0	0.607821	
EFM0142	11/24/2018 5:00	0	0	0.607821	
EFM0142	11/24/2018 6:00	0	0	0.607821	
EFM0142	11/24/2018 7:00	0	0	0.607821	
EFM0142	11/24/2018 8:00	0	0	0.607821	
EFM0142	11/24/2018 9:00	0	0	0.607821	
EFM0142	11/24/2018 10:00	0	0	0.607821	
EFM0142	11/24/2018 11:00	0	0	0.607821	
EFM0142	11/24/2018 12:00	0	0	0.607821	
EFM0142	11/24/2018 13:00	0	0	0.607821	
EFM0142	11/24/2018 14:00	0	0	0.607821	
EFM0142	11/24/2018 15:00	0	0	0.607821	
EFM0142	11/24/2018 16:00	0	0	0.607821	
EFM0142	11/24/2018 17:00	0	0	0.607821	
EFM0142	11/24/2018 18:00	0	0	0.607821	
EFM0142	11/24/2018 19:00	0	0	0.607821	
EFM0142	11/24/2018 20:00	0	0	0.607821	
EFM0142	11/24/2018 21:00	0	0	0.607821	
EFM0142	11/24/2018 22:00	0	0	0.607821	
EFM0142	11/24/2018 23:00	0	0	0.607821	
EFM0142	11/25/2018 0:00	0	0	0.607821	
EFM0142	11/25/2018 1:00	0	0	0.607821	
EFM0142	11/25/2018 2:00	0	0	0.607821	
EFM0142	11/25/2018 3:00	0	0	0.607821	
EFM0142	11/25/2018 4:00	0	0	0.607821	
EFM0142	11/25/2018 5:00	0	0	0.607821	
EFM0142	11/25/2018 6:00	0	0	0.607821	
EFM0142	11/25/2018 7:00	0	0	0.607821	
EFM0142	11/25/2018 8:00	0	0	0.607821	
EFM0142	11/25/2018 9:00	0	0	0.607821	
EFM0142	11/25/2018 10:00	0	0	0.607821	
EFM0142	11/25/2018 11:00	0	0	0.607821	
EFM0142	11/25/2018 12:00	0	0	0.607821	
EFM0142	11/25/2018 13:00	0	0	0.607821	
EFM0142	11/25/2018 14:00	0	0	0.607821	
EFM0142	11/25/2018 15:00	0	0	0.607821	
EFM0142	11/25/2018 16:00	0	0	0.607821	
EFM0142	11/25/2018 17:00	0	0	0.607821	
EFM0142	11/25/2018 18:00	0	0	0.607821	
EFM0142	11/25/2018 19:00	0	0	0.607821	
EFM0142	11/25/2018 20:00	0	0	0.607821	
EFM0142	11/25/2018 21:00	0	0	0.607821	
EFM0142	11/25/2018 22:00	0	0	0.607821	
EFM0142	11/25/2018 23:00	0	0	0.607821	
EFM0142	11/26/2018 0:00	0	0	0.607821	
EFM0142	11/26/2018 1:00	0	0	0.607821	
EFM0142	11/26/2018 2:00	0	0	0.607821	
EFM0142	11/26/2018 3:00	0	0	0.607821	
EFM0142	11/26/2018 4:00	0	0	0.607821	
EFM0142	11/26/2018 5:00	0	0	0.607821	
EFM0142	11/26/2018 6:00	0	0	0.607821	
EFM0142	11/26/2018 7:00	0	0	0.607821	
EFM0142	11/26/2018 8:00	0	0	0.607821	
EFM0142	11/26/2018 9:00	0	0	0.607821	
EFM0142	11/26/2018 10:00	0	0	0.607821	
EFM0142	11/26/2018 11:00	0	0	0.607821	
EFM0142	11/26/2018 12:00	0	0	0.607821	
EFM0142	11/26/2018 13:00	0	0	0.607821	
EFM0142	11/26/2018 14:00	0	0	0.607821	
EFM0142	11/26/2018 15:00	0	0	0.607821	
EFM0142	11/26/2018 16:00	0	0	0.607821	
EFM0142	11/26/2018 17:00	0	0	0.607821	
EFM0142	11/26/2018 18:00	0	0	0.607821	
EFM0142	11/26/2018 19:00	0	0	0.607821	
EFM0142	11/26/2018 20:00	0	0	0.607821	
EFM0142	11/26/2018 21:00	0	0	0.607821	
EFM0142	11/26/2018 22:00	0	0	0.607821	
EFM0142	11/26/2018 23:00	0	0	0.607821	
EFM0142	11/27/2018 0:00	0	0	0.607821	
EFM0142	11/27/2018 1:00	0	0	0.607821	
EFM0142	11/27/2018 2:00	0	0	0.607821	
EFM0142	11/27/2018 3:00	0	0	0.607821	
EFM0142	11/27/2018 4:00	0	0	0.607821	
EFM0142	11/27/2018 5:00	0	0	0.607821	
EFM0142	11/27/2018 6:00	0	0	0.607821	
EFM0142	11/27/2018 7:00	0	0	0.607821	
EFM0142	11/27/2018 8:00	0	0	0.607821	
EFM0142	11/27/2018 9:00	0	0	0.607821	
EFM0142	11/27/2018 10:00	0	0	0.607821	
EFM0142	11/27/2018 11:00	0	0	0.607821	
EFM0142	11/27/2018 12:00	0	0	0.607821	
EFM0142	11/27/2018 13:00	0	0	0.607821	
EFM0142	11/27/2018 14:00	0	0	0.607821	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	11/27/2018 15:00	0	0	0.607821	
EFM0142	11/27/2018 16:00	0	0	0.607821	
EFM0142	11/27/2018 17:00	0	0	0.607821	
EFM0142	11/27/2018 18:00	0	0	0.607821	
EFM0142	11/27/2018 19:00	0	0	0.607821	
EFM0142	11/27/2018 20:00	0	0	0.607821	
EFM0142	11/27/2018 21:00	0	0	0.607821	
EFM0142	11/27/2018 22:00	0	0	0.607821	
EFM0142	11/27/2018 23:00	0	0	0.607821	
EFM0142	11/28/2018 0:00	0	0	0.607821	
EFM0142	11/28/2018 1:00	0	0	0.607821	
EFM0142	11/28/2018 2:00	0	0	0.607821	
EFM0142	11/28/2018 3:00	0	0	0.607821	
EFM0142	11/28/2018 4:00	0	0	0.607821	
EFM0142	11/28/2018 5:00	0	0	0.607821	
EFM0142	11/28/2018 6:00	0	0	0.607821	
EFM0142	11/28/2018 7:00	0	0	0.607821	
EFM0142	11/28/2018 8:00	0	0	0.607821	
EFM0142	11/28/2018 9:00	0	0	0.607821	
EFM0142	11/28/2018 10:00	0	0	0.607821	
EFM0142	11/28/2018 11:00	0	0	0.607821	
EFM0142	11/28/2018 12:00	0	0	0.607821	
EFM0142	11/28/2018 13:00	0	0	0.607821	
EFM0142	11/28/2018 14:00	0	0	0.607821	
EFM0142	11/28/2018 15:00	0	0	0.607821	
EFM0142	11/28/2018 16:00	0	0	0.607821	
EFM0142	11/28/2018 17:00	0	0	0.607821	
EFM0142	11/28/2018 18:00	0	0	0.607821	
EFM0142	11/28/2018 19:00	0	0	0.607821	
EFM0142	11/28/2018 20:00	0	0	0.607821	
EFM0142	11/28/2018 21:00	0	0	0.607821	
EFM0142	11/28/2018 22:00	0	0	0.607821	
EFM0142	11/28/2018 23:00	0	0	0.607821	
EFM0142	11/29/2018 0:00	0	0	0.607821	
EFM0142	11/29/2018 1:00	0	0	0.607821	
EFM0142	11/29/2018 2:00	0	0	0.607821	
EFM0142	11/29/2018 3:00	0	0	0.607821	
EFM0142	11/29/2018 4:00	0	0	0.607821	
EFM0142	11/29/2018 5:00	0	0	0.607821	
EFM0142	11/29/2018 6:00	0	0	0.607821	
EFM0142	11/29/2018 7:00	0	0	0.607821	
EFM0142	11/29/2018 8:00	0	0	0.607821	
EFM0142	11/29/2018 9:00	0	0	0.607821	
EFM0142	11/29/2018 10:00	0	0	0.607821	
EFM0142	11/29/2018 11:00	0	0	0.607821	
EFM0142	11/29/2018 12:00	0	0	0.607821	
EFM0142	11/29/2018 13:00	0	0	0.607821	
EFM0142	11/29/2018 14:00	0	0	0.607821	
EFM0142	11/29/2018 15:00	0	0	0.607821	
EFM0142	11/29/2018 16:00	0	0	0.607821	
EFM0142	11/29/2018 17:00	0	0	0.607821	
EFM0142	11/29/2018 18:00	0	0	0.607821	
EFM0142	11/29/2018 19:00	0	0	0.607821	
EFM0142	11/29/2018 20:00	0	0	0.607821	
EFM0142	11/29/2018 21:00	0	0	0.607821	
EFM0142	11/29/2018 22:00	0	0	0.607821	
EFM0142	11/29/2018 23:00	0	0	0.607821	
EFM0142	11/30/2018 0:00	0	0	0.607821	
EFM0142	11/30/2018 1:00	0	0	0.607821	
EFM0142	11/30/2018 2:00	0	0	0.607821	
EFM0142	11/30/2018 3:00	0	0	0.607821	
EFM0142	11/30/2018 4:00	0	0	0.607821	
EFM0142	11/30/2018 5:00	0	0	0.607821	
EFM0142	11/30/2018 6:00	0	0	0.607821	
EFM0142	11/30/2018 7:00	0	0	0.607821	
EFM0142	11/30/2018 8:00	0	0	0.607821	
EFM0142	11/30/2018 9:00	0	0	0.607821	
EFM0142	11/30/2018 10:00	0	0	0.607821	
EFM0142	11/30/2018 11:00	0	0	0.607821	
EFM0142	11/30/2018 12:00	0	0	0.607821	
EFM0142	11/30/2018 13:00	0	0	0.607821	
EFM0142	11/30/2018 14:00	0	0	0.607821	
EFM0142	11/30/2018 15:00	0	0	0.607821	
EFM0142	11/30/2018 16:00	0	0	0.607821	
EFM0142	11/30/2018 17:00	0	0	0.607821	
EFM0142	11/30/2018 18:00	0	0	0.607821	
EFM0142	11/30/2018 19:00	0	0	0.607821	
EFM0142	11/30/2018 20:00	0	0	0.607821	
EFM0142	11/30/2018 21:00	0	0	0.607821	
EFM0142	11/30/2018 22:00	0	0	0.607821	
EFM0142	11/30/2018 23:00	0	0	0.607821	
EFM0142	12/1/2018 0:00	0	0	0	
EFM0142	12/1/2018 1:00	0	0	0	
EFM0142	12/1/2018 2:00	0	0	0	
EFM0142	12/1/2018 3:00	0	0	0	
EFM0142	12/1/2018 4:00	0	0	0	
EFM0142	12/1/2018 5:00	0	0	0	
EFM0142	12/1/2018 6:00	0	0	0	
EFM0142	12/1/2018 7:00	0	0	0	
EFM0142	12/1/2018 8:00	0	0	0	
EFM0142	12/1/2018 9:00	0	0	0	
EFM0142	12/1/2018 10:00	0	0	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					357 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 738 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	12/1/2018 11:00	0	0	0	
EFM0142	12/1/2018 12:00	0	0	0	
EFM0142	12/1/2018 13:00	0	0	0	
EFM0142	12/1/2018 14:00	0	0	0	
EFM0142	12/1/2018 15:00	0	0	0	
EFM0142	12/1/2018 16:00	0	0	0	
EFM0142	12/1/2018 17:00	0	0	0	
EFM0142	12/1/2018 18:00	0	0	0	
EFM0142	12/1/2018 19:00	0	0	0	
EFM0142	12/1/2018 20:00	0	0	0	
EFM0142	12/1/2018 21:00	0	0	0	
EFM0142	12/1/2018 22:00	0	0	0	
EFM0142	12/1/2018 23:00	0	0	0	
EFM0142	12/2/2018 0:00	0	0	0	
EFM0142	12/2/2018 1:00	0	0	0	
EFM0142	12/2/2018 2:00	0	0	0	
EFM0142	12/2/2018 3:00	0	0	0	
EFM0142	12/2/2018 4:00	0	0	0	
EFM0142	12/2/2018 5:00	0	0	0	
EFM0142	12/2/2018 6:00	0	0	0	
EFM0142	12/2/2018 7:00	0	0	0	
EFM0142	12/2/2018 8:00	0	0	0	
EFM0142	12/2/2018 9:00	0	0	0	
EFM0142	12/2/2018 10:00	0	0	0	
EFM0142	12/2/2018 11:00	0	0	0	
EFM0142	12/2/2018 12:00	0	0	0	
EFM0142	12/2/2018 13:00	0	0	0	
EFM0142	12/2/2018 14:00	0	0	0	
EFM0142	12/2/2018 15:00	0	0	0	
EFM0142	12/2/2018 16:00	0	0	0	
EFM0142	12/2/2018 17:00	0	0	0	
EFM0142	12/2/2018 18:00	0	0	0	
EFM0142	12/2/2018 19:00	0	0	0	
EFM0142	12/2/2018 20:00	0	0	0	
EFM0142	12/2/2018 21:00	0	0	0	
EFM0142	12/2/2018 22:00	0	0	0	
EFM0142	12/2/2018 23:00	0	0	0	
EFM0142	12/3/2018 0:00	0	0	0	
EFM0142	12/3/2018 1:00	0	0	0	
EFM0142	12/3/2018 2:00	0	0	0	
EFM0142	12/3/2018 3:00	0	0	0	
EFM0142	12/3/2018 4:00	0	0	0	
EFM0142	12/3/2018 5:00	0	0	0	
EFM0142	12/3/2018 6:00	0	0	0	
EFM0142	12/3/2018 7:00	0	0	0	
EFM0142	12/3/2018 8:00	0	0	0	
	12/3/2018 9:00				Missing data
	12/3/2018 10:00				Missing data
	12/3/2018 11:00				Missing data
	12/3/2018 12:00				Missing data
	12/3/2018 13:00				Missing data
	12/3/2018 14:00				Missing data
	12/3/2018 15:00				Missing data
	12/3/2018 16:00				Missing data
EFM0142	12/3/2018 17:00	0	0	0	
EFM0142	12/3/2018 18:00	0	0	0	
EFM0142	12/3/2018 19:00	0	0	0	
EFM0142	12/3/2018 20:00	0	0	0	
EFM0142	12/3/2018 21:00	0	0	0	
EFM0142	12/3/2018 22:00	0	0	0	
EFM0142	12/3/2018 23:00	0	0	0	
EFM0142	12/4/2018 0:00	0	0	0	
EFM0142	12/4/2018 1:00	0	0	0	
EFM0142	12/4/2018 2:00	0	0	0	
EFM0142	12/4/2018 3:00	0	0	0	
EFM0142	12/4/2018 4:00	0	0	0	
EFM0142	12/4/2018 5:00	0	0	0	
EFM0142	12/4/2018 6:00	0	0	0	
EFM0142	12/4/2018 7:00	0	0	0	
EFM0142	12/4/2018 8:00	0	0	0	
EFM0142	12/4/2018 9:00	0	0	0	
EFM0142	12/4/2018 10:00	0	0	0	
EFM0142	12/4/2018 11:00	0	0	0	
EFM0142	12/4/2018 12:00	0	0	0	
EFM0142	12/4/2018 13:00	0	0	0	
EFM0142	12/4/2018 14:00	0	0	0	
EFM0142	12/4/2018 15:00	0	0	0	
EFM0142	12/4/2018 16:00	0	0	0	
EFM0142	12/4/2018 17:00	0	0	0	
EFM0142	12/4/2018 18:00	0	0	0	
EFM0142	12/4/2018 19:00	0	0	0	
EFM0142	12/4/2018 20:00	0	0	0	
EFM0142	12/4/2018 21:00	0	0	0	
EFM0142	12/4/2018 22:00	0	0	0	
EFM0142	12/4/2018 23:00	0	0	0	
EFM0142	12/5/2018 0:00	0	0	0	
EFM0142	12/5/2018 1:00	0	0	0	
EFM0142	12/5/2018 2:00	0	0	0	
EFM0142	12/5/2018 3:00	0	0	0	
EFM0142	12/5/2018 4:00	0	0	0	
EFM0142	12/5/2018 5:00	0	0	0	
EFM0142	12/5/2018 6:00	0	0	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	12/5/2018 7:00	0	0	0	
EFM0142	12/5/2018 8:00	0	0	0	
EFM0142	12/5/2018 9:00	0	0	0	
EFM0142	12/5/2018 10:00	0	0	0	
EFM0142	12/5/2018 11:00	0	0	0	
EFM0142	12/5/2018 12:00	0	0	0	
EFM0142	12/5/2018 13:00	0	0	0	
EFM0142	12/5/2018 14:00	0	0	0	
EFM0142	12/5/2018 15:00	0	0	0	
EFM0142	12/5/2018 16:00	0	0	0	
EFM0142	12/5/2018 17:00	0	0	0	
EFM0142	12/5/2018 18:00	0	0	0	
EFM0142	12/5/2018 19:00	0	0	0	
EFM0142	12/5/2018 20:00	0	0	0	
EFM0142	12/5/2018 21:00	0	0	0	
EFM0142	12/5/2018 22:00	0	0	0	
EFM0142	12/5/2018 23:00	0	0	0	
EFM0142	12/6/2018 0:00	0	0	0	
EFM0142	12/6/2018 1:00	0	0	0	
EFM0142	12/6/2018 2:00	0	0	0	
EFM0142	12/6/2018 3:00	0	0	0	
EFM0142	12/6/2018 4:00	0	0	0	
EFM0142	12/6/2018 5:00	0	0	0	
EFM0142	12/6/2018 6:00	0	0	0	
EFM0142	12/6/2018 7:00	0	0	0	
EFM0142	12/6/2018 8:00	0	0	0	
EFM0142	12/6/2018 9:00	0	0	0	
EFM0142	12/6/2018 10:00	0	0	0	
EFM0142	12/6/2018 11:00	0	0	0	
EFM0142	12/6/2018 12:00	0	0	0	
EFM0142	12/6/2018 13:00	0	0	0	
EFM0142	12/6/2018 14:00	0	0	0	
EFM0142	12/6/2018 15:00	0	0	0	
EFM0142	12/6/2018 16:00	0	0	0	
EFM0142	12/6/2018 17:00	0	0	0	
EFM0142	12/6/2018 18:00	0	0	0	
EFM0142	12/6/2018 19:00	0	0	0	
EFM0142	12/6/2018 20:00	0	0	0	
EFM0142	12/6/2018 21:00	0	0	0	
EFM0142	12/6/2018 22:00	0	0	0	
EFM0142	12/6/2018 23:00	0	0	0	
EFM0142	12/7/2018 0:00	0	0	0	
EFM0142	12/7/2018 1:00	0	0	0	
EFM0142	12/7/2018 2:00	0	0	0	
EFM0142	12/7/2018 3:00	0	0	0	
EFM0142	12/7/2018 4:00	0	0	0	
EFM0142	12/7/2018 5:00	0	0	0	
EFM0142	12/7/2018 6:00	0	0	0	
EFM0142	12/7/2018 7:00	0	0	0	
EFM0142	12/7/2018 8:00	0	0	0	
EFM0142	12/7/2018 9:00	0	0	0	
EFM0142	12/7/2018 10:00	0	0	0	
EFM0142	12/7/2018 11:00	0	0	0	
EFM0142	12/7/2018 12:00	0	0	0	
EFM0142	12/7/2018 13:00	0	0	0	
EFM0142	12/7/2018 14:00	0	0	0	
EFM0142	12/7/2018 15:00	0	0	0	
EFM0142	12/7/2018 16:00	0	0	0	
EFM0142	12/7/2018 17:00	0	0	0	
EFM0142	12/7/2018 18:00	0	0	0	
EFM0142	12/7/2018 19:00	0	0	0	
EFM0142	12/7/2018 20:00	0	0	0	
EFM0142	12/7/2018 21:00	0	0	0	
EFM0142	12/7/2018 22:00	0	0	0	
EFM0142	12/7/2018 23:00	0	0	0	
EFM0142	12/8/2018 0:00	0	0	0	
EFM0142	12/8/2018 1:00	0	0	0	
EFM0142	12/8/2018 2:00	0	0	0	
EFM0142	12/8/2018 3:00	0	0	0	
EFM0142	12/8/2018 4:00	0	0	0	
EFM0142	12/8/2018 5:00	0	0	0	
EFM0142	12/8/2018 6:00	0	0	0	
EFM0142	12/8/2018 7:00	0	0	0	
EFM0142	12/8/2018 8:00	0	0	0	
EFM0142	12/8/2018 9:00	0	0	0	
EFM0142	12/8/2018 10:00	0	0	0	
EFM0142	12/8/2018 11:00	0	0	0	
EFM0142	12/8/2018 12:00	0	0	0	
EFM0142	12/8/2018 13:00	0	0	0	
EFM0142	12/8/2018 14:00	0	0	0	
EFM0142	12/8/2018 15:00	0	0	0	
EFM0142	12/8/2018 16:00	0	0	0	
EFM0142	12/8/2018 17:00	0	0	0	
EFM0142	12/8/2018 18:00	0	0	0	
EFM0142	12/8/2018 19:00	1	1	0	
EFM0142	12/8/2018 20:00	0	0	0	
EFM0142	12/8/2018 21:00	0	0	0	
EFM0142	12/8/2018 22:00	0	0	0	
EFM0142	12/8/2018 23:00	0	0	0	
EFM0142	12/9/2018 0:00	0	0	0	
EFM0142	12/9/2018 1:00	0	0	0	
EFM0142	12/9/2018 2:00	0	0	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 8 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	12/9/2018 1:00	0	0	0	
EFM0142	12/9/2018 4:00	0	0	0	
EFM0142	12/9/2018 5:00	0	0	0	
EFM0142	12/9/2018 6:00	0	0	0	
EFM0142	12/9/2018 7:00	0	0	0	
EFM0142	12/9/2018 8:00	0	0	0	
EFM0142	12/9/2018 9:00	0	0	0	
EFM0142	12/9/2018 10:00	0	0	0	
EFM0142	12/9/2018 11:00	0	0	0	
EFM0142	12/9/2018 12:00	0	0	0	
EFM0142	12/9/2018 13:00	0	0	0	
EFM0142	12/9/2018 14:00	0	0	0	
EFM0142	12/9/2018 15:00	0	0	0	
	12/9/2018 16:00				Missing data
	12/9/2018 17:00				Missing data
	12/9/2018 18:00				Missing data
	12/9/2018 19:00				Missing data
	12/9/2018 20:00				Missing data
	12/9/2018 21:00				Missing data
	12/9/2018 22:00				Missing data
	12/9/2018 23:00				Missing data
	12/10/2018 0:00				Missing data
EFM0142	12/10/2018 1:00	0	0	0	
EFM0142	12/10/2018 2:00	0	0	0	
EFM0142	12/10/2018 3:00	0	0	0	
EFM0142	12/10/2018 4:00	0	0	0	
EFM0142	12/10/2018 5:00	0	0	0	
EFM0142	12/10/2018 6:00	0	0	0	
EFM0142	12/10/2018 7:00	0	0	0	
EFM0142	12/10/2018 8:00	0	0	0	
EFM0142	12/10/2018 9:00	0	0	0	
EFM0142	12/10/2018 10:00	0	0	0	
EFM0142	12/10/2018 11:00	1	0	0.118132	
EFM0142	12/10/2018 12:00	0	0	0.82327	
EFM0142	12/10/2018 13:00	1	0	0.871297	
EFM0142	12/10/2018 14:00	1	1	1.400615	
EFM0142	12/10/2018 15:00	1	1	1.400615	
EFM0142	12/10/2018 16:00	1	1	1.515781	
EFM0142	12/10/2018 17:00	1	1	1.515781	
EFM0142	12/10/2018 18:00	1	1	1.515781	
EFM0142	12/10/2018 19:00	1	1	1.515781	
EFM0142	12/10/2018 20:00	1	1	1.515781	
EFM0142	12/10/2018 21:00	1	1	1.515781	
EFM0142	12/10/2018 22:00	1	1	1.515781	
EFM0142	12/10/2018 23:00	1	1	1.515781	
EFM0142	12/11/2018 0:00	1	1	1.515781	
EFM0142	12/11/2018 1:00	1	1	1.515781	
EFM0142	12/11/2018 2:00	1	1	1.515781	
EFM0142	12/11/2018 3:00	1	1	1.515781	
EFM0142	12/11/2018 4:00	1	1	1.515781	
EFM0142	12/11/2018 5:00	1	1	1.515781	
EFM0142	12/11/2018 6:00	1	1	1.515781	
EFM0142	12/11/2018 7:00	1	1	1.515781	
EFM0142	12/11/2018 8:00	1	1	1.515781	
EFM0142	12/11/2018 9:00	1	1	1.515781	
EFM0142	12/11/2018 10:00	1	1	1.515781	
EFM0142	12/11/2018 11:00	1	1	1.515781	
EFM0142	12/11/2018 12:00	1	1	1.515781	
EFM0142	12/11/2018 13:00	1	1	1.515781	
EFM0142	12/11/2018 14:00	1	1	1.515781	
EFM0142	12/11/2018 15:00	1	1	1.515781	
EFM0142	12/11/2018 16:00	1	1	1.515781	
EFM0142	12/11/2018 17:00	1	1	1.515781	
EFM0142	12/11/2018 18:00	1	1	1.515781	
EFM0142	12/11/2018 19:00	1	1	1.515781	
EFM0142	12/11/2018 20:00	1	1	1.515781	
EFM0142	12/11/2018 21:00	1	1	1.515781	
EFM0142	12/11/2018 22:00	1	1	1.515781	
EFM0142	12/11/2018 23:00	1	1	1.515781	
EFM0142	12/12/2018 0:00	1	1	1.515781	
EFM0142	12/12/2018 1:00	1	1	1.515781	
EFM0142	12/12/2018 2:00	1	1	1.515781	
EFM0142	12/12/2018 3:00	1	1	1.515781	
EFM0142	12/12/2018 4:00	1	1	1.515781	
EFM0142	12/12/2018 5:00	1	1	1.515781	
EFM0142	12/12/2018 6:00	1	1	1.515781	
EFM0142	12/12/2018 7:00	1	1	1.515781	
EFM0142	12/12/2018 8:00	1	1	1.515781	
EFM0142	12/12/2018 9:00	1	1	1.515781	
EFM0142	12/12/2018 10:00	1	1	1.515781	
EFM0142	12/12/2018 11:00	1	1	1.515781	
EFM0142	12/12/2018 12:00	1	1	1.515781	
EFM0142	12/12/2018 13:00	1	1	1.515781	
EFM0142	12/12/2018 14:00	1	1	1.515781	
EFM0142	12/12/2018 15:00	1	1	1.515781	
EFM0142	12/12/2018 16:00	1	1	1.515781	
EFM0142	12/12/2018 17:00	1	1	1.515781	
EFM0142	12/12/2018 18:00	1	1	1.515781	
EFM0142	12/12/2018 19:00	1	1	1.515781	
EFM0142	12/12/2018 20:00	1	1	1.515781	
EFM0142	12/12/2018 21:00	1	1	1.515781	
EFM0142	12/12/2018 22:00	1	1	1.515781	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					167 hrs missing during period 1/10/2018 - 2/9/2019, 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	12/12/2018 23:00	1	1	1.515781	
EFM0142	12/13/2018 0:00	1	1	1.515781	
EFM0142	12/13/2018 1:00	1	1	1.515781	
EFM0142	12/13/2018 2:00	1	1	1.515781	
EFM0142	12/13/2018 3:00	1	1	1.515781	
EFM0142	12/13/2018 4:00	1	1	1.515781	
EFM0142	12/13/2018 5:00	1	1	1.515781	
EFM0142	12/13/2018 6:00	1	1	1.515781	
EFM0142	12/13/2018 7:00	1	1	1.515781	
EFM0142	12/13/2018 8:00	1	1	1.515781	
	12/13/2018 9:00				Missing data
	12/13/2018 10:00				Missing data
	12/13/2018 11:00				Missing data
	12/13/2018 12:00				Missing data
	12/13/2018 13:00				Missing data
	12/13/2018 14:00				Missing data
	12/13/2018 15:00				Missing data
	12/13/2018 16:00				Missing data
EFM0142	12/13/2018 17:00	1	1	1.515781	
EFM0142	12/13/2018 18:00	1	1	1.515781	
EFM0142	12/13/2018 19:00	1	1	1.515781	
EFM0142	12/13/2018 20:00	1	1	1.515781	
EFM0142	12/13/2018 21:00	1	1	1.515781	
EFM0142	12/13/2018 22:00	1	1	1.515781	
EFM0142	12/13/2018 23:00	1	1	1.515781	
EFM0142	12/14/2018 0:00	1	1	1.515781	
EFM0142	12/14/2018 1:00	1	1	1.515781	
EFM0142	12/14/2018 2:00	1	1	1.515781	
EFM0142	12/14/2018 3:00	1	1	1.515781	
EFM0142	12/14/2018 4:00	1	1	1.515781	
EFM0142	12/14/2018 5:00	1	1	1.515781	
EFM0142	12/14/2018 6:00	1	1	1.515781	
EFM0142	12/14/2018 7:00	1	1	1.515781	
EFM0142	12/14/2018 8:00	1	1	1.515781	
EFM0142	12/14/2018 9:00	1	1	1.515781	
EFM0142	12/14/2018 10:00	1	1	1.515781	
EFM0142	12/14/2018 11:00	1	1	1.515781	
EFM0142	12/14/2018 12:00	1	1	1.515781	
EFM0142	12/14/2018 13:00	1	1	1.515781	
EFM0142	12/14/2018 14:00	1	1	1.515781	
EFM0142	12/14/2018 15:00	1	1	1.515781	
EFM0142	12/14/2018 16:00	1	1	1.515781	
EFM0142	12/14/2018 17:00	1	1	1.515781	
EFM0142	12/14/2018 18:00	1	1	1.515781	
EFM0142	12/14/2018 19:00	1	1	1.515781	
EFM0142	12/14/2018 20:00	1	1	1.515781	
EFM0142	12/14/2018 21:00	1	1	1.515781	
EFM0142	12/14/2018 22:00	1	1	1.515781	
EFM0142	12/14/2018 23:00	1	1	1.515781	
EFM0142	12/15/2018 0:00	1	1	1.515781	
EFM0142	12/15/2018 1:00	1	1	1.515781	
EFM0142	12/15/2018 2:00	1	1	1.515781	
EFM0142	12/15/2018 3:00	1	1	1.515781	
EFM0142	12/15/2018 4:00	1	1	1.515781	
EFM0142	12/15/2018 5:00	1	1	1.515781	
EFM0142	12/15/2018 6:00	1	1	1.515781	
EFM0142	12/15/2018 7:00	1	1	1.515781	
EFM0142	12/15/2018 8:00	1	1	1.515781	
EFM0142	12/15/2018 9:00	1	1	1.515781	
EFM0142	12/15/2018 10:00	1	1	1.515781	
EFM0142	12/15/2018 11:00	1	1	1.515781	
EFM0142	12/15/2018 12:00	1	1	1.515781	
EFM0142	12/15/2018 13:00	1	1	1.515781	
EFM0142	12/15/2018 14:00	1	1	1.515781	
EFM0142	12/15/2018 15:00	1	1	1.515781	
EFM0142	12/15/2018 16:00	1	1	1.515781	
	12/15/2018 17:00				Missing data
	12/15/2018 18:00				Missing data
	12/15/2018 19:00				Missing data
	12/15/2018 20:00				Missing data
	12/15/2018 21:00				Missing data
	12/15/2018 22:00				Missing data
	12/15/2018 23:00				Missing data
	12/16/2018 0:00				Missing data
EFM0142	12/16/2018 1:00	1	1	1.515781	
EFM0142	12/16/2018 2:00	1	1	1.515781	
EFM0142	12/16/2018 3:00	1	1	1.515781	
EFM0142	12/16/2018 4:00	1	1	1.515781	
EFM0142	12/16/2018 5:00	1	1	1.515781	
EFM0142	12/16/2018 6:00	1	1	1.515781	
EFM0142	12/16/2018 7:00	1	1	1.515781	
EFM0142	12/16/2018 8:00	1	1	1.515781	
EFM0142	12/16/2018 9:00	1	1	1.515781	
EFM0142	12/16/2018 10:00	1	1	1.515781	
EFM0142	12/16/2018 11:00	1	1	1.515781	
EFM0142	12/16/2018 12:00	1	1	1.515781	
EFM0142	12/16/2018 13:00	1	1	1.515781	
EFM0142	12/16/2018 14:00	1	1	1.515781	
EFM0142	12/16/2018 15:00	1	1	1.515781	
EFM0142	12/16/2018 16:00	1	1	1.515781	
EFM0142	12/16/2018 17:00	1	1	1.515781	
EFM0142	12/16/2018 18:00	1	1	1.515781	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	12/16/2018 19:00	1	1	1.515781	
EFMD142	12/16/2018 20:00	1	1	1.515781	
EFMD142	12/16/2018 21:00	1	1	1.515781	
EFMD142	12/16/2018 22:00	1	1	1.515781	
EFMD142	12/16/2018 23:00	1	1	1.515781	
EFMD142	12/17/2018 0:00	1	1	1.515781	
EFMD142	12/17/2018 1:00	1	1	1.515781	
EFMD142	12/17/2018 2:00	1	1	1.515781	
EFMD142	12/17/2018 3:00	1	1	1.515781	
EFMD142	12/17/2018 4:00	1	1	1.515781	
EFMD142	12/17/2018 5:00	1	1	1.515781	
EFMD142	12/17/2018 6:00	1	1	1.515781	
EFMD142	12/17/2018 7:00	1	1	1.515781	
EFMD142	12/17/2018 8:00	1	1	1.515781	
EFMD142	12/17/2018 9:00	1	1	1.515781	
EFMD142	12/17/2018 10:00	1	1	1.515781	
EFMD142	12/17/2018 11:00	1	1	1.515781	
EFMD142	12/17/2018 12:00	1	1	1.515781	
EFMD142	12/17/2018 13:00	1	1	1.515781	
EFMD142	12/17/2018 14:00	1	1	1.515781	
EFMD142	12/17/2018 15:00	1	1	1.515781	
EFMD142	12/17/2018 16:00	1	1	1.515781	
EFMD142	12/17/2018 17:00	1	1	1.515781	
EFMD142	12/17/2018 18:00	1	1	1.515781	
EFMD142	12/17/2018 19:00	1	1	1.515781	
EFMD142	12/17/2018 20:00	1	1	1.515781	
EFMD142	12/17/2018 21:00	1	1	1.515781	
EFMD142	12/17/2018 22:00	1	1	1.515781	
EFMD142	12/17/2018 23:00	1	1	1.515781	
EFMD142	12/18/2018 0:00	1	1	1.515781	
EFMD142	12/18/2018 1:00	1	1	1.515781	
EFMD142	12/18/2018 2:00	1	1	1.515781	
EFMD142	12/18/2018 3:00	1	1	1.515781	
EFMD142	12/18/2018 4:00	1	1	1.515781	
EFMD142	12/18/2018 5:00	1	1	1.515781	
EFMD142	12/18/2018 6:00	1	1	1.515781	
EFMD142	12/18/2018 7:00	1	1	1.515781	
EFMD142	12/18/2018 8:00	1	1	1.515781	
EFMD142	12/18/2018 9:00	1	1	1.515781	
EFMD142	12/18/2018 10:00	1	1	1.515781	
EFMD142	12/18/2018 11:00	1	1	1.515781	
EFMD142	12/18/2018 12:00	1	1	1.515781	
EFMD142	12/18/2018 13:00	1	1	1.515781	
EFMD142	12/18/2018 14:00	1	1	1.515781	
EFMD142	12/18/2018 15:00	1	1	1.515781	
EFMD142	12/18/2018 16:00	1	1	1.515781	
EFMD142	12/18/2018 17:00	1	1	1.515781	
EFMD142	12/18/2018 18:00	1	1	1.515781	
EFMD142	12/18/2018 19:00	1	1	1.515781	
EFMD142	12/18/2018 20:00	1	1	1.515781	
EFMD142	12/18/2018 21:00	1	1	1.515781	
EFMD142	12/18/2018 22:00	1	1	1.515781	
EFMD142	12/18/2018 23:00	1	1	1.515781	
EFMD142	12/19/2018 0:00	1	1	1.515781	
EFMD142	12/19/2018 1:00	1	1	1.515781	
EFMD142	12/19/2018 2:00	1	1	1.515781	
EFMD142	12/19/2018 3:00	1	1	1.515781	
EFMD142	12/19/2018 4:00	1	1	1.515781	
EFMD142	12/19/2018 5:00	1	1	1.515781	
EFMD142	12/19/2018 6:00	1	1	1.515781	
EFMD142	12/19/2018 7:00	1	1	1.515781	
EFMD142	12/19/2018 8:00	1	1	1.515781	
EFMD142	12/19/2018 9:00	1	1	1.515781	
EFMD142	12/19/2018 10:00	1	1	1.515781	
EFMD142	12/19/2018 11:00	1	1	1.515781	
EFMD142	12/19/2018 12:00	1	1	1.515781	
EFMD142	12/19/2018 13:00	1	1	1.515781	
EFMD142	12/19/2018 14:00	1	1	1.515781	
EFMD142	12/19/2018 15:00	1	1	1.515781	
EFMD142	12/19/2018 16:00	1	1	1.515781	
EFMD142	12/19/2018 17:00	1	1	1.515781	
EFMD142	12/19/2018 18:00	1	1	1.515781	
EFMD142	12/19/2018 19:00	1	1	1.515781	
EFMD142	12/19/2018 20:00	1	1	1.515781	
EFMD142	12/19/2018 21:00	1	1	1.515781	
EFMD142	12/19/2018 22:00	1	1	1.515781	
EFMD142	12/19/2018 23:00	1	1	1.515781	
EFMD142	12/20/2018 0:00	1	1	1.515781	
EFMD142	12/20/2018 1:00	1	1	1.515781	
EFMD142	12/20/2018 2:00	1	1	1.515781	
EFMD142	12/20/2018 3:00	1	1	1.515781	
EFMD142	12/20/2018 4:00	1	1	1.515781	
EFMD142	12/20/2018 5:00	1	1	1.515781	
EFMD142	12/20/2018 6:00	1	1	1.515781	
EFMD142	12/20/2018 7:00	1	1	1.515781	
EFMD142	12/20/2018 8:00	1	1	1.515781	
EFMD142	12/20/2018 9:00	1	1	1.515781	
EFMD142	12/20/2018 10:00	1	1	1.515781	
EFMD142	12/20/2018 11:00	1	1	1.515781	
EFMD142	12/20/2018 12:00	1	1	1.515781	
EFMD142	12/20/2018 13:00	0	0	1.515781	
EFMD142	12/20/2018 14:00	1	1	1.693614	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 1/10/2018 - 1/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	12/20/2018 15:00	1	1	1.693614	
EFM0142	12/20/2018 16:00	1	1	1.693614	
EFM0142	12/20/2018 17:00	1	1	1.693614	
EFM0142	12/20/2018 18:00	1	1	1.693614	
EFM0142	12/20/2018 19:00	1	1	1.693614	
EFM0142	12/20/2018 20:00	1	1	1.693614	
EFM0142	12/20/2018 21:00	1	1	1.693614	
EFM0142	12/20/2018 22:00	1	1	1.693614	
EFM0142	12/20/2018 23:00	1	1	1.693614	
EFM0142	12/21/2018 0:00	1	1	1.693614	
EFM0142	12/21/2018 1:00	1	1	1.693614	
EFM0142	12/21/2018 2:00	1	1	1.693614	
EFM0142	12/21/2018 3:00	1	1	1.693614	
EFM0142	12/21/2018 4:00	1	1	1.693614	
EFM0142	12/21/2018 5:00	1	1	1.693614	
EFM0142	12/21/2018 6:00	1	1	1.693614	
EFM0142	12/21/2018 7:00	1	1	1.693614	
EFM0142	12/21/2018 8:00	1	1	1.693614	
EFM0142	12/21/2018 9:00	1	1	1.693614	
EFM0142	12/21/2018 10:00	1	1	1.693614	
EFM0142	12/21/2018 11:00	1	1	1.693614	
EFM0142	12/21/2018 12:00	1	1	1.693614	
EFM0142	12/21/2018 13:00	1	1	1.693614	
EFM0142	12/21/2018 14:00	1	1	1.693614	
EFM0142	12/21/2018 15:00	1	1	1.693614	
EFM0142	12/21/2018 16:00	1	1	1.693614	
EFM0142	12/21/2018 17:00	1	1	1.693614	
EFM0142	12/21/2018 18:00	1	1	1.693614	
EFM0142	12/21/2018 19:00	1	1	1.693614	
EFM0142	12/21/2018 20:00	1	1	1.693614	
EFM0142	12/21/2018 21:00	1	1	1.693614	
EFM0142	12/21/2018 22:00	1	1	1.693614	
EFM0142	12/21/2018 23:00	1	1	1.693614	
EFM0142	12/22/2018 0:00	1	1	1.693614	
EFM0142	12/22/2018 1:00	1	1	1.693614	
EFM0142	12/22/2018 2:00	1	1	1.693614	
EFM0142	12/22/2018 3:00	1	1	1.693614	
EFM0142	12/22/2018 4:00	1	1	1.693614	
EFM0142	12/22/2018 5:00	1	1	1.693614	
EFM0142	12/22/2018 6:00	1	1	1.693614	
EFM0142	12/22/2018 7:00	1	1	1.693614	
EFM0142	12/22/2018 8:00	1	1	1.693614	
EFM0142	12/22/2018 9:00	1	1	1.693614	
EFM0142	12/22/2018 10:00	1	1	1.693614	
EFM0142	12/22/2018 11:00	1	1	1.693614	
EFM0142	12/22/2018 12:00	1	1	1.693614	
EFM0142	12/22/2018 13:00	1	1	1.693614	
EFM0142	12/22/2018 14:00	1	1	1.693614	
EFM0142	12/22/2018 15:00	1	1	1.693614	
EFM0142	12/22/2018 16:00	1	1	1.693614	
EFM0142	12/22/2018 17:00	1	1	1.693614	
EFM0142	12/22/2018 18:00	1	1	1.693614	
EFM0142	12/22/2018 19:00	1	1	1.693614	
EFM0142	12/22/2018 20:00	1	1	1.693614	
EFM0142	12/22/2018 21:00	1	1	1.693614	
EFM0142	12/22/2018 22:00	1	1	1.693614	
EFM0142	12/22/2018 23:00	1	1	1.693614	
EFM0142	12/23/2018 0:00	1	1	1.693614	
EFM0142	12/23/2018 1:00	1	1	1.693614	
EFM0142	12/23/2018 2:00	1	1	1.693614	
EFM0142	12/23/2018 3:00	1	1	1.693614	
EFM0142	12/23/2018 4:00	1	1	1.693614	
EFM0142	12/23/2018 5:00	1	1	1.693614	
EFM0142	12/23/2018 6:00	1	1	1.693614	
EFM0142	12/23/2018 7:00	1	1	1.693614	
EFM0142	12/23/2018 8:00	1	1	1.693614	
EFM0142	12/23/2018 9:00	1	1	1.693614	
EFM0142	12/23/2018 10:00	1	1	1.693614	
EFM0142	12/23/2018 11:00	1	1	1.693614	
EFM0142	12/23/2018 12:00	1	1	1.693614	
EFM0142	12/23/2018 13:00	1	1	1.693614	
EFM0142	12/23/2018 14:00	1	1	1.693614	
EFM0142	12/23/2018 15:00	1	1	1.693614	
EFM0142	12/23/2018 16:00	1	1	1.693614	
EFM0142	12/23/2018 17:00	1	1	1.693614	
EFM0142	12/23/2018 18:00	1	1	1.693614	
EFM0142	12/23/2018 19:00	1	1	1.693614	
EFM0142	12/23/2018 20:00	1	1	1.693614	
EFM0142	12/23/2018 21:00	1	1	1.693614	
EFM0142	12/23/2018 22:00	1	1	1.693614	
EFM0142	12/23/2018 23:00	1	1	1.693614	
EFM0142	12/24/2018 0:00	1	1	1.693614	
EFM0142	12/24/2018 1:00	1	1	1.693614	
EFM0142	12/24/2018 2:00	1	1	1.693614	
EFM0142	12/24/2018 3:00	1	1	1.693614	
EFM0142	12/24/2018 4:00	1	1	1.693614	
EFM0142	12/24/2018 5:00	1	1	1.693614	
EFM0142	12/24/2018 6:00	1	1	1.693614	
EFM0142	12/24/2018 7:00	1	1	1.693614	
EFM0142	12/24/2018 8:00	1	1	1.693614	
EFM0142	12/24/2018 9:00	1	1	1.693614	
EFM0142	12/24/2018 10:00	1	1	1.693614	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					36.7 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFMD142	12/24/2018 11:00	1	1	1.693614	
EFMD142	12/24/2018 12:00	1	1	1.693614	
EFMD142	12/24/2018 13:00	1	1	1.693614	
EFMD142	12/24/2018 14:00	1	1	1.693614	
EFMD142	12/24/2018 15:00	1	1	1.693614	
EFMD142	12/24/2018 16:00	1	1	1.693614	
EFMD142	12/24/2018 17:00	1	1	1.693614	
EFMD142	12/24/2018 18:00	1	1	1.693614	
EFMD142	12/24/2018 19:00	1	1	1.693614	
EFMD142	12/24/2018 20:00	1	1	1.693614	
EFMD142	12/24/2018 21:00	1	1	1.693614	
EFMD142	12/24/2018 22:00	1	1	1.693614	
EFMD142	12/24/2018 23:00	1	1	1.693614	
EFMD142	12/25/2018 0:00	1	1	1.693614	
	12/25/2018 1:00				Missing data
	12/25/2018 2:00				Missing data
	12/25/2018 3:00				Missing data
	12/25/2018 4:00				Missing data
	12/25/2018 5:00				Missing data
	12/25/2018 6:00				Missing data
	12/25/2018 7:00				Missing data
	12/25/2018 8:00				Missing data
EFMD142	12/25/2018 9:00	1	1	1.693614	
EFMD142	12/25/2018 10:00	1	1	1.693614	
EFMD142	12/25/2018 11:00	1	1	1.693614	
EFMD142	12/25/2018 12:00	1	1	1.693614	
EFMD142	12/25/2018 13:00	1	1	1.693614	
EFMD142	12/25/2018 14:00	1	1	1.693614	
EFMD142	12/25/2018 15:00	1	1	1.693614	
EFMD142	12/25/2018 16:00	1	1	1.693614	
EFMD142	12/25/2018 17:00	1	1	1.693614	
EFMD142	12/25/2018 18:00	1	1	1.693614	
EFMD142	12/25/2018 19:00	1	1	1.693614	
EFMD142	12/25/2018 20:00	1	1	1.693614	
EFMD142	12/25/2018 21:00	1	1	1.693614	
EFMD142	12/25/2018 22:00	1	1	1.693614	
EFMD142	12/25/2018 23:00	1	1	1.693614	
EFMD142	12/26/2018 0:00	1	1	1.693614	
EFMD142	12/26/2018 1:00	1	1	1.693614	
EFMD142	12/26/2018 2:00	1	1	1.693614	
EFMD142	12/26/2018 3:00	1	1	1.693614	
EFMD142	12/26/2018 4:00	1	1	1.693614	
EFMD142	12/26/2018 5:00	1	1	1.693614	
EFMD142	12/26/2018 6:00	1	1	1.693614	
EFMD142	12/26/2018 7:00	1	1	1.693614	
EFMD142	12/26/2018 8:00	1	1	1.693614	
EFMD142	12/26/2018 9:00	1	1	1.693614	
EFMD142	12/26/2018 10:00	1	1	1.693614	
EFMD142	12/26/2018 11:00	1	1	1.693614	
EFMD142	12/26/2018 12:00	1	1	1.693614	
EFMD142	12/26/2018 13:00	1	1	1.693614	
EFMD142	12/26/2018 14:00	1	1	1.693614	
EFMD142	12/26/2018 15:00	1	1	1.693614	
EFMD142	12/26/2018 16:00	1	1	1.693614	
EFMD142	12/26/2018 17:00	1	1	1.693614	
EFMD142	12/26/2018 18:00	1	1	1.693614	
EFMD142	12/26/2018 19:00	1	1	1.693614	
EFMD142	12/26/2018 20:00	1	1	1.693614	
EFMD142	12/26/2018 21:00	1	1	1.693614	
EFMD142	12/26/2018 22:00	1	1	1.693614	
EFMD142	12/26/2018 23:00	1	1	1.693614	
EFMD142	12/27/2018 0:00	1	1	1.693614	
EFMD142	12/27/2018 1:00	1	1	1.693614	
EFMD142	12/27/2018 2:00	1	1	1.693614	
EFMD142	12/27/2018 3:00	1	1	1.693614	
EFMD142	12/27/2018 4:00	1	1	1.693614	
EFMD142	12/27/2018 5:00	1	1	1.693614	
EFMD142	12/27/2018 6:00	1	1	1.693614	
EFMD142	12/27/2018 7:00	1	1	1.693614	
EFMD142	12/27/2018 8:00	1	1	1.693614	
EFMD142	12/27/2018 9:00	1	1	1.693614	
EFMD142	12/27/2018 10:00	1	1	1.693614	
EFMD142	12/27/2018 11:00	1	1	1.693614	
EFMD142	12/27/2018 12:00	1	1	1.693614	
EFMD142	12/27/2018 13:00	1	1	1.693614	
EFMD142	12/27/2018 14:00	1	1	1.693614	
EFMD142	12/27/2018 15:00	1	1	1.693614	
EFMD142	12/27/2018 16:00	1	1	1.693614	
EFMD142	12/27/2018 17:00	1	1	1.693614	
EFMD142	12/27/2018 18:00	1	1	1.693614	
EFMD142	12/27/2018 19:00	1	1	1.693614	
EFMD142	12/27/2018 20:00	1	1	1.693614	
EFMD142	12/27/2018 21:00	1	1	1.693614	
EFMD142	12/27/2018 22:00	1	1	1.693614	
EFMD142	12/27/2018 23:00	1	1	1.693614	
EFMD142	12/28/2018 0:00	1	1	1.693614	
EFMD142	12/28/2018 1:00	1	1	1.693614	
EFMD142	12/28/2018 2:00	1	1	1.693614	
EFMD142	12/28/2018 3:00	1	1	1.693614	
EFMD142	12/28/2018 4:00	1	1	1.693614	
EFMD142	12/28/2018 5:00	1	1	1.693614	
EFMD142	12/28/2018 6:00	1	1	1.693614	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	12/28/2018 7:00	1	1	1.693614	367 hrs missing during period 2/10/2018 - 2/9/2019, 4.2% of time 738 hrs with the pilot off 9 hrs with compressor "on" 759 hrs with compressor "off"
EFM0142	12/28/2018 8:00	1	1	1.693614	
EFM0142	12/28/2018 9:00	1	1	1.693614	
EFM0142	12/28/2018 10:00	1	1	1.693614	
EFM0142	12/28/2018 11:00	1	1	1.693614	
EFM0142	12/28/2018 12:00	1	1	1.693614	
EFM0142	12/28/2018 13:00	1	1	1.693614	
EFM0142	12/28/2018 14:00	1	1	1.693614	
EFM0142	12/28/2018 15:00	1	1	1.693614	
EFM0142	12/28/2018 16:00	1	1	1.693614	
EFM0142	12/28/2018 17:00	1	1	1.693614	
EFM0142	12/28/2018 18:00	1	1	1.693614	
EFM0142	12/28/2018 19:00	1	1	1.693614	
EFM0142	12/28/2018 20:00	1	1	1.693614	
EFM0142	12/28/2018 21:00	1	1	1.693614	
EFM0142	12/28/2018 22:00	1	1	1.693614	
EFM0142	12/28/2018 23:00	1	1	1.693614	
EFM0142	12/29/2018 0:00	1	1	1.693614	
EFM0142	12/29/2018 1:00	1	1	1.693614	
EFM0142	12/29/2018 2:00	1	1	1.693614	
EFM0142	12/29/2018 3:00	0	0	1.693614	
EFM0142	12/29/2018 4:00	1	0	1.711985	
EFM0142	12/29/2018 5:00	0	0	1.97294	
EFM0142	12/29/2018 6:00	0	0	1.97294	
EFM0142	12/29/2018 7:00	1	0	2.484206	
EFM0142	12/29/2018 8:00	1	1	2.492206	
EFM0142	12/29/2018 9:00	1	1	2.492206	
EFM0142	12/29/2018 10:00	1	1	2.492206	
EFM0142	12/29/2018 11:00	1	1	2.492206	
EFM0142	12/29/2018 12:00	1	1	2.492206	
EFM0142	12/29/2018 13:00	1	1	2.492206	
EFM0142	12/29/2018 14:00	1	1	2.492206	
EFM0142	12/29/2018 15:00	1	1	2.492206	
EFM0142	12/29/2018 16:00	1	1	2.492206	
EFM0142	12/29/2018 17:00	1	1	2.492206	
EFM0142	12/29/2018 18:00	1	1	2.492206	
EFM0142	12/29/2018 19:00	1	1	2.492206	
EFM0142	12/29/2018 20:00	1	1	2.492206	
EFM0142	12/29/2018 21:00	1	1	2.492206	
EFM0142	12/29/2018 22:00	1	1	2.492206	
EFM0142	12/29/2018 23:00	1	1	2.492206	
EFM0142	12/30/2018 0:00	1	1	2.492206	
EFM0142	12/30/2018 1:00	1	1	2.492206	
EFM0142	12/30/2018 2:00	1	1	2.492206	
EFM0142	12/30/2018 3:00	1	1	2.492206	
EFM0142	12/30/2018 4:00	1	1	2.492206	
EFM0142	12/30/2018 5:00	1	1	2.492206	
EFM0142	12/30/2018 6:00	1	1	2.492206	
EFM0142	12/30/2018 7:00	1	1	2.492206	
EFM0142	12/30/2018 8:00	1	1	2.492206	
EFM0142	12/30/2018 9:00	1	1	2.492206	
EFM0142	12/30/2018 10:00	1	1	2.492206	
EFM0142	12/30/2018 11:00	1	1	2.492206	
EFM0142	12/30/2018 12:00	1	1	2.492206	
EFM0142	12/30/2018 13:00	1	1	2.492206	
EFM0142	12/30/2018 14:00	1	1	2.492206	
EFM0142	12/30/2018 15:00	1	1	2.492206	
EFM0142	12/30/2018 16:00	1	1	2.492206	
EFM0142	12/30/2018 17:00	1	1	2.492206	
EFM0142	12/30/2018 18:00	1	1	2.492206	
EFM0142	12/30/2018 19:00	1	1	2.492206	
EFM0142	12/30/2018 20:00	1	1	2.492206	
EFM0142	12/30/2018 21:00	1	1	2.492206	
EFM0142	12/30/2018 22:00	1	1	2.492206	
EFM0142	12/30/2018 23:00	1	1	2.492206	
EFM0142	12/31/2018 0:00	1	1	2.492206	
EFM0142	12/31/2018 1:00	1	1	2.492206	
EFM0142	12/31/2018 2:00	1	1	2.492206	
EFM0142	12/31/2018 3:00	1	1	2.492206	
EFM0142	12/31/2018 4:00	1	1	2.492206	
EFM0142	12/31/2018 5:00	1	1	2.492206	
EFM0142	12/31/2018 6:00	1	1	2.492206	
EFM0142	12/31/2018 7:00	1	1	2.492206	
EFM0142	12/31/2018 8:00	1	1	2.492206	
EFM0142	12/31/2018 9:00	1	1	2.492206	
EFM0142	12/31/2018 10:00	1	1	2.492206	
EFM0142	12/31/2018 11:00	1	1	2.492206	
EFM0142	12/31/2018 12:00	1	1	2.492206	
EFM0142	12/31/2018 13:00	1	1	2.492206	
EFM0142	12/31/2018 14:00	1	1	2.492206	
EFM0142	12/31/2018 15:00	1	1	2.492206	
EFM0142	12/31/2018 16:00	1	1	2.492206	
EFM0142	12/31/2018 17:00	1	1	2.492206	
EFM0142	12/31/2018 18:00	1	1	2.492206	
EFM0142	12/31/2018 19:00	1	1	2.492206	
EFM0142	12/31/2018 20:00	1	1	2.492206	
EFM0142	12/31/2018 21:00	1	1	2.492206	
EFM0142	12/31/2018 22:00	1	1	2.492206	
EFM0142	12/31/2018 23:00	1	1	2.492206	
EFM0142	1/1/2019 0:00	1	1	0	
EFM0142	1/1/2019 1:00	1	1	0	
EFM0142	1/1/2019 2:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2019 - 2/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/1/2019 3:00	1	1	0	
EFM0142	1/1/2019 4:00	1	1	0	
EFM0142	1/1/2019 5:00	1	1	0	
EFM0142	1/1/2019 6:00	1	1	0	
EFM0142	1/1/2019 7:00	1	1	0	
EFM0142	1/1/2019 8:00	1	1	0	
EFM0142	1/1/2019 9:00	1	1	0	
EFM0142	1/1/2019 10:00	1	1	0	
EFM0142	1/1/2019 11:00	1	1	0	
EFM0142	1/1/2019 12:00	1	1	0	
EFM0142	1/1/2019 13:00	1	1	0	
EFM0142	1/1/2019 14:00	1	1	0	
EFM0142	1/1/2019 15:00	1	1	0	
EFM0142	1/1/2019 16:00	1	1	0	
EFM0142	1/1/2019 17:00	1	1	0	
EFM0142	1/1/2019 18:00	1	1	0	
EFM0142	1/1/2019 19:00	1	1	0	
EFM0142	1/1/2019 20:00	1	1	0	
EFM0142	1/1/2019 21:00	1	1	0	
EFM0142	1/1/2019 22:00	1	1	0	
EFM0142	1/1/2019 23:00	1	1	0	
EFM0142	1/2/2019 0:00	1	1	0	
EFM0142	1/2/2019 1:00	1	1	0	
EFM0142	1/2/2019 2:00	1	1	0	
EFM0142	1/2/2019 3:00	1	1	0	
EFM0142	1/2/2019 4:00	1	1	0	
EFM0142	1/2/2019 5:00	1	1	0	
EFM0142	1/2/2019 6:00	1	1	0	
EFM0142	1/2/2019 7:00	1	1	0	
EFM0142	1/2/2019 8:00	1	1	0	
EFM0142	1/2/2019 9:00	1	1	0	
EFM0142	1/2/2019 10:00	1	1	0	
EFM0142	1/2/2019 11:00	1	1	0	
EFM0142	1/2/2019 12:00	1	1	0	
EFM0142	1/2/2019 13:00	1	1	0	
EFM0142	1/2/2019 14:00	1	1	0	
EFM0142	1/2/2019 15:00	1	1	0	
EFM0142	1/2/2019 16:00	1	1	0	
EFM0142	1/2/2019 17:00	1	1	0	
EFM0142	1/2/2019 18:00	1	1	0	
EFM0142	1/2/2019 19:00	1	1	0	
EFM0142	1/2/2019 20:00	1	1	0	
EFM0142	1/2/2019 21:00	1	1	0	
EFM0142	1/2/2019 22:00	1	1	0	
EFM0142	1/2/2019 23:00	1	1	0	
EFM0142	1/3/2019 0:00	1	1	0	
EFM0142	1/3/2019 1:00	1	1	0	
EFM0142	1/3/2019 2:00	1	1	0	
EFM0142	1/3/2019 3:00	1	1	0	
EFM0142	1/3/2019 4:00	1	1	0	
EFM0142	1/3/2019 5:00	1	1	0	
EFM0142	1/3/2019 6:00	1	1	0	
EFM0142	1/3/2019 7:00	1	1	0	
EFM0142	1/3/2019 8:00	1	1	0	
EFM0142	1/3/2019 9:00	1	1	0	
EFM0142	1/3/2019 10:00	1	1	0	
EFM0142	1/3/2019 11:00	1	1	0	
EFM0142	1/3/2019 12:00	1	1	0	
EFM0142	1/3/2019 13:00	1	1	0	
EFM0142	1/3/2019 14:00	1	1	0	
EFM0142	1/3/2019 15:00	1	1	0	
EFM0142	1/3/2019 16:00	1	1	0	
EFM0142	1/3/2019 17:00	1	1	0	
EFM0142	1/3/2019 18:00	1	1	0	
EFM0142	1/3/2019 19:00	1	1	0	
EFM0142	1/3/2019 20:00	1	1	0	
EFM0142	1/3/2019 21:00	1	1	0	
EFM0142	1/3/2019 22:00	1	1	0	
EFM0142	1/3/2019 23:00	1	1	0	
EFM0142	1/4/2019 0:00	1	1	0	
EFM0142	1/4/2019 1:00	1	1	0	
EFM0142	1/4/2019 2:00	1	1	0	
EFM0142	1/4/2019 3:00	1	1	0	
EFM0142	1/4/2019 4:00	1	1	0	
EFM0142	1/4/2019 5:00	1	1	0	
EFM0142	1/4/2019 6:00	1	1	0	
EFM0142	1/4/2019 7:00	1	1	0	
EFM0142	1/4/2019 8:00	1	1	0	
EFM0142	1/4/2019 9:00	1	1	0	
EFM0142	1/4/2019 10:00	1	1	0	
EFM0142	1/4/2019 11:00	1	1	0	
EFM0142	1/4/2019 12:00	1	1	0	
EFM0142	1/4/2019 13:00	1	1	0	
EFM0142	1/4/2019 14:00	1	1	0	
EFM0142	1/4/2019 15:00	1	1	0	
EFM0142	1/4/2019 16:00	1	1	0	
EFM0142	1/4/2019 17:00	1	1	0	
EFM0142	1/4/2019 18:00	1	1	0	
EFM0142	1/4/2019 19:00	1	1	0	
EFM0142	1/4/2019 20:00	1	1	0	
EFM0142	1/4/2019 21:00	1	1	0	
EFM0142	1/4/2019 22:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/4/2019 23:00	1	1	0	
EFM0142	1/5/2019 0:00	1	1	0	
EFM0142	1/5/2019 1:00	1	1	0	
EFM0142	1/5/2019 2:00	1	1	0	
EFM0142	1/5/2019 3:00	1	1	0	
EFM0142	1/5/2019 4:00	1	1	0	
EFM0142	1/5/2019 5:00	1	1	0	
EFM0142	1/5/2019 6:00	1	1	0	
EFM0142	1/5/2019 7:00	1	1	0	
EFM0142	1/5/2019 8:00	1	1	0	
EFM0142	1/5/2019 9:00	1	1	0	
EFM0142	1/5/2019 10:00	1	1	0	
EFM0142	1/5/2019 11:00	1	1	0	
EFM0142	1/5/2019 12:00	1	1	0	
EFM0142	1/5/2019 13:00	1	1	0	
EFM0142	1/5/2019 14:00	1	1	0	
EFM0142	1/5/2019 15:00	1	1	0	
EFM0142	1/5/2019 16:00	1	1	0	
EFM0142	1/5/2019 17:00	1	1	0	
EFM0142	1/5/2019 18:00	1	1	0	
EFM0142	1/5/2019 19:00	1	1	0	
EFM0142	1/5/2019 20:00	1	1	0	
EFM0142	1/5/2019 21:00	1	1	0	
EFM0142	1/5/2019 22:00	1	1	0	
EFM0142	1/5/2019 23:00	1	1	0	
EFM0142	1/6/2019 0:00	1	1	0	
EFM0142	1/6/2019 1:00	1	1	0	
EFM0142	1/6/2019 2:00	1	1	0	
EFM0142	1/6/2019 3:00	1	1	0	
EFM0142	1/6/2019 4:00	1	1	0	
EFM0142	1/6/2019 5:00	1	1	0	
EFM0142	1/6/2019 6:00	1	1	0	
EFM0142	1/6/2019 7:00	1	1	0	
EFM0142	1/6/2019 8:00	1	1	0	
EFM0142	1/6/2019 9:00	1	1	0	
EFM0142	1/6/2019 10:00	1	1	0	
EFM0142	1/6/2019 11:00	1	1	0	
EFM0142	1/6/2019 12:00	1	1	0	
EFM0142	1/6/2019 13:00	1	1	0	
EFM0142	1/6/2019 14:00	1	1	0	
EFM0142	1/6/2019 15:00	1	1	0	
EFM0142	1/6/2019 16:00	1	1	0	
EFM0142	1/6/2019 17:00	1	1	0	
EFM0142	1/6/2019 18:00	1	1	0	
EFM0142	1/6/2019 19:00	1	1	0	
EFM0142	1/6/2019 20:00	1	1	0	
EFM0142	1/6/2019 21:00	1	1	0	
EFM0142	1/6/2019 22:00	1	1	0	
EFM0142	1/6/2019 23:00	1	1	0	
EFM0142	1/7/2019 0:00	1	1	0	
EFM0142	1/7/2019 1:00	1	1	0	
EFM0142	1/7/2019 2:00	1	1	0	
EFM0142	1/7/2019 3:00	1	1	0	
EFM0142	1/7/2019 4:00	1	1	0	
EFM0142	1/7/2019 5:00	1	1	0	
EFM0142	1/7/2019 6:00	1	1	0	
EFM0142	1/7/2019 7:00	1	1	0	
EFM0142	1/7/2019 8:00	1	1	0	
EFM0142	1/7/2019 9:00	1	1	0	
EFM0142	1/7/2019 10:00	1	1	0	
EFM0142	1/7/2019 11:00	1	1	0	
EFM0142	1/7/2019 12:00	1	1	0	
EFM0142	1/7/2019 13:00	1	1	0	
EFM0142	1/7/2019 14:00	1	1	0	
EFM0142	1/7/2019 15:00	1	1	0	
EFM0142	1/7/2019 16:00	1	1	0	
EFM0142	1/7/2019 17:00	1	1	0	
EFM0142	1/7/2019 18:00	1	1	0	
EFM0142	1/7/2019 19:00	1	1	0	
EFM0142	1/7/2019 20:00	1	1	0	
EFM0142	1/7/2019 21:00	1	1	0	
EFM0142	1/7/2019 22:00	1	1	0	
EFM0142	1/7/2019 23:00	1	1	0	
EFM0142	1/8/2019 0:00	1	1	0	
EFM0142	1/8/2019 1:00	1	1	0	
EFM0142	1/8/2019 2:00	1	1	0	
EFM0142	1/8/2019 3:00	1	1	0	
EFM0142	1/8/2019 4:00	1	1	0	
EFM0142	1/8/2019 5:00	1	1	0	
EFM0142	1/8/2019 6:00	1	1	0	
EFM0142	1/8/2019 7:00	1	1	0	
EFM0142	1/8/2019 8:00	1	1	0	
EFM0142	1/8/2019 9:00	1	1	0	
EFM0142	1/8/2019 10:00	1	1	0	
EFM0142	1/8/2019 11:00	1	1	0	
EFM0142	1/8/2019 12:00	1	1	0	
EFM0142	1/8/2019 13:00	1	1	0	
EFM0142	1/8/2019 14:00	1	1	0	
EFM0142	1/8/2019 15:00	1	1	0	
EFM0142	1/8/2019 16:00	1	1	0	
EFM0142	1/8/2019 17:00	1	1	0	
EFM0142	1/8/2019 18:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off: 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/8/2019 19:00	1	1	0	
EFM0142	1/8/2019 20:00	1	1	0	
EFM0142	1/8/2019 21:00	1	1	0	
EFM0142	1/8/2019 22:00	1	1	0	
EFM0142	1/8/2019 23:00	1	1	0	
EFM0142	1/9/2019 0:00	1	1	0	
EFM0142	1/9/2019 1:00	1	1	0	
EFM0142	1/9/2019 2:00	1	1	0	
EFM0142	1/9/2019 3:00	1	1	0	
EFM0142	1/9/2019 4:00	1	1	0	
EFM0142	1/9/2019 5:00	1	1	0	
EFM0142	1/9/2019 6:00	1	1	0	
EFM0142	1/9/2019 7:00	1	1	0	
EFM0142	1/9/2019 8:00	1	1	0	
EFM0142	1/9/2019 9:00	1	1	0	
EFM0142	1/9/2019 10:00	1	1	0	
EFM0142	1/9/2019 11:00	1	1	0	
EFM0142	1/9/2019 12:00	1	1	0	
EFM0142	1/9/2019 13:00	1	1	0	
EFM0142	1/9/2019 14:00	1	1	0	
EFM0142	1/9/2019 15:00	1	1	0	
EFM0142	1/9/2019 16:00	1	1	0	
EFM0142	1/9/2019 17:00	1	1	0	
EFM0142	1/9/2019 18:00	1	1	0	
EFM0142	1/9/2019 19:00	1	1	0	
EFM0142	1/9/2019 20:00	1	1	0	
EFM0142	1/9/2019 21:00	1	1	0	
EFM0142	1/9/2019 22:00	1	1	0	
EFM0142	1/9/2019 23:00	1	1	0	
EFM0142	1/10/2019 0:00	1	1	0	
EFM0142	1/10/2019 1:00	1	1	0	
EFM0142	1/10/2019 2:00	1	1	0	
EFM0142	1/10/2019 3:00	1	1	0	
EFM0142	1/10/2019 4:00	1	1	0	
EFM0142	1/10/2019 5:00	1	1	0	
EFM0142	1/10/2019 6:00	1	1	0	
EFM0142	1/10/2019 7:00	1	1	0	
EFM0142	1/10/2019 8:00	1	1	0	
	1/10/2019 9:00				Missing data
	1/10/2019 10:00				Missing data
	1/10/2019 11:00				Missing data
	1/10/2019 12:00				Missing data
	1/10/2019 13:00				Missing data
	1/10/2019 14:00				Missing data
	1/10/2019 15:00				Missing data
	1/10/2019 16:00				Missing data
	1/10/2019 17:00				Missing data
	1/10/2019 18:00				Missing data
	1/10/2019 19:00				Missing data
	1/10/2019 20:00				Missing data
	1/10/2019 21:00				Missing data
	1/10/2019 22:00				Missing data
	1/10/2019 23:00				Missing data
	1/11/2019 0:00				Missing data
EFM0142	1/11/2019 1:00	1	1	0	
EFM0142	1/11/2019 2:00	1	1	0	
EFM0142	1/11/2019 3:00	1	1	0	
EFM0142	1/11/2019 4:00	1	1	0	
EFM0142	1/11/2019 5:00	1	1	0	
EFM0142	1/11/2019 6:00	1	1	0	
EFM0142	1/11/2019 7:00	1	1	0	
EFM0142	1/11/2019 8:00	1	1	0	
EFM0142	1/11/2019 9:00	1	1	0	
EFM0142	1/11/2019 10:00	1	1	0	
EFM0142	1/11/2019 11:00	1	1	0	
EFM0142	1/11/2019 12:00	1	1	0	
EFM0142	1/11/2019 13:00	1	1	0	
EFM0142	1/11/2019 14:00	1	1	0	
EFM0142	1/11/2019 15:00	1	1	0	
EFM0142	1/11/2019 16:00	1	1	0	
EFM0142	1/11/2019 17:00	1	1	0	
EFM0142	1/11/2019 18:00	1	1	0	
EFM0142	1/11/2019 19:00	1	1	0	
EFM0142	1/11/2019 20:00	1	1	0	
EFM0142	1/11/2019 21:00	1	1	0	
EFM0142	1/11/2019 22:00	1	1	0	
EFM0142	1/11/2019 23:00	1	1	0	
EFM0142	1/12/2019 0:00	1	1	0	
EFM0142	1/12/2019 1:00	1	1	0	
EFM0142	1/12/2019 2:00	1	1	0	
EFM0142	1/12/2019 3:00	1	1	0	
EFM0142	1/12/2019 4:00	1	1	0	
EFM0142	1/12/2019 5:00	1	1	0	
EFM0142	1/12/2019 6:00	1	1	0	
EFM0142	1/12/2019 7:00	1	1	0	
EFM0142	1/12/2019 8:00	1	1	0	
EFM0142	1/12/2019 9:00	1	1	0	
EFM0142	1/12/2019 10:00	1	1	0	
EFM0142	1/12/2019 11:00	1	1	0	
EFM0142	1/12/2019 12:00	1	1	0	
EFM0142	1/12/2019 13:00	1	1	0	
EFM0142	1/12/2019 14:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 796 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/12/2019 15:00	1	1	0	
EFM0142	1/12/2019 16:00	1	1	0	
EFM0142	1/12/2019 17:00	1	1	0	
EFM0142	1/12/2019 18:00	1	1	0	
EFM0142	1/12/2019 19:00	1	1	0	
EFM0142	1/12/2019 20:00	1	1	0	
EFM0142	1/12/2019 21:00	1	1	0	
EFM0142	1/12/2019 22:00	1	1	0	
EFM0142	1/12/2019 23:00	1	1	0	
EFM0142	1/13/2019 0:00	1	1	0	
EFM0142	1/13/2019 1:00	1	1	0	
EFM0142	1/13/2019 2:00	1	1	0	
EFM0142	1/13/2019 3:00	1	1	0	
EFM0142	1/13/2019 4:00	1	1	0	
EFM0142	1/13/2019 5:00	1	1	0	
EFM0142	1/13/2019 6:00	1	1	0	
EFM0142	1/13/2019 7:00	1	1	0	
EFM0142	1/13/2019 8:00	1	1	0	
EFM0142	1/13/2019 9:00	1	1	0	
EFM0142	1/13/2019 10:00	1	1	0	
EFM0142	1/13/2019 11:00	1	1	0	
EFM0142	1/13/2019 12:00	1	1	0	
EFM0142	1/13/2019 13:00	1	1	0	
EFM0142	1/13/2019 14:00	1	1	0	
EFM0142	1/13/2019 15:00	1	1	0	
EFM0142	1/13/2019 16:00	1	1	0	
EFM0142	1/13/2019 17:00	1	1	0	
EFM0142	1/13/2019 18:00	1	1	0	
EFM0142	1/13/2019 19:00	1	1	0	
EFM0142	1/13/2019 20:00	1	1	0	
EFM0142	1/13/2019 21:00	1	1	0	
EFM0142	1/13/2019 22:00	1	1	0	
EFM0142	1/13/2019 23:00	1	1	0	
EFM0142	1/14/2019 0:00	1	1	0	
EFM0142	1/14/2019 1:00	1	1	0	
EFM0142	1/14/2019 2:00	1	1	0	
EFM0142	1/14/2019 3:00	1	1	0	
EFM0142	1/14/2019 4:00	1	1	0	
EFM0142	1/14/2019 5:00	1	1	0	
EFM0142	1/14/2019 6:00	1	1	0	
EFM0142	1/14/2019 7:00	1	1	0	
EFM0142	1/14/2019 8:00	1	1	0	
EFM0142	1/14/2019 9:00	1	1	0	
EFM0142	1/14/2019 10:00	1	1	0	
EFM0142	1/14/2019 11:00	1	1	0	
EFM0142	1/14/2019 12:00	1	1	0	
EFM0142	1/14/2019 13:00	1	1	0	
EFM0142	1/14/2019 14:00	1	1	0	
EFM0142	1/14/2019 15:00	1	1	0	
EFM0142	1/14/2019 16:00	1	1	0	
EFM0142	1/14/2019 17:00	1	1	0	
EFM0142	1/14/2019 18:00	1	1	0	
EFM0142	1/14/2019 19:00	1	1	0	
EFM0142	1/14/2019 20:00	1	1	0	
EFM0142	1/14/2019 21:00	1	1	0	
EFM0142	1/14/2019 22:00	1	1	0	
EFM0142	1/14/2019 23:00	1	1	0	
EFM0142	1/15/2019 0:00	1	1	0	
EFM0142	1/15/2019 1:00	1	1	0	
EFM0142	1/15/2019 2:00	1	1	0	
EFM0142	1/15/2019 3:00	1	1	0	
EFM0142	1/15/2019 4:00	1	1	0	
EFM0142	1/15/2019 5:00	1	1	0	
EFM0142	1/15/2019 6:00	1	1	0	
EFM0142	1/15/2019 7:00	1	1	0	
EFM0142	1/15/2019 8:00	1	1	0	
EFM0142	1/15/2019 9:00	1	1	0	
EFM0142	1/15/2019 10:00	1	1	0	
EFM0142	1/15/2019 11:00	1	1	0	
EFM0142	1/15/2019 12:00	1	1	0	
EFM0142	1/15/2019 13:00	1	1	0	
EFM0142	1/15/2019 14:00	1	1	0	
EFM0142	1/15/2019 15:00	1	1	0	
EFM0142	1/15/2019 16:00	1	1	0	
EFM0142	1/15/2019 17:00	1	1	0	
EFM0142	1/15/2019 18:00	1	1	0	
EFM0142	1/15/2019 19:00	1	1	0	
EFM0142	1/15/2019 20:00	1	1	0	
EFM0142	1/15/2019 21:00	1	1	0	
EFM0142	1/15/2019 22:00	1	1	0	
EFM0142	1/15/2019 23:00	1	1	0	
EFM0142	1/16/2019 0:00	1	1	0	
EFM0142	1/16/2019 1:00	1	1	0	
EFM0142	1/16/2019 2:00	1	1	0	
EFM0142	1/16/2019 3:00	1	1	0	
EFM0142	1/16/2019 4:00	1	1	0	
EFM0142	1/16/2019 5:00	1	1	0	
EFM0142	1/16/2019 6:00	1	1	0	
EFM0142	1/16/2019 7:00	1	1	0	
EFM0142	1/16/2019 8:00	1	1	0	
EFM0142	1/16/2019 9:00	1	1	0	
EFM0142	1/16/2019 10:00	1	1	0	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	1/16/2019 11:00	1	1	0	367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 289 hrs with compressor "off"
EFM0142	1/16/2019 12:00	1	1	0	
EFM0142	1/16/2019 13:00	1	1	0	
EFM0142	1/16/2019 14:00	1	1	0	
EFM0142	1/16/2019 15:00	1	1	0	
EFM0142	1/16/2019 16:00	1	1	0	
EFM0142	1/16/2019 17:00	1	1	0	
EFM0142	1/16/2019 18:00	1	1	0	
EFM0142	1/16/2019 19:00	1	1	0	
EFM0142	1/16/2019 20:00	1	1	0	
EFM0142	1/16/2019 21:00	1	1	0	
EFM0142	1/16/2019 22:00	1	1	0	
EFM0142	1/16/2019 23:00	1	1	0	
EFM0142	1/17/2019 0:00	1	1	0	
EFM0142	1/17/2019 1:00	1	1	0	
EFM0142	1/17/2019 2:00	1	1	0	
EFM0142	1/17/2019 3:00	1	1	0	
EFM0142	1/17/2019 4:00	1	1	0	
EFM0142	1/17/2019 5:00	1	1	0	
EFM0142	1/17/2019 6:00	1	1	0	
EFM0142	1/17/2019 7:00	1	1	0	
EFM0142	1/17/2019 8:00	1	1	0	
EFM0142	1/17/2019 9:00	1	1	0	
EFM0142	1/17/2019 10:00	1	1	0	
EFM0142	1/17/2019 11:00	1	1	0	
EFM0142	1/17/2019 12:00	1	1	0	
EFM0142	1/17/2019 13:00	1	1	0	
EFM0142	1/17/2019 14:00	1	1	0	
EFM0142	1/17/2019 15:00	1	1	0	
EFM0142	1/17/2019 16:00	1	1	0	
EFM0142	1/17/2019 17:00	1	1	0	
EFM0142	1/17/2019 18:00	1	1	0	
EFM0142	1/17/2019 19:00	1	1	0	
EFM0142	1/17/2019 20:00	1	1	0	
EFM0142	1/17/2019 21:00	1	1	0	
EFM0142	1/17/2019 22:00	1	1	0	
EFM0142	1/17/2019 23:00	1	1	0	
EFM0142	1/18/2019 0:00	1	1	0	
EFM0142	1/18/2019 1:00	1	1	0	
EFM0142	1/18/2019 2:00	1	1	0	
EFM0142	1/18/2019 3:00	1	1	0	
EFM0142	1/18/2019 4:00	1	1	0	
EFM0142	1/18/2019 5:00	1	1	0	
EFM0142	1/18/2019 6:00	1	1	0	
EFM0142	1/18/2019 7:00	1	1	0	
EFM0142	1/18/2019 8:00	1	1	0	
EFM0142	1/18/2019 9:00	1	1	0	
EFM0142	1/18/2019 10:00	1	1	0	
EFM0142	1/18/2019 11:00	1	1	0	
EFM0142	1/18/2019 12:00	1	1	0	
EFM0142	1/18/2019 13:00	1	1	0	
EFM0142	1/18/2019 14:00	1	1	0	
EFM0142	1/18/2019 15:00	1	1	0	
EFM0142	1/18/2019 16:00	1	1	0	
EFM0142	1/18/2019 17:00	1	1	0	
EFM0142	1/18/2019 18:00	1	1	0	
EFM0142	1/18/2019 19:00	1	1	0	
EFM0142	1/18/2019 20:00	1	1	0	
EFM0142	1/18/2019 21:00	1	1	0	
EFM0142	1/18/2019 22:00	1	1	0	
EFM0142	1/18/2019 23:00	1	1	0	
EFM0142	1/19/2019 0:00	1	1	0	
EFM0142	1/19/2019 1:00	1	1	0	
EFM0142	1/19/2019 2:00	1	1	0	
EFM0142	1/19/2019 3:00	1	1	0	
EFM0142	1/19/2019 4:00	1	1	0	
EFM0142	1/19/2019 5:00	1	1	0	
EFM0142	1/19/2019 6:00	1	1	0	
EFM0142	1/19/2019 7:00	1	1	0	
EFM0142	1/19/2019 8:00	1	1	0	
EFM0142	1/19/2019 9:00	1	1	0	
EFM0142	1/19/2019 10:00	1	1	0	
EFM0142	1/19/2019 11:00	1	1	0	
EFM0142	1/19/2019 12:00	1	1	0	
EFM0142	1/19/2019 13:00	1	1	0	
EFM0142	1/19/2019 14:00	1	1	0	
EFM0142	1/19/2019 15:00	1	1	0	
EFM0142	1/19/2019 16:00	1	1	0	
EFM0142	1/19/2019 17:00	1	1	0	
EFM0142	1/19/2019 18:00	1	1	0	
EFM0142	1/19/2019 19:00	1	1	0	
EFM0142	1/19/2019 20:00	1	1	0	
EFM0142	1/19/2019 21:00	1	1	0	
EFM0142	1/19/2019 22:00	1	1	0	
EFM0142	1/19/2019 23:00	1	1	0	
EFM0142	1/20/2019 0:00	1	1	0	
EFM0142	1/20/2019 1:00	1	1	0	
EFM0142	1/20/2019 2:00	1	1	0	
EFM0142	1/20/2019 3:00	1	1	0	
EFM0142	1/20/2019 4:00	1	1	0	
EFM0142	1/20/2019 5:00	1	1	0	
EFM0142	1/20/2019 6:00	1	1	0	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018- 2/9/2019: 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/20/2019 7:00	1	1	0	
EFM0142	1/20/2019 8:00	1	1	0	
EFM0142	1/20/2019 9:00	1	1	0	
EFM0142	1/20/2019 10:00	1	1	0	
EFM0142	1/20/2019 11:00	1	1	0	
EFM0142	1/20/2019 12:00	1	1	0	
EFM0142	1/20/2019 13:00	1	1	0	
EFM0142	1/20/2019 14:00	1	1	0	
EFM0142	1/20/2019 15:00	1	1	0	
EFM0142	1/20/2019 16:00	1	1	0	
EFM0142	1/20/2019 17:00	1	1	0	
EFM0142	1/20/2019 18:00	1	1	0	
EFM0142	1/20/2019 19:00	1	1	0	
EFM0142	1/20/2019 20:00	1	1	0	
EFM0142	1/20/2019 21:00	1	1	0	
EFM0142	1/20/2019 22:00	1	1	0	
EFM0142	1/20/2019 23:00	1	1	0	
EFM0142	1/21/2019 0:00	1	1	0	
EFM0142	1/21/2019 1:00	1	1	0	
EFM0142	1/21/2019 2:00	1	1	0	
EFM0142	1/21/2019 3:00	1	1	0	
EFM0142	1/21/2019 4:00	1	1	0	
EFM0142	1/21/2019 5:00	1	1	0	
EFM0142	1/21/2019 6:00	1	1	0	
EFM0142	1/21/2019 7:00	1	1	0	
EFM0142	1/21/2019 8:00	1	1	0	
EFM0142	1/21/2019 9:00	1	1	0	
EFM0142	1/21/2019 10:00	1	1	0	
EFM0142	1/21/2019 11:00	1	1	0	
EFM0142	1/21/2019 12:00	1	1	0	
EFM0142	1/21/2019 13:00	1	1	0	
EFM0142	1/21/2019 14:00	1	1	0	
EFM0142	1/21/2019 15:00	1	1	0	
EFM0142	1/21/2019 16:00	1	1	0	
EFM0142	1/21/2019 17:00	1	1	0	
EFM0142	1/21/2019 18:00	1	1	0	
EFM0142	1/21/2019 19:00	1	1	0	
EFM0142	1/21/2019 20:00	1	1	0	
EFM0142	1/21/2019 21:00	1	1	0	
EFM0142	1/21/2019 22:00	1	1	0	
EFM0142	1/21/2019 23:00	1	1	0	
EFM0142	1/22/2019 0:00	1	1	0	
EFM0142	1/22/2019 1:00	1	1	0	
EFM0142	1/22/2019 2:00	1	1	0	
EFM0142	1/22/2019 3:00	1	1	0	
EFM0142	1/22/2019 4:00	1	1	0	
EFM0142	1/22/2019 5:00	1	1	0	
EFM0142	1/22/2019 6:00	1	1	0	
EFM0142	1/22/2019 7:00	1	1	0	
EFM0142	1/22/2019 8:00	1	1	0	
EFM0142	1/22/2019 9:00	1	1	0	
EFM0142	1/22/2019 10:00	1	1	0	
EFM0142	1/22/2019 11:00	1	1	0	
EFM0142	1/22/2019 12:00	1	1	0	
EFM0142	1/22/2019 13:00	1	1	0	
EFM0142	1/22/2019 14:00	1	1	0	
EFM0142	1/22/2019 15:00	1	1	0	
EFM0142	1/22/2019 16:00	1	1	0	
EFM0142	1/22/2019 17:00	1	1	0	
EFM0142	1/22/2019 18:00	1	1	0	
EFM0142	1/22/2019 19:00	1	1	0	
EFM0142	1/22/2019 20:00	1	1	0	
EFM0142	1/22/2019 21:00	1	1	0	
EFM0142	1/22/2019 22:00	1	1	0	
EFM0142	1/22/2019 23:00	1	1	0	
EFM0142	1/23/2019 0:00	1	1	0	
EFM0142	1/23/2019 1:00	1	1	0	
EFM0142	1/23/2019 2:00	1	1	0	
EFM0142	1/23/2019 3:00	1	1	0	
EFM0142	1/23/2019 4:00	1	1	0	
EFM0142	1/23/2019 5:00	1	1	0	
EFM0142	1/23/2019 6:00	1	1	0	
EFM0142	1/23/2019 7:00	1	1	0	
EFM0142	1/23/2019 8:00	1	1	0	
EFM0142	1/23/2019 9:00	1	1	0	
EFM0142	1/23/2019 10:00	0	0	0	
EFM0142	1/23/2019 11:00	1	1	0.255645	
EFM0142	1/23/2019 12:00	1	1	0.255645	
EFM0142	1/23/2019 13:00	1	1	0.255645	
EFM0142	1/23/2019 14:00	1	1	0.255645	
EFM0142	1/23/2019 15:00	1	1	0.255645	
EFM0142	1/23/2019 16:00	1	1	0.255645	
EFM0142	1/23/2019 17:00	1	1	0.255645	
EFM0142	1/23/2019 18:00	1	1	0.255645	
EFM0142	1/23/2019 19:00	1	1	0.255645	
EFM0142	1/23/2019 20:00	1	1	0.255645	
EFM0142	1/23/2019 21:00	1	1	0.255645	
EFM0142	1/23/2019 22:00	1	1	0.255645	
EFM0142	1/23/2019 23:00	1	1	0.255645	
EFM0142	1/24/2019 0:00	1	1	0.255645	
EFM0142	1/24/2019 1:00	1	1	0.255645	
EFM0142	1/24/2019 2:00	1	1	0.255645	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/24/2019 3:00	1	1	0.255645	
EFM0142	1/24/2019 4:00	1	1	0.255645	
EFM0142	1/24/2019 5:00	1	1	0.255645	
EFM0142	1/24/2019 6:00	1	1	0.255645	
EFM0142	1/24/2019 7:00	1	1	0.255645	
EFM0142	1/24/2019 8:00	1	1	0.255645	
EFM0142	1/24/2019 9:00	1	1	0.255645	
EFM0142	1/24/2019 10:00	1	1	0.255645	
EFM0142	1/24/2019 11:00	1	1	0.255645	
EFM0142	1/24/2019 12:00	1	1	0.255645	
EFM0142	1/24/2019 13:00	1	1	0.255645	
EFM0142	1/24/2019 14:00	1	1	0.255645	
EFM0142	1/24/2019 15:00	1	1	0.255645	
EFM0142	1/24/2019 16:00	1	1	0.255645	
EFM0142	1/24/2019 17:00	1	1	0.255645	
EFM0142	1/24/2019 18:00	1	1	0.255645	
EFM0142	1/24/2019 19:00	1	1	0.255645	
EFM0142	1/24/2019 20:00	1	1	0.255645	
EFM0142	1/24/2019 21:00	1	1	0.255645	
EFM0142	1/24/2019 22:00	1	1	0.255645	
EFM0142	1/24/2019 23:00	1	1	0.255645	
EFM0142	1/25/2019 0:00	1	1	0.255645	
EFM0142	1/25/2019 1:00	1	1	0.255645	
EFM0142	1/25/2019 2:00	1	1	0.255645	
EFM0142	1/25/2019 3:00	1	1	0.255645	
EFM0142	1/25/2019 4:00	1	1	0.255645	
EFM0142	1/25/2019 5:00	1	1	0.255645	
EFM0142	1/25/2019 6:00	1	1	0.255645	
EFM0142	1/25/2019 7:00	1	1	0.255645	
EFM0142	1/25/2019 8:00	1	1	0.255645	
EFM0142	1/25/2019 9:00	1	1	0.255645	
EFM0142	1/25/2019 10:00	1	1	0.255645	
EFM0142	1/25/2019 11:00	1	1	0.255645	
EFM0142	1/25/2019 12:00	1	1	0.255645	
EFM0142	1/25/2019 13:00	1	1	0.255645	
EFM0142	1/25/2019 14:00	1	1	0.255645	
EFM0142	1/25/2019 15:00	1	1	0.255645	
EFM0142	1/25/2019 16:00	1	1	0.255645	
EFM0142	1/25/2019 17:00	1	1	0.255645	
EFM0142	1/25/2019 18:00	1	1	0.255645	
EFM0142	1/25/2019 19:00	1	1	0.255645	
EFM0142	1/25/2019 20:00	1	1	0.255645	
EFM0142	1/25/2019 21:00	1	1	0.255645	
EFM0142	1/25/2019 22:00	1	1	0.255645	
EFM0142	1/25/2019 23:00	1	1	0.255645	
EFM0142	1/26/2019 0:00	1	1	0.255645	
EFM0142	1/26/2019 1:00	1	1	0.255645	
EFM0142	1/26/2019 2:00	1	1	0.255645	
EFM0142	1/26/2019 3:00	1	1	0.255645	
EFM0142	1/26/2019 4:00	1	1	0.255645	
EFM0142	1/26/2019 5:00	1	1	0.255645	
EFM0142	1/26/2019 6:00	1	1	0.255645	
EFM0142	1/26/2019 7:00	1	1	0.255645	
EFM0142	1/26/2019 8:00	1	1	0.255645	
EFM0142	1/26/2019 9:00	1	1	0.255645	
EFM0142	1/26/2019 10:00	1	1	0.255645	
EFM0142	1/26/2019 11:00	1	1	0.255645	
EFM0142	1/26/2019 12:00	1	1	0.255645	
EFM0142	1/26/2019 13:00	1	1	0.255645	
EFM0142	1/26/2019 14:00	1	1	0.255645	
EFM0142	1/26/2019 15:00	1	1	0.255645	
EFM0142	1/26/2019 16:00	1	1	0.255645	
EFM0142	1/26/2019 17:00	1	1	0.255645	
EFM0142	1/26/2019 18:00	1	1	0.255645	
EFM0142	1/26/2019 19:00	1	1	0.255645	
EFM0142	1/26/2019 20:00	1	1	0.255645	
EFM0142	1/26/2019 21:00	1	1	0.255645	
EFM0142	1/26/2019 22:00	1	1	0.255645	
EFM0142	1/26/2019 23:00	1	1	0.255645	
EFM0142	1/27/2019 0:00	1	1	0.255645	
EFM0142	1/27/2019 1:00	1	1	0.255645	
EFM0142	1/27/2019 2:00	1	1	0.255645	
EFM0142	1/27/2019 3:00	1	1	0.255645	
EFM0142	1/27/2019 4:00	1	1	0.255645	
EFM0142	1/27/2019 5:00	1	1	0.255645	
EFM0142	1/27/2019 6:00	1	1	0.255645	
EFM0142	1/27/2019 7:00	0	0	0.255645	
EFM0142	1/27/2019 8:00	0	0	0.255645	
	1/27/2019 9:00				Missing data
	1/27/2019 10:00				Missing data
	1/27/2019 11:00				Missing data
	1/27/2019 12:00				Missing data
	1/27/2019 13:00				Missing data
	1/27/2019 14:00				Missing data
	1/27/2019 15:00				Missing data
	1/27/2019 16:00				Missing data
EFM0142	1/27/2019 17:00	1	1	0.372148	
EFM0142	1/27/2019 18:00	1	1	0.372148	
EFM0142	1/27/2019 19:00	1	1	0.372148	
EFM0142	1/27/2019 20:00	1	1	0.372148	
EFM0142	1/27/2019 21:00	1	1	0.372148	
EFM0142	1/27/2019 22:00	1	1	0.372148	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
					367 hrs missing during period 1/10/2018 - 1/9/2019: 4.2% of time 798 hrs with the pilot off 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/27/2019 23:00	1	1	0.372148	
EFM0142	1/28/2019 0:00	1	1	0.372148	
EFM0142	1/28/2019 1:00	1	1	0.372148	
EFM0142	1/28/2019 2:00	1	1	0.372148	
EFM0142	1/28/2019 3:00	1	1	0.372148	
EFM0142	1/28/2019 4:00	1	1	0.372148	
EFM0142	1/28/2019 5:00	1	1	0.372148	
EFM0142	1/28/2019 6:00	1	1	0.372148	
EFM0142	1/28/2019 7:00	1	1	0.372148	
EFM0142	1/28/2019 8:00	1	1	0.372148	
EFM0142	1/28/2019 9:00	1	1	0.372148	
EFM0142	1/28/2019 10:00	1	1	0.372148	
EFM0142	1/28/2019 11:00	1	1	0.372148	
EFM0142	1/28/2019 12:00	1	1	0.372148	
EFM0142	1/28/2019 13:00	1	1	0.372148	
EFM0142	1/28/2019 14:00	1	1	0.372148	
EFM0142	1/28/2019 15:00	1	1	0.372148	
EFM0142	1/28/2019 16:00	1	1	0.372148	
EFM0142	1/28/2019 17:00	1	1	0.372148	
EFM0142	1/28/2019 18:00	1	1	0.372148	
EFM0142	1/28/2019 19:00	1	1	0.372148	
EFM0142	1/28/2019 20:00	1	1	0.372148	
EFM0142	1/28/2019 21:00	1	1	0.372148	
EFM0142	1/28/2019 22:00	1	1	0.372148	
EFM0142	1/28/2019 23:00	1	1	0.372148	
EFM0142	1/29/2019 0:00	1	1	0.372148	
EFM0142	1/29/2019 1:00	1	1	0.372148	
EFM0142	1/29/2019 2:00	1	1	0.372148	
EFM0142	1/29/2019 3:00	1	1	0.372148	
EFM0142	1/29/2019 4:00	1	1	0.372148	
EFM0142	1/29/2019 5:00	1	1	0.372148	
EFM0142	1/29/2019 6:00	1	1	0.372148	
EFM0142	1/29/2019 7:00	1	1	0.372148	
EFM0142	1/29/2019 8:00	1	1	0.372148	
EFM0142	1/29/2019 9:00	1	1	0.372148	
EFM0142	1/29/2019 10:00	1	1	0.372148	
EFM0142	1/29/2019 11:00	1	1	0.372148	
EFM0142	1/29/2019 12:00	1	1	0.372148	
EFM0142	1/29/2019 13:00	1	1	0.372148	
EFM0142	1/29/2019 14:00	1	1	0.372148	
EFM0142	1/29/2019 15:00	1	1	0.372148	
EFM0142	1/29/2019 16:00	1	1	0.372148	
EFM0142	1/29/2019 17:00	1	1	0.372148	
EFM0142	1/29/2019 18:00	1	1	0.372148	
EFM0142	1/29/2019 19:00	1	1	0.372148	
EFM0142	1/29/2019 20:00	1	1	0.372148	
EFM0142	1/29/2019 21:00	1	1	0.372148	
EFM0142	1/29/2019 22:00	1	1	0.372148	
EFM0142	1/29/2019 23:00	1	1	0.372148	
EFM0142	1/30/2019 0:00	1	1	0.372148	
EFM0142	1/30/2019 1:00	1	1	0.372148	
EFM0142	1/30/2019 2:00	1	1	0.372148	
EFM0142	1/30/2019 3:00	1	1	0.372148	
EFM0142	1/30/2019 4:00	1	1	0.372148	
EFM0142	1/30/2019 5:00	1	1	0.372148	
EFM0142	1/30/2019 6:00	1	1	0.372148	
EFM0142	1/30/2019 7:00	1	1	0.372148	
EFM0142	1/30/2019 8:00	1	1	0.372148	
EFM0142	1/30/2019 9:00	1	1	0.372148	
EFM0142	1/30/2019 10:00	1	1	0.372148	
EFM0142	1/30/2019 11:00	0	0	0.372148	
EFM0142	1/30/2019 12:00	1	1	0.611856	
EFM0142	1/30/2019 13:00	0	0	0.611856	
EFM0142	1/30/2019 14:00	0	0	0.691051	
EFM0142	1/30/2019 15:00	1	1	0.709717	
	1/30/2019 16:00				Missing data
EFM0142	1/30/2019 17:00	1	1	0.709717	
EFM0142	1/30/2019 18:00	1	1	0.709717	
EFM0142	1/30/2019 19:00	1	1	0.709717	
EFM0142	1/30/2019 20:00	1	1	0.709717	
EFM0142	1/30/2019 21:00	1	1	0.709717	
EFM0142	1/30/2019 22:00	1	1	0.709717	
EFM0142	1/30/2019 23:00	1	1	0.709717	
EFM0142	1/31/2019 0:00	1	1	0.709717	
EFM0142	1/31/2019 1:00	1	1	0.709717	
EFM0142	1/31/2019 2:00	1	1	0.709717	
EFM0142	1/31/2019 3:00	1	1	0.709717	
EFM0142	1/31/2019 4:00	1	1	0.709717	
EFM0142	1/31/2019 5:00	1	1	0.709717	
EFM0142	1/31/2019 6:00	1	1	0.709717	
EFM0142	1/31/2019 7:00	1	1	0.709717	
EFM0142	1/31/2019 8:00	1	1	0.709717	
EFM0142	1/31/2019 9:00	1	1	0.709717	
EFM0142	1/31/2019 10:00	1	1	0.709717	
EFM0142	1/31/2019 11:00	1	1	0.709717	
EFM0142	1/31/2019 12:00	1	1	0.709717	
EFM0142	1/31/2019 13:00	1	1	0.709717	
EFM0142	1/31/2019 14:00	1	1	0.709717	
EFM0142	1/31/2019 15:00	1	1	0.709717	
EFM0142	1/31/2019 16:00	1	1	0.709717	
EFM0142	1/31/2019 17:00	1	1	0.709717	
EFM0142	1/31/2019 18:00	1	1	0.709717	

Pelican Lake Compressor Station  
Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	1/31/2019 19:00	1	1	0.709717	NOTES 367 hrs missing during period 2/10/2019 - 2/9/2019: 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	1/31/2019 20:00	1	1	0.709717	
EFM0142	1/31/2019 21:00	1	1	0.709717	
EFM0142	1/31/2019 22:00	1	1	0.709717	
EFM0142	1/31/2019 23:00	1	1	0.709717	
EFM0142	2/1/2019 0:00	1	1	0	
EFM0142	2/1/2019 1:00	1	1	0	
EFM0142	2/1/2019 2:00	1	1	0	
EFM0142	2/1/2019 3:00	1	1	0	
EFM0142	2/1/2019 4:00	1	1	0	
EFM0142	2/1/2019 5:00	1	1	0	
EFM0142	2/1/2019 6:00	1	1	0	
EFM0142	2/1/2019 7:00	1	1	0	
EFM0142	2/1/2019 8:00	1	1	0	
EFM0142	2/1/2019 9:00	1	1	0	
EFM0142	2/1/2019 10:00	1	1	0	
EFM0142	2/1/2019 11:00	1	1	0	
EFM0142	2/1/2019 12:00	1	1	0	
EFM0142	2/1/2019 13:00	1	1	0	
EFM0142	2/1/2019 14:00	1	1	0	
EFM0142	2/1/2019 15:00	1	1	0	
EFM0142	2/1/2019 16:00	1	1	0.04941	
EFM0142	2/1/2019 17:00	1	1	0.04941	
EFM0142	2/1/2019 18:00	1	1	0.04941	
EFM0142	2/1/2019 19:00	1	1	0.04941	
EFM0142	2/1/2019 20:00	1	1	0.04941	
EFM0142	2/1/2019 21:00	1	1	0.04941	
EFM0142	2/1/2019 22:00	1	1	0.04941	
EFM0142	2/1/2019 23:00	1	1	0.04941	
EFM0142	2/2/2019 0:00	1	1	0.04941	
EFM0142	2/2/2019 1:00	1	1	0.04941	
EFM0142	2/2/2019 2:00	1	1	0.04941	
EFM0142	2/2/2019 3:00	1	1	0.04941	
EFM0142	2/2/2019 4:00	1	1	0.04941	
EFM0142	2/2/2019 5:00	1	1	0.04941	
EFM0142	2/2/2019 6:00	1	1	0.04941	
EFM0142	2/2/2019 7:00	1	1	0.04941	
EFM0142	2/2/2019 8:00	1	1	0.04941	
EFM0142	2/2/2019 9:00	1	1	0.04941	
EFM0142	2/2/2019 10:00	1	1	0.04941	
EFM0142	2/2/2019 11:00	1	1	0.04941	
EFM0142	2/2/2019 12:00	1	1	0.04941	
EFM0142	2/2/2019 13:00	1	1	0.04941	
EFM0142	2/2/2019 14:00	1	1	0.04941	
EFM0142	2/2/2019 15:00	1	1	0.04941	
EFM0142	2/2/2019 16:00	1	1	0.04941	
EFM0142	2/2/2019 17:00	1	1	0.04941	
EFM0142	2/2/2019 18:00	1	1	0.04941	
EFM0142	2/2/2019 19:00	1	1	0.04941	
EFM0142	2/2/2019 20:00	1	1	0.04941	
EFM0142	2/2/2019 21:00	1	1	0.04941	
EFM0142	2/2/2019 22:00	1	1	0.04941	
EFM0142	2/2/2019 23:00	1	1	0.04941	
EFM0142	2/3/2019 0:00	1	1	0.04941	
EFM0142	2/3/2019 1:00	1	1	0.04941	
EFM0142	2/3/2019 2:00	1	1	0.04941	
EFM0142	2/3/2019 3:00	1	1	0.04941	
EFM0142	2/3/2019 4:00	1	1	0.04941	
EFM0142	2/3/2019 5:00	1	1	0.04941	
EFM0142	2/3/2019 6:00	1	1	0.04941	
EFM0142	2/3/2019 7:00	1	1	0.04941	
EFM0142	2/3/2019 8:00	1	1	0.04941	
EFM0142	2/3/2019 9:00	1	1	0.04941	
EFM0142	2/3/2019 10:00	1	1	0.04941	
EFM0142	2/3/2019 11:00	1	1	0.04941	
EFM0142	2/3/2019 12:00	1	1	0.04941	
EFM0142	2/3/2019 13:00	1	1	0.04941	
EFM0142	2/3/2019 14:00	1	1	0.04941	
EFM0142	2/3/2019 15:00	1	1	0.04941	
EFM0142	2/3/2019 16:00	1	1	0.04941	
EFM0142	2/3/2019 17:00	1	1	0.04941	
EFM0142	2/3/2019 18:00	1	1	0.04941	
EFM0142	2/3/2019 19:00	1	1	0.04941	
EFM0142	2/3/2019 20:00	1	1	0.04941	
EFM0142	2/3/2019 21:00	1	1	0.04941	
EFM0142	2/3/2019 22:00	1	1	0.04941	
EFM0142	2/3/2019 23:00	0	0	0.04941	
EFM0142	2/4/2019 0:00	0	0	0.04941	
EFM0142	2/4/2019 1:00	0	0	0.330549	
EFM0142	2/4/2019 2:00	1	1	0.255368	
EFM0142	2/4/2019 3:00	1	1	0.255368	
EFM0142	2/4/2019 4:00	1	1	0.255368	
EFM0142	2/4/2019 5:00	1	1	0.255368	
EFM0142	2/4/2019 6:00	1	1	0.255368	
EFM0142	2/4/2019 7:00	1	1	0.255368	
EFM0142	2/4/2019 8:00	1	1	0.255368	
EFM0142	2/4/2019 9:00	1	1	0.255368	
EFM0142	2/4/2019 10:00	1	1	0.255368	
EFM0142	2/4/2019 11:00	1	1	0.255368	
EFM0142	2/4/2019 12:00	1	1	0.255368	
EFM0142	2/4/2019 13:00	1	1	0.255368	
EFM0142	2/4/2019 14:00	1	1	0.255368	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	2/4/2019 15:00	1	1	0.255368	367 hrs missing during period 2/10/2018 - 2/9/2019. 4.2% of time 788 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/4/2019 16:00	1	1	0.255368	
EFM0142	2/4/2019 17:00	1	1	0.255368	
EFM0142	2/4/2019 18:00	1	1	0.255368	
EFM0142	2/4/2019 19:00	1	1	0.255368	
EFM0142	2/4/2019 20:00	1	1	0.255368	
EFM0142	2/4/2019 21:00	1	1	0.255368	
EFM0142	2/4/2019 22:00	1	1	0.255368	
EFM0142	2/4/2019 23:00	1	1	0.255368	
EFM0142	2/5/2019 0:00	1	1	0.255368	
EFM0142	2/5/2019 1:00	1	1	0.255368	
EFM0142	2/5/2019 2:00	1	1	0.255368	
EFM0142	2/5/2019 3:00	1	1	0.255368	
EFM0142	2/5/2019 4:00	1	1	0.255368	
EFM0142	2/5/2019 5:00	1	1	0.255368	
EFM0142	2/5/2019 6:00	1	1	0.255368	
EFM0142	2/5/2019 7:00	1	1	0.255368	
EFM0142	2/5/2019 8:00	1	1	0.255368	
EFM0142	2/5/2019 9:00	1	1	0.255368	
EFM0142	2/5/2019 10:00	0	1	0.255368	
EFM0142	2/5/2019 11:00	0	1	0.255368	
EFM0142	2/5/2019 12:00	0	1	0.255368	
EFM0142	2/5/2019 13:00	0	1	0.255368	
EFM0142	2/5/2019 14:00	0	1	0.255368	
EFM0142	2/5/2019 15:00	0	1	0.255368	
EFM0142	2/5/2019 16:00	1	1	0.255368	
EFM0142	2/5/2019 17:00	1	1	0.255368	
EFM0142	2/5/2019 18:00	1	1	0.255368	
EFM0142	2/5/2019 19:00	1	1	0.255368	
EFM0142	2/5/2019 20:00	1	1	0.255368	
EFM0142	2/5/2019 21:00	1	1	0.255368	
EFM0142	2/5/2019 22:00	1	1	0.255368	
EFM0142	2/5/2019 23:00	1	1	0.255368	
EFM0142	2/6/2019 0:00	1	1	0.255368	
EFM0142	2/6/2019 1:00	1	1	0.255368	
EFM0142	2/6/2019 2:00	1	1	0.255368	
EFM0142	2/6/2019 3:00	1	1	0.255368	
EFM0142	2/6/2019 4:00	1	1	0.255368	
EFM0142	2/6/2019 5:00	1	1	0.255368	
EFM0142	2/6/2019 6:00	1	1	0.255368	
EFM0142	2/6/2019 7:00	1	1	0.255368	
EFM0142	2/6/2019 8:00	1	1	0.255368	
EFM0142	2/6/2019 9:00	1	1	0.255368	
EFM0142	2/6/2019 10:00	1	1	0.255368	
EFM0142	2/6/2019 11:00	1	1	0.255368	
EFM0142	2/6/2019 12:00	1	1	0.255368	
EFM0142	2/6/2019 13:00	1	1	0.255368	
EFM0142	2/6/2019 14:00	1	1	0.255368	
EFM0142	2/6/2019 15:00	1	1	0.255368	
EFM0142	2/6/2019 16:00	1	1	0.255368	
EFM0142	2/6/2019 17:00	1	1	0.255368	
EFM0142	2/6/2019 18:00	1	1	0.255368	
EFM0142	2/6/2019 19:00	1	1	0.255368	
EFM0142	2/6/2019 20:00	1	1	0.255368	
EFM0142	2/6/2019 21:00	1	1	0.255368	
EFM0142	2/6/2019 22:00	1	1	0.255368	
EFM0142	2/6/2019 23:00	1	1	0.255368	
EFM0142	2/7/2019 0:00	1	1	0.255368	
EFM0142	2/7/2019 1:00	1	1	0.255368	
EFM0142	2/7/2019 2:00	1	1	0.255368	
EFM0142	2/7/2019 3:00	1	1	0.255368	
EFM0142	2/7/2019 4:00	1	1	0.255368	
EFM0142	2/7/2019 5:00	1	1	0.255368	
EFM0142	2/7/2019 6:00	1	1	0.255368	
EFM0142	2/7/2019 7:00	1	1	0.255368	
EFM0142	2/7/2019 8:00	1	1	0.255368	
EFM0142	2/7/2019 9:00	1	1	0.255368	
EFM0142	2/7/2019 10:00	1	1	0.255368	
EFM0142	2/7/2019 11:00	1	1	0.255368	
EFM0142	2/7/2019 12:00	1	1	0.255368	
EFM0142	2/7/2019 13:00	1	1	0.255368	
EFM0142	2/7/2019 14:00	1	1	0.255368	
EFM0142	2/7/2019 15:00	1	1	0.255368	
EFM0142	2/7/2019 16:00	1	1	0.255368	
EFM0142	2/7/2019 17:00	1	1	0.255368	
EFM0142	2/7/2019 18:00	1	1	0.255368	
EFM0142	2/7/2019 19:00	1	1	0.255368	
EFM0142	2/7/2019 20:00	1	1	0.255368	
EFM0142	2/7/2019 21:00	1	1	0.255368	
EFM0142	2/7/2019 22:00	1	1	0.255368	
EFM0142	2/7/2019 23:00	1	1	0.255368	
EFM0142	2/8/2019 0:00	1	1	0.255368	
EFM0142	2/8/2019 1:00	1	1	0.255368	
EFM0142	2/8/2019 2:00	1	1	0.255368	
EFM0142	2/8/2019 3:00	1	1	0.255368	
EFM0142	2/8/2019 4:00	1	1	0.255368	
EFM0142	2/8/2019 5:00	1	1	0.255368	
EFM0142	2/8/2019 6:00	1	1	0.255368	
EFM0142	2/8/2019 7:00	1	1	0.255368	
EFM0142	2/8/2019 8:00	1	1	0.255368	
EFM0142	2/8/2019 9:00	1	1	0.255368	
EFM0142	2/8/2019 10:00	1	1	0.255368	

Pelican Lake Compressor Station  
 Tank Combustor Pilot Monitoring

Device Name	Time (hour ending)	Compressor Status	Tank Combustor Status	Total Monthly Bypass Time (hrs)	NOTES
EFM0142	2/8/2019 11:00	1	1	0.255368	367 hrs missing during period 2/10/2018 - 2/9/2019; 4.2% of time 798 hrs with the pilot off. 9 hrs with compressor "on" 789 hrs with compressor "off"
EFM0142	2/8/2019 12:00	1	1	0.255368	
EFM0142	2/8/2019 13:00	1	1	0.255368	
EFM0142	2/8/2019 14:00	1	1	0.255368	
EFM0142	2/8/2019 15:00	1	1	0.255368	
EFM0142	2/8/2019 16:00	1	1	0.255368	
EFM0142	2/8/2019 17:00	1	1	0.255368	
EFM0142	2/8/2019 18:00	1	1	0.255368	
EFM0142	2/8/2019 19:00	1	1	0.255368	
EFM0142	2/8/2019 20:00	1	1	0.255368	
EFM0142	2/8/2019 21:00	1	1	0.255368	
EFM0142	2/8/2019 22:00	1	1	0.255368	
EFM0142	2/8/2019 23:00	1	1	0.255368	
EFM0142	2/9/2019 0:00	1	1	0.255368	
EFM0142	2/9/2019 1:00	1	1	0.255368	
EFM0142	2/9/2019 2:00	1	1	0.255368	
EFM0142	2/9/2019 3:00	1	1	0.255368	
EFM0142	2/9/2019 4:00	1	1	0.255368	
EFM0142	2/9/2019 5:00	1	1	0.255368	
EFM0142	2/9/2019 6:00	1	1	0.255368	
EFM0142	2/9/2019 7:00	1	1	0.255368	
EFM0142	2/9/2019 8:00	1	1	0.255368	
EFM0142	2/9/2019 9:00	1	1	0.255368	
EFM0142	2/9/2019 10:00	1	1	0.255368	
EFM0142	2/9/2019 11:00	1	1	0.255368	
EFM0142	2/9/2019 12:00	1	1	0.255368	
EFM0142	2/9/2019 13:00	1	1	0.255368	
EFM0142	2/9/2019 14:00	1	1	0.255368	
EFM0142	2/9/2019 15:00	1	1	0.255368	
EFM0142	2/9/2019 16:00	1	1	0.255368	
EFM0142	2/9/2019 17:00	1	1	0.255368	
EFM0142	2/9/2019 18:00	1	1	0.255368	
EFM0142	2/9/2019 19:00	1	1	0.255368	
EFM0142	2/9/2019 20:00	1	1	0.255368	
EFM0142	2/9/2019 21:00	1	1	0.255368	
EFM0142	2/9/2019 22:00	1	1	0.255368	
EFM0142	2/9/2019 23:00	1	1	0.255368	
EFM0142	2/10/2019 0:00	1	1	0.255368	